



A P P R O V A L S ®

Certificate of Suitability

Certificate No.: SAA241892

Certificate Holder: Jiangmen Inbright Lighting Co.,Ltd
8F Building 2, No.442, Wuyi Road, Jianghai District,
Jiangmen City,
Guangdong,
P.R. China

Regulatory Definition: Non-Declared

Product Description: LED Downlight

Standard/s: AS/NZS 60598.2.2:2016 Inc A1-2
AS/NZS 60598.1:2017 Inc A1-2

Condition/s: For use with suitable Australian-approved power supply only.

Approval Marks: SAA241892

Initial Issue Date: 9 December 2024

Expiry Date: 9 December 2029

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating / Marking
IBDL125CT115	InBright	28-40Vdc 450mA 18W Do-not cover, ta: 45°C, Class III
IBDL125CT140	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III
IBDL125CT170	InBright	30-42Vdc 950mA 38W Do-not cover, ta: 45°C, Class III
IBDL125CT220	InBright	28-42Vdc 1200mA 48W Do-not cover, ta: 45°C, Class III
IBDL125CT200	InBright	28-42Vdc 1200mA 48W Do-not cover, ta: 45°C, Class III
IBDL225CT090	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBDL225CT090-CCT	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBDL225CT115	InBright	28-42Vdc 500mA 20W Do-not cover, ta: 45°C, Class III
IBDL225CT115-CCT	InBright	28-42Vdc 500mA 20W Do-not cover, ta: 45°C, Class III
IBDL225CT140	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBDL225CT140-CCT	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBDL225CT170	InBright	30-42Vdc 900mA 35W Do-not cover, ta: 45°C, Class III
IBDL225CT170-CCT	InBright	30-42Vdc 900mA 35W Do-not cover, ta: 45°C, Class III
IBDL225CT200	InBright	30-40Vdc 1000mA 42W Do-not cover, ta: 45°C, Class III
IBDL225CT200-CCT	InBright	30-40Vdc 1000mA 42W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/Marking
IBDL226SCT115	InBright	28-42Vdc 500mA 20W Do-not cover, ta: 45°C, Class III
IBDL226SCT115-CCT	InBright	28-42Vdc 500mA 20W Do-not cover, ta: 45°C, Class III
IBDL226SCT175	InBright	30-42Vdc 900mA 35W Do-not cover, ta: 45°C, Class III
IBDL226SCT175-CCT	InBright	30-42Vdc 900mA 35W Do-not cover, ta: 45°C, Class III
IBDL226SCT200	InBright	30-40Vdc 1000mA 42W Do-not cover, ta: 45°C, Class III
IBDL226SCT200-CCT	InBright	30-40Vdc 1000mA 42W Do-not cover, ta: 45°C, Class III
IBDL226CT090	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBDL226CT090-CCT	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBDL226CT115	InBright	28-42Vdc 500mA 20W Do-not cover, ta: 45°C, Class III
IBDL226CT115-CCT	InBright	28-42Vdc 500mA 20W Do-not cover, ta: 45°C, Class III
IBDL226CT140	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBDL226CT140-CCT	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBDL226CT175	InBright	30-42V; DC900mA 35W Do-not cover, ta: 45°C, Class III
IBDL226CT175-CCT	InBright	30-42V; DC900mA 35W Do-not cover, ta: 45°C, Class III
IBDL226CT200	InBright	30-40Vdc 1000mA 42W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/ Marking
IBDL226CT200-CCT	InBright	30-40Vdc 1000mA 42W Do-not cover, ta: 45°C, Class III
IBSP112CT085H48	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP112CT085H68	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP112CT085H96	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP221CT042	InBright	28-42Vdc 150mA 7W Do-not cover, ta: 45°C, Class III
IBSP221CT042PIN	InBright	28-42Vdc 150mA 7W Do-not cover, ta: 45°C, Class III
IBSP101CT055	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP101CT075H74	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP101CT075H94	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP101CT075H122	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP101CT095	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III
IBSP101SCT055	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP101SCT075H74	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP101SCT075H94	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP101SCT075H122	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/ Marking
IBSP101SCT095	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III
IBSP100CT055	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP100CT075H69	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP100CT075H90	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP100CT075H117	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP137CT055	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP137CT075H69	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP137CT075H90	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP137CT075H117	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP104CT080	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP104CT080H86	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104CT095H78	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP104CT095H98	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104CT095H124	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP104CT120	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/Marking
IBSP104CT080-EB	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP104CT080H86-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104CT095H78-EB	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP104CT095H98-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104CT095H124-EB	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP104CT120-EB	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III
IBSP104SCT080	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP104SCT080H86	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H78	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H98	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H124	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP104SCT120	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III
IBSP104SCT080-EB	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP104SCT080H86-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H78-EB	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/ Marking
IBSP104SCT095H98-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H124-EB	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP104SCT120-EB	InBright	30-42Vdc 700mA 28W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H78-2F	InBright	30-42Vdc 500mA 2x10W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H98-2F	InBright	28-42Vdc 700mA 2x15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H124-2F	InBright	30-42Vdc 1300mA 2x25W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H78-3F	InBright	30-42Vdc 750mA 3x10W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H98-3F	InBright	28-42Vdc 1050mA 3x15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H124-3F	InBright	30-42Vdc 1950mA 3x25W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H78-2F-EB	InBright	30-42Vdc 500mA 2x10W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H98-2F-EB	InBright	28-42Vdc 700mA 2x15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H124-2F-EB	InBright	30-42Vdc 1300mA 2x25W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H78-3F-EB	InBright	30-42Vdc 750mA 3x10W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H98-3F-EB	InBright	28-42Vdc 1050mA 3x15W Do-not cover, ta: 45°C, Class III
IBSP104SCT095H124-3F-EB	InBright	30-42Vdc 1950mA 3x25W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/Marking
IBSP151CT075H72	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP151CT075H76	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151CT095H67	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP151CT095H88	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151CT095H114	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP151CT075H78-EB	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP151CT075H82-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151CT095H71-EB	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP151CT095H92-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151CT095H118-EB	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP151SCT075H72	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP151SCT075H76	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151SCT095H67	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP151SCT095H88	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151SCT095H114	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/ Marking
IBSP151SCT075H78-EB	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP151SCT075H82-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151SCT095H71-EB	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP151SCT095H92-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP151SCT095H118-EB	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP150CT075H86	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP150CT075H90	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP150CT095H86	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP150CT095H107	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP150CT095H134	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP150CT075H86-EB	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP150CT075H90-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP150CT095H86-EB	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP150CT095H107-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP150CT095H134-EB	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/ Marking
IBSP155CT085H95-R	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP155CT085H99-R	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP155CT075H95-R-TL	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP155CT075H99-R-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP155CT085H95	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP155CT085H99	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP155CT075H95-TL	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP155CT075H99-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP155CT085H95-EB	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP155CT085H99-EB	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP155CT075H95-EB-TL	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP155CT075H99-EB-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP156CT085H69-R	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP156CT085H89-R	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP156CT085H116-R	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/Marking
IBSP156CT075H69-R-TL	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP156CT075H89-R-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP156CT075H116-R-TL	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP156CT085H69	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP156CT085H89	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP156CT085H116	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP156CT075H69-TL	InBright	30-42Vdc 250mA 10W Do-not cover, ta: 45°C, Class III
IBSP156CT075H89-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP156CT075H116-TL	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP158CT075H81-PIN-TL	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP158CT075H85-PIN-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP158CT085H81-PIN	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP158CT085H85-PIN	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP158CT075H81-OV-TL	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP158CT075H85-OV-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au





A P P R O V A L S ®

Certificate of Suitability

Model	Trade Name	Rating/Marking
IBSP158CT085H81-OV	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP158CT085H85-OV	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP158CT075H81-OV2-TL	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP158CT075H85-OV2-TL	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP158CT085H81-OV2	InBright	30-42Vdc 200mA 8W Do-not cover, ta: 45°C, Class III
IBSP158CT085H85-OV2	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP109CT075	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP109CT095	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP107CT095P	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP107CT115P	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP107SCT095P	InBright	28-42Vdc 350mA 15W Do-not cover, ta: 45°C, Class III
IBSP107SCT115P	InBright	30-42Vdc 650mA 25W Do-not cover, ta: 45°C, Class III
IBSP107SCT190P	InBright	28-42Vdc 700mA 30W Do-not cover, ta: 45°C, Class III
IBSP107SCT230P	InBright	30-42Vdc 1300mA 50W Do-not cover, ta: 45°C, Class III

For and on Behalf of
SAA Approvals Pty Ltd

SAA certifies the product nominated in this certificate
complies with standard/s listed above.

For SAA Contact Details and to verify this Certificate go to:
www.saaapprovals.com.au

