

LINEAR LIGHT



LED KING PROVIDES COMPREHENSIVE INTELLIGENT LIGHTING FOR LINEAR LIGHTS.

A linear lights series that can be intelligently controlled.






L1224W series

A Style





B Style





Part No of LED King	Power	Input	Lumen	Colour	CRI	IP Rang	Size
L1224WA	0.6M=12W 1.2M=24W	DC24V	100Lm/W	2700K	>92	IP20	600x25.4x28mm 1200x25.4x28mm
				3000K			
				4000K			
				6000K			
L1224WB	0.6M=12W 1.2M=24W	DC24V	100Lm/W	2700K	>92	IP20	600x25.4x28mm 1200x25.4x28mm
				3000K			
				4000K			
				6000K			



INSTALLATION: Wires Installation



INSTALLATION: Hide Installation




WARNING

1. Only for indoor lighting, no outdoor lighting or using under the condition of vibration, dust or high humidity. Or it will easily cause fire, electric shock or breakdown.
2. Power must be off before installation, cleaning, mending or replacement in case of electric shock or breakdown.
3. Please do not refit, add or change the accessories privately in case of shortening the lifespan or causing safety problems.
4. Distance between the lights and objects by illumination should be no less than 700mm.
5. Under no circumstances can the lights be covered by cloth or other similar objects in case of fire or breakdown.
6. Once lights do not work properly, please turn off the power wire and get in contact with our agent or ask a professional electrician to do the repairing in case of fire, falling or injury.



Packing Specification

Type	Length	Net Weight	QTY	Gross Weight	Demension
L1224WA/B	0.6m	0.21 kg	50PCS	12.2 kg	655x230x340 mm
	1.2m	0.42 kg	40PCS	18.5 kg	1250x230x305 mm



A: step to inside linear to EPE package.

B: step to put linears with EPE inside carton.