



中国认可
国际互认
检测
TESTING
CNAS L5016

第1页, 共8页

检验报告

Test Report



样品名称: 餐桌
Sample Description: _____

规格/型号: 雾里HZ0004
Size/model: _____

商标: _____
Trademark: _____

委托单位: 佛山市乐藤户外家具有限公司
Applicant: _____

检验类别: 委托检验
Test Category: _____

报告日期: 2024年10月24日
Report date: _____

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co. Ltd.





广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第2页, 共8页

委托单位 /Applicant	佛山市乐藤户外家具有限公司		商标 /Trademark		
委托地址 /Address	佛山市禅城区南庄镇吉利工业区利源四路1号		样品等级 /Sample Grade	-----	
生产单位 /Manufacturer	佛山市乐藤户外家具有限公司		生产日期 /Manufactured Date	-----	
样品名称 /Sample Description	餐桌	规格、型号 /Size&Model	雾里HZ0004		
以上信息及样品由客户提供及确认, 创科不承担证实客户提供信息的准确性、适当性和(或)完整性的责任。					
样品数量 /Sample Quantity	1张	受理单号 /Case No. #	241014AN01-5	检验类别 /Test Category	委托检验
样品特征和状态 /Sample Character and State	样品外观质量无明显质量缺陷				
收样日期 /Received Date	2024年10月14日	检验日期 /Tested Date	2024年10月14日 至 2024年10月24日		
检验依据/Ref. Documents for the Test	GB 28478-2012 《户外休闲家具安全性能要求 桌椅类产品》				
判定依据/Ref. Documents for the Judgment	GB 28478-2012 《户外休闲家具安全性能要求 桌椅类产品》(家用)				
检验结论 (Test Conclusion) :					
本次委托检验共检10项, 所检项目均符合标准要求。					
批 准: 王彬 Approved by					
批准日期: 2024年10月24日 Approved Date					
备注/Remarks	-----				



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)
中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一(住所申报) 邮编: 528318
Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第3页, 共8页

序号	检验项目		要求	单位	项目分类	检测结果	判定
1	边和角		对于桌子, 直接接触使用者的边、角应经倒圆或倒角处理	---	基本	符合	合格
使用时能直接接触到的座椅和桌子的任何其他的边、角, 应无毛刺、尖锐边			---	基本	符合	合格	
2	使用时可接触到的管件、孔和间隙		使用时可接触到的管件、孔和间隙应封闭。无论从哪个方向, 如用试验棒能够塞进管件、孔或间隙, 塞进的深度大于10mm, 并且不能以30N的力从相反的方向拔出来时, 应封闭管脚端口。	---	基本	符合	合格
3	剪切和挤压点	放置和折叠时的剪切和挤压点	如剪切和挤压点仅在放置和折叠时产生, 并且使用者有能力控制其本人的运动, 能在夹痛时能够及时停止该力, 部件可允许出现剪切和挤压点。除了6.1.3.3和6.1.3.4规定的情况, 其他情况均适用此条。	---	基本	符合	合格
		部件因相对运动产生的边和角应符合6.1.1的规定。		---	基本	符合	合格
		使用时的剪切和挤压点	在正常使用时, 除非使用者对使用状况可有效控制, 从而使自己不受伤害, 否则载荷不应出现可接触的剪切和挤压点	---	基本	符合	合格
		注: 最好是通过使用自动锁紧装置来防止危险的产生。					
4	材料要求	金属件	抗盐雾: 锈点 ≤ 20 点/dm ² , 其中直径1.5mm的锈点不应超过5点	---	基本	符合	合格
5	材料要求	装配性要求	产品应具有良好的装配性能	---	基本	符合	合格

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一(住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第4页, 共8页

序号	检验项目	要求	单位	项目分类	检测结果	判定
6	标志	应有中文标识;	---	---	符合	合格
		标识应由耐腐蚀、耐磨损且不易脱落的材料制成;			符合	合格
		字体大小不应小于“小五”号字体;			符合	合格
		标识应易于看清, 最好采用白底黑字;			符合	合格
7	使用说明	产品使用说明书的编写应按GB 5296.6 的规定, 内容应至少包括:	---	---	符合	合格
		a) 产品名称、规格型号、执行标准编号和等级;			符合	合格
		b) 产品主要原、辅材料名称, 使用部位;			符合	合格
		c) 产品安装和调整技术要求、注意事项;			符合	合格
		d) 产品使用方法、注意事项;			符合	合格
8	包装	e) 产品故障分析和排除、保养方法。	---	---	符合	合格
		产品的外包装应保证产品表面不划伤、碰损, 在运输贮存过程中不产生变形; 部件与部件之间应捆扎; 易损的或重要的零部件应单独包装。			符合	合格

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com



广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第5页, 共8页

序号	检验项目		要求		单位	项目分类	检测结果	判定
9	桌类产品力学性能要求	主桌面垂直静载荷	750N, 9次×30s+1次×30min	无破坏或明显变形, 且不影响使用功能	---	基本	符合	合格
10		垂直稳定性	L≤800mm时, F=200N; 800mm<L<1000mm时, F=(L/4N) ; L>1000mm时, F= (L/4) N; L>1600mm时, F=400N 注: L=1802mm, F=400N	无倾翻	---	基本	符合	合格

以下空白, 转下页

测友
用



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第6页, 共8页



-----测试样品图片-----

备注
Remarks

单位、检测结果及判定栏中“-----”代表“不适用”。



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com



No:CKJC241014AN01-5

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第7页, 共8页

委托方地址	佛山市禅城区南庄镇陶博大道11号15层 (住所申报)
试验地址 (如与本实验室地址不同)	-----
已检样品描述	-----
检验程序的说明	-----
意见与解释	-----
采用非标准方法的描述	-----
偏离补充另外情况	-----
检验结果判定原则	-----
测试环境及状态	-----
分包项目及分包方	-----
备注	-----



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

注 意 事 项

Remark

第8页, 共8页

1、报告无“检验专用章”或检验单位公章无效。

The Test Report is invalid without authorised person's signatures.

2、未经书面批准，不得复制（全文复制除外）检测报告。

Copy of the test report (except copy of the whole report) is not allowed without written approval.

3、报告无批准人签章无效。

The Test Report is invalid without the signature of the approver.

4、报告涂改无效。

The Test Report is invalid if scribbled or altered.

5、对检验报告若有异议，应于收到报告之日起十五日内提出，逾期不予受理。

If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted.

6、委托检验结果仅对来样负责。

The Organisation is responsible for the results of the received sample only.

7、未经检验机构同意，委托人不得擅自使用检验结果进行不当宣传。

Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result.

8、“…”项目未在CNAS认可范围。未加盖CMA资质章报告所出具的检测数据、结果，仅限于委托方内部质量控制，不具有社会证明作用。

The test items with “…” are not included in the CNAS qualification scope. The test data and results issued by the Test Report without CMA qualification seal are limited to the internal quality control of the client and do not have proof function to society.

