



ANNXIN TECHNOLOGIES CO.,LTD

OEM & ODM

RF COAXIAL CABLE ASSEMBLIES

Company Profile

Established in 2008, DONGGUAN ANNIXIN TECHNOLOGIES CO.,LTD is a professional manufacturer and exporter that is concerned with the design, development and production of Antennas, RF cables and RF connectors. We are located in Dongguan City, Guangdong Province, with convenient transportation access. All of our product comply with international quality standards and are greatly appreciated in a variety of different markets throughout the world. Covering an area of 2000 square meters, we now have over 200 employees, an annual sales figure that exceeds USD 5millions and are currently exporting 80% of our production worldwide.

Our well-equipped facilities and excellent quality control throughout all stages of production enables us to guarantee total customer satisfaction. Besides, we have received ISO certificates, ROHS and Reach. As a result of our high quality products and outstanding customer service, we have gained a global sales network reaching USA, UK, Japan, Brazil, Italy, India, Korea, Germany and other countries, and are highly praised by domestic and foreign customers.

If you are interested in any of our products or would like to discuss a custom order, please feel free to contact us. We are looking forward to forming successful business relationships with you in the near future.



OFFICE



Sample Room



In-house Anechoic Chamber

Production Equipment and Instruments





WhatsApp




Product Model: WSMAMG-178L130-IPEX(220)

Product Name: Waterproof RP SMA Female bulkhead to ipex/u.fl/mhf with rg178 cable

Description

- Connector A: Waterproof RP SMA Female
- Connector B: IPEX/U.FL/MHF
- Cable Type: RG178
- Cable Length: 130mm or OEM
- Per PCS Weight: 5.2g/pcs
- Packing: 100PCS/PE Bag






WhatsApp

Product Model: WSMAMM-178L130-IPEX(220)

Product Name: Waterproof SMA Female
bulkhead to ipex/u.fl/mhf
with rg178 cable

Description

- Connector A: Waterproof SMA Female
- Connector B: IPEX/U.FL/MHF
- Cable Type: RG178
- Cable Length: 130mm or OEM
- Per PCS Weight: 5.2g/pcs
- Packing: 100PCS/PE Bag






WhatsApp

Product Model: SMAMM-113L70-IPEX4(190)

Product Name: SMA Female bulkhead to ipex4/mh4 with rg1.13 gray cable

Description

- Connector A: SMA Female
- Connector B: IPEX4/MHF4
- Cable Type: RG1.13,gray
- Cable Length: 70mm or OEM
- Per PCS Weight: 4g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAMM-178L165-IPEX(300)

Product Name: SMA Female bulkhead to ipex/u.fl/mhf with rg178 cable

Description

- Connector A: SMA Female
- Connector B: IPEX/MHF/U.fl
- Cable Type: RG178 black
- Cable Length: 165mm or OEM
- Per PCS Weight: 4.5g/pcs
- Packing: 100PCS/PE Bag







WhatsApp

Product Model: SMAMM-081L100-IPEX(200)

Product Name: SMA Female bulkhead to ipex4/mhf4/u.fl with rg0.81 cable

Description

- Connector A: SMA Female with red cap
- Connector B: IPEX4/MHF4
- Cable Type: RG0.81
- Cable Length: 100mm or OEM
- Per PCS Weight: 4g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAMM-113L137-IPEX(250)

Product Name: SMA Female bulkhead to ipex/mhf/ufl with rg1.13 cable

Description

- Connector A: SMA Female with red cap
- Connector B: IPEX/MHF/UFL
- Cable Type: RG1.13
- Cable Length: 137mm or OEM
- Per PCS Weight: 4g/pcs
- Packing: 100PCS/PE Bag





Product Model: SMAMM-178L200-IPEX(220)


Product Name: SMA Female bulkhead to ipex/mhf/ufl with rg178 cable



WhatsApp


Description

- Connector A: SMA Female or OEM
- Connector B: IPEX/MHF/UFL
- Cable Type: RG178
- Cable Length: 200mm or OEM
- Per PCS Weight: 4.5g/pcs
- Packing: 100PCS/PE Bag





WhatsApp





Product Model: WSMAMM-178L200-IPEX(250)

Product Name: Waterproof SMA Female
bulkhead to ipex/mhf/u.fl
with rg178 cable

Description

- Connector A: Waterproof SMA Female
- Connector B: IPEX/MHF/U.fl
- Cable Type: RG178 or OEM
- Cable Length: 200mm or OEM
- Per PCS Weight: 45g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAMG-178L300-IPEX(300)

Product Name: RP SMA Female bulkhead to ipex/mhf/u.fl with rg178 cable

Description

- Connector A: RP SMA Female or OEM
- Connector B: IPEX/MHF/U.FL
- Cable Type: RG178
- Cable Length: 300mm or OEM
- Per PCS Weight: 1g/PCS
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAMG-113L200-IPEX(200)

Product Name: RP SMA Female bulkhead to ipex/mhf/u.fl with rg1.13 cable

Description

- Connector A: RP SMA Female or OEM
- Connector B: IPEX/MHF/U.FL
- Cable Type: RG1.13
- Cable Length: 200mm or OEM
- Per PCS Weight: 4.5g/pcs
- Packing: 100PCS/PE Bag





WhatsApp

Product Model: SMAGG-316L170-SMAMM(350)

Product Name: SMA Male to SMA Female with rg316 cable

Description

- Connector A: SMA Male or OEM
- Connector B: SMA Female or OEM
- Cable Type: RG316
- Cable Length: 170mm or OEM
- Per PCS Weight: 8g/pcs
- Packing: 50PCS/PE Bag





WhatsApp



Product Model: IPEX-113L50-IPEX4(100)

Product Name: IPEX/Mhf/U.fl
to ipex4/mhf4 with rg1.13
cable

Description

- Connector A: IPEX/U.fl/Mhf or OEM
- Connector B: IPEX4/MHF4
- Cable Type: RG1.13
- Cable Length: 50mm or OEM
- Per PCS Weight: 2g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAMM-174L300-SMAGG(500)

Product Name: SMA Female bulkhead to SMA Male with rg174 cable

Description

- Connector A: SMA Female or OEM
- Connector B: SMA Male or OEM
- Cable Type: RG174
- Cable Length: 300mm or OEM
- Per PCS Weight: 20g/pcs
- Packing: 50PCS/PE Bag





WhatsApp




Product Model: IPEX2-113L60-IPEX2(150)

Product Name: MHF2/IPEX2
to MHF2/IPEX2 with rg1.13
cable


Description

- Connector A: MHF2/IPEX2 or OEM
- Connector B: MHF2/IPEX2 or OEM
- Cable Type: RG1.13
- Cable Length: 60mm or OEM
- Per PCS Weight: 2g/pcs
- Packing: 100PCS/PE Bag





WhatsApp



Product Model: SMAMM-174L1000-SMAGM(500)

Product Name: RP SMA Male to SMA Female with rg174 cable

Description

- Connector A: RP SMA Male or OEM
- Connector B: SMA Female or OEM
- Cable Type: RG174
- Cable Length: 1000mm or OEM
- Per PCS Weight: 30g/pcs
- Packing: 20PCS/PE Bag





WhatsApp




Product Model: IPEX-1.13L40-IPEX(080)

Product Name: IPEX/MHF/U.fl to
IPEX/MHF/U.fl with rg1.13
cable

Description

- Connector A: IPEX/MHF/U.FL or OEM
- Connector B: IPEX/MHF/U.FL or OEM
- Cable Type: RG1.13 Gray
- Cable Length: 40mm or OEM
- Per PCS Weight: 3g/pcs
- Packing: 100PCS/PE Bag






WhatsApp

Product Model: SMAMM-316L120-2XCRC9(500)

Product Name: SMA Female to Dual CRC9 with rg316 cable

Description

- Connector A: SMA Female or OEM
- Connector B: Dual CRC9 or OEM
- Cable Type: RG316 Gray
- Cable Length: 120mm or OEM
- Per PCS Weight: 15g/pcs
- Packing: 50PCS/PE Bag





WhatsApp




Product Model: WSMAMM-113L150-IPEX(250)

Product Name: Waterproof SMA Female to IPEX/MHF/U.fl with rg1.13 cable

Description

- **Connector A:** Waterproof SMA Female or OEM
- **Connector B:** IPEX/MHF/U.FL or OEM
- **Cable Type:** RG1.13 Black
- **Cable Length:** 150mm or OEM
- **Per PCS Weight:** 5g/pcs
- **Packing:** 100PCS/PE Bag





WhatsApp





Product Model: IPEX4-113L125-IPEX4(100)

Product Name: IPEX4/MHF4 to IPEX4/MHF4
with rg1.13 cable


Description

- Connector A: IPEX4/MHF4 or OEM
- Connector B: IPEX4/MHF4/ or OEM
- Cable Type: RG1.13 Black
- Cable Length: 125mm or OEM
- Per PCS Weight: 2g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAGM-402L320-SMAGM(800)

Product Name: RP SMA Male to RP SMA Male Connector with rg402 Cable

Description

- Connector A: RP SMA Male or OEM
- Connector B: RP SMA Male or OEM
- Cable Type: RG402 Black
- Cable Length: 320mm or OEM
- Per PCS Weight: 21g/pcs
- Packing: 100PCS/PE Bag





Product Model: SMAGG-058L1000-SMAMM(600)


Product Name: SMA Male to SMA Female
Connector with rg58 cable



WhatsApp

Description

- Connector A: SMA Male or OEM
- Connector B: SMA Female or OEM
- Cable Type: RG58 Black
- Cable Length: 1000mm or OEM
- Per PCS Weight: 100g/pcs
- Packing: 1PCS/PE Bag





Product Model: SMAMMRA-113L300-IPEX(400)

Product Name: SMA Female Right Angle to IPEX/MHF/U.fl with rg1.13 cable



WhatsApp

Description

- Connector A: SMA Female Right Angle or OEM
- Connector B: IPEX/MHF/U.fl or OEM
- Cable Type: RG1.13 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 9.4g/pcs
- Packing: 100PCS/PE Bag







WhatsApp

Product Model: SMAMGRA-316L210-MMCX(350)

Product Name: RP SMA Female Right Angle to MMCX with rg316 cable

Description

- Connector A: RP SMA Female R/A or OEM
- Connector B: MMCX or OEM
- Cable Type: RG316 Black
- Cable Length: 210mm or OEM
- Per PCS Weight: 9.2g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: SMAGG-113L1000-IPEX(250)

Product Name: SMA Male to IPEX/MHF/U.fl
with rg1.13 cable

Description

- Connector A: SMA Male or OEM
- Connector B: IPEX/MHF/UFL or OEM
- Cable Type: RG1.13 Gray
- Cable Length: 1000mm or OEM
- Per PCS Weight: 17.2g/pcs
- Packing: 100PCS/PE Bag





WhatsApp




Product Model: TNCMM-081L300-IPEX4(400)

Product Name: TNC Female to IPEX4/MHF4
with rg0.81 cable

Description

- Connector A: TNC Female or OEM
- Connector B: IPEX4/MHF4 or OEM
- Cable Type: RG0.81 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 20g/pcs
- Packing: 100PCS/PE Bag





WhatsApp



Product Model: NMM-058L300-BNCGG(600)

Product Name: N Female to BNC Male
connector with rg58 cable

Description

- Connector A: N Female or OEM
- Connector B: BNC Male or OEM
- Cable Type: RG58 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 53g/pcs
- Packing: 1PCS/PE Bag





WhatsApp



Product Model: SMBMRA-195L300-MMCXGRA(600)

Product Name: SMB Feamle R/A to MMCX
Male R/A connector with
LMR195 cable

Description

- Connector A: SMB Female or OEM
- Connector B: MMCX Male or OEM
- Cable Type: LMR195 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 22g/pcs
- Packing: 1PCS/PE Bag





WhatsApp



Product Model: SMBMRA-316L200-SMBMRA(600)

Product Name: SMB Female R/A to SMB Female R/A with rg316 cable

Description

- Connector A: SMB Female right angle or OEM
- Connector B: SMB Female right angle or OEM
- Cable Type: RG316 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 15g/pcs
- Packing: 50PCS/PE Bag



SMB Female right angle





WhatsApp



Product Model: MCXGG-316L300-SMBF(500)

Product Name: MCX Male R/A to SMB Female with rg316 cable

Description


- Connector A: MCX Male right angle or OEM
- Connector B: SMB Female or OEM
- Cable Type: RG316 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 18g/pcs
- Packing: 50PCS/PE Bag



SMB



MCX





WhatsApp




Product Model: TNCMG-081L300-IPEX4(400)

Product Name: RP TNC Female to IPEX4/MHF4 with rg0.81 cable

Description

- Connector A: RP TNC Female or OEM
- Connector B: IPEX4/MHF4/ or OEM
- Cable Type: RG0.81 Black
- Cable Length: 300mm or OEM
- Per PCS Weight: 16g/pcs
- Packing: 50PCS/PE Bag

RP TNC Female





WhatsApp



Product Model: FMEMG-081L120-IPEX4(400)


Product Name: RP FME Female to IPEX4/MHF4 with rg0.81 cable

Description

- Connector A: RP FME Female or OEM
- Connector B: IPEX4/MHF4/UFL or OEM
- Cable Type: RG0.81 Black
- Cable Length: 120mm or OEM
- Per PCS Weight: 12g/pcs
- Packing: 100PCS/PE Bag



Detail image
w:9 *h6cm





Product Model: WNMM-058L230-SMAGG(600)

Product Name: Waterproof N Female to SMA Male with rg58 cable



WhatsApp

Description

- Connector A: Waterproof N Female or OEM
- Connector B: SMA Male or OEM
- Cable Type: RG58 Black
- Cable Length: 230mm or OEM
- Per PCS Weight: 52g/pcs
- Packing: 20PCS/PE Bag

