

PURE SENLV[®]

PRODUCT BROCHURE



Donguan Sungrenn Water Pure Technology Co., Ltd

Contact: Winnie Chen

Whatsapp/wechat: +8615377700152



Sphere Ice Maker

Ice Maker

YH1590



115V~60Hz
Power Supply

180W
Rated Input

35/55 mins
Ice out Time

Product Specifications

Current	2A
Refrigerant/Content	R290 / 20g
Insulation Material	C5H10
Material	ABS
Ice Production per Cycle	2pcs
Ball ice Styles	50MM
Ice Bin Volume	8-10 pcs
Water Tank Capacity	1.2L
Certificate	CETL / ETL , FDA , CB
Ambient Temperature	55°F-90°F / 10°C-32°C
Climate Type	ST/N/SN
Cleaning Mode	Automatic Cleaning
Product Net Weight	12.37KG
Product Gross Weight	13.5KG
Unit Dimension(w*d*h)	248*344*413mm
Packing Dimension(w*d*h)	385*300*505mm
Quantity in 40' Container (pcs)	904
Quantity in 40' HQ Container (pcs)	1130



Bullet Ice Maker

Ice Maker



115V~60Hz
Power Supply

110W
Rated Input

9 min
Ice out Time

0.6KG / 60PCS
Ice Storage Capacity



Product Specifications

Current	1.3A~1.5A
Insulation Material	Expandable Polystyrene
Refrigerant/Content	R600a / 20g
Material	SUS430+PP
Bullet ice Styles	Φ25xH30mm
Water tank Capacity	1.3L
Ice-making Capacity(24H)	12KG
Ice Production per Cycle	9Pcs
Climate Type	ST/N/SN
Ambient Temperature	55°F-90°F / 10°C-32°C
Product Net Weight	6.36KG
Product Gross Weight	7KG
Master Carton Cubic	0.03m ³
Unit Dimension(w*d*h)	225*294*285mm
Packing Dimension(w*d*h)	263*342*317mm
Carton Dimension(w*d*h)	273*357*335mm
Quantity in 20' Container (pcs)	982
Quantity in 40' Container (pcs)	2030
Quantity in 40' HQ Container (pcs)	2352

Bullet Ice Maker

Ice Maker




115V~60Hz
Power Supply

110W
Rated Input

6~8 min
Ice out Time

0.6KG / 60PCS
Ice Storage Capacity




Product Specifications

Current	1.3A~1.5A
Insulation Material	Expandable Polystyrene
Refrigerant/Content	R600a / 20g
Material	SUS430+PP
Bullet ice Styles	5 Size
Water tank Capacity	1.3L
Ice-making Capacity(24H)	12KG
Ice Production per Cycle	9Pcs
Climate Type	ST/N/SN
Ambient Temperature	55°F-90°F / 10°C-32°C
Product Net Weight	6.36KG
Product Gross Weight	7KG
Master Carton Cubic	0.03m ³
Unit Dimension(w*d*h)	225*294*285mm
Packing Dimension(w*d*h)	263*342*317mm
Carton Dimension(w*d*h)	273*357*335mm
Quantity in 20' Container (pcs)	982
Quantity in 40' Container (pcs)	2030
Quantity in 40' HQ Container (pcs)	2352

Bullet Ice Maker

Ice Maker




115V~60Hz
Power Supply

110W
Rated Input

6~8min
Ice out Time

0.6KG / 60PCS
Ice Storage Capacity



Product Specifications

Current	1.8A-2A
Insulation Material	C5H10
Refrigerant/Content	R600a / 20g
Material	PP
Bullet ice Styles	Φ20xH25mm / Φ25xH30mm
Water tank Capacity	1.3L
Ice-making Capacity(24H)	12KG
Ice Production per Cycle	9Pcs
Climate Type	ST/N/SN
Ambient Temperature	55°F-90°F / 10°C-32°C
Product Net Weight	6.36KG
Product Gross Weight	7KG
Master Carton Cubic	0.03m ³
Unit Dimension(w*d*h)	225*294*285mm
Packing Dimension(w*d*h)	263*342*317mm
Carton Dimension(w*d*h)	273*357*335mm
Quantity in 20' Container (pcs)	982
Quantity in 40' Container (pcs)	2030
Quantity in 40' HQ Container (pcs)	2352

Nugget Ice Maker

Ice Maker



YH4025




YH4028



Side Water Tank Capacity	3L
Side Water Tank Dimensions	75*170*397mm
Side Water Tank Weight	1.2KG
Product Net Weight	11.7KG
Product Gross Weight	12.8KG
Quantity in 40' Container (pcs)	990
Quantity in 40' HQ Container (pcs)	990

Product Specifications

Current	1.4A
Refrigerant/Content	R600 / 20G
Insulation Material	C5H10
21℃ ice Production/Hour (lb)	1.58 lb / 0.71Kg
Daily ice Output	38lb / 17KG
Noise	<55db
Material	SUS430+ABS+PC
Ice Bin Volume (lb)	800g±10%
Max ice Bin Volume (lb)	1200g±10%
Water Tank Capacity	1.3L
Certificate	ETL
Climate Type	ST/N/SN
Product Net Weight	10.5KG
Product Gross Weight	11.4KG
Unit Dimension(w*d*h)	246*295*340mm
Packing Dimension(w*d*h)	345*296*400mm
Quantity in 40' Container (pcs)	1370
Quantity in 40' HQ Container (pcs)	1664



Power Supply
120V ~ 60Hz



Rated Input
110W



Ice out Time
8 ~ 10min



Ambient Temperature
55°F-90°F/10℃-32℃



Cleaning Mode
Automatic (Long press for 3 seconds after starting up)

Nugget Ice Maker

Ice Maker

YH4027



120V~60Hz
Power Supply

1.4A
Current

110W
Rated Input

8~10min
Ice out Time

Product Specifications

Insulation Material	C5H10
Refrigerant/Content	R600 / 20g
Material	SUS430+ABS+PC
Bluetooth	Yes
Play Function	Pause / Play / Volume
21℃ ice Production/Hour (lb)	1.58 lb / 0.71Kg
Daily ice Output	38 Lb / 17Kg
Noise	<55db
Ice Bin Volume (lb)	800g±10%
Max ice Bin Volume (lb)	1200g±10%
Water Tank Capacity	1.3L
Certificate	ETL
Climate Type	ST/N/SN
Cleaning Mode	Automatic (Long press for 3 seconds after starting up)
Ambient Temperature Range	55°F-90°F/10°C-32°C
Product Net Weight	11.1KG
Product Gross Weight	12KG
Unit Dimension(w*d*h)	300*246*405mm
Packing Dimension(w*d*h)	301*345*460mm
Quantity in 40' Container (pcs)	1370
Quantity in 40' HQ Container (pcs)	1664



Car Refrigerator

Refrigerator

4L Car Refrigerator

YH129

55W

Rated Input

4L

Effective Volume

0.05412m³

Master Carton Cubic



Product Specifications

Power Supply	115V~60Hz or DC 12V/3A
Cooling Type	Thermoelectric Cooler
Insulation Material	Expandable Polystyrene
Unit Dimension(w*d*h)	180*246*268mm
Packing Dimension(w*d*h)	248*185*270mm
Product Net Weight	1.56KG
Product Gross Weight	1.76KG
Master Carton Quantity(pcs)	4
Master Carton Dimension(w*d*h)	506*374*286mm
Master Carton Weight(KG)	8.5KG
Quantity in 40' Container (pcs)	4100
Quantity in 40' HQ Container (pcs)	5000



Car Refrigerator

Refrigerator

4L Car Refrigerator

YH04



Product Specifications


Power Supply	115V~60Hz or DC 12V/3A
Cooling Type	Thermoelectric Cooler
Insulation Material	Expandable Polvstvrene
Unit Dimension(w*d*h)	180*246*268mm
Packing Dimension(w*d*h)	248*185*270mm
Product Net Weight	1.56KG
Product Gross Weight	1.76KG
Master Carton Quantity(pcs)	4
Master Carton Dimension(w*d*h)	506*374*286mm
Master Carton Weight(KG)	8.5KG
Quantity in 40' Container (pcs)	4100
Quantity in 40' HQ Container (pcs)	5000



55W
Rated Input

4L
Effective Volume

0.05412m³
Master Carton Cubic




Car Refrigerator

Refrigerator

YH06

6L Car Refrigerator



60W
Rated Input

6L
Effective Volume

Product Specifications


Power Supply	115V~60Hz or DC 12V/3A
Cooling Type	Thermoelectric Cooler
Insulation Material	Expandable Polystyrene
Unit Dimension(w*d*h)	195*268*298mm
Packing Dimension(w*d*h)	307*217*313mm
Product Net Weight	2.32KG
Product Gross Weight	2.65KG
Master Carton Quantity(pcs)	2
Master Carton Cubic	0.047m ³
Master Carton Dimension(w*d*h)	448*315*333mm
Master Carton Weight(KG)	6.3KG
Quantity in 40' Container (pcs)	2382
Quantity in 40' HQ Container (pcs)	2892

Car Refrigerator

Refrigerator


YH15L01

15L Car Refrigerator



-20°C ~ 10°C (-4°F ~ 50°F)
Temperature

15L
Effective Volume



Product Specifications

Power Supply	100-240V~ 50 / 60Hz. or DC 12V / 24V
Current	DC 3.75A / 1.88A
Rated Input	45W
Refrigerant/Content	R134A / 28g
Cooling Type	Compressor
Insulation Material	C5H10
Climate Type	T/ST/N/SN
Material	PP
Ambient Temperature Range	55°F - 90°F
Certificate	ETL
Noise	<50db
Unit Dimension(w*d*h)	570*320*260mm
Packing Dimension(w*d*h)	620*365*320mm
Product Net Weight	9.3KG
Product Gross Weight	10.3KG
Quantity in 40' Container (pcs)	773
Quantity in 40' HQ Container (pcs)	939

Car Refrigerator

Refrigerator

YH20L01

20L Car Refrigerator



45^W

Rated Input


20^L

Effective Volume

-20°C ~10°C

(-4~68°F)

Temperature



Product Specifications

Power Supply	100-240V~ 50 / 60Hz. or DC 12V / 24V
Current	DC 3.75A / 1.88A
Refrigerant/Content	R134A / 28g
Cooling Type	Compressor
Insulation Material	C5H10
Climate Type	T/ST/N/SN
Material	PP
Ambient Temperature Range	55°F - 90°F
Temperature	-20℃ ~10℃ (-4~68°F)
Noise	<50db
Unit Dimension(w*d*h)	570*320*325mm
Packing Dimension(w*d*h)	620*365*380mm
Product Net Weight	10KG
Product Gross Weight	11KG
Quantity in 40' Container (pcs)	650
Quantity in 40' HQ Container (pcs)	790

Car Refrigerator

Refrigerator

YH40L01

40L Car Refrigerator



Product Specifications

Power Supply	100-240V~ 50 / 60Hz. or DC 12V / 24V
Current	DC 3.75A / 1.88A
Refrigerant/Content	R134A / 28g
Cooling Type	Compressor
Insulation Material	C5H10
Climate Type	T/ST/N/SN
Material	PP
Ambient Temperature Range	55°F - 90°F
Noise	<50db
Unit Dimension(w*d*h)	696*404*447mm
Packing Dimension(w*d*h)	740*465*520mm
Product Net Weight	18KG
Product Gross Weight	20KG
Quantity in 40' Container (pcs)	312
Quantity in 40' HQ Container (pcs)	380

