

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2319397-0
Report Reference E527610-20230522
Date 23-May-2023

Issued to: Zhuhai Ourunn Power Technology Co.,Ltd
Floor 3,No.2,Huaren Yuan,Jieyong Industrial
Zone,Xiangzhou District
Zhuhai, Guangdong Sheng 519000
China

This is to certify that FKSZ7 - Light-emitting-diode Drivers Certified for Canada
representative samples of See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 250.13, Edition 5, Issue Date 2022-05

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services
UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number

Report Reference

Date

E527610-20230522

23-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
VW-ABP01-Uxyze, A Represents Output voltage for DC, which can be: 12 or 24, 12 = 12Vdc, 24 = 24Vdc, B - Represents Output wattage for DC output, which can be: 018, 024, 036, 018 = 18W, 024 = 24W, 036 = 36W, P - Represents material of enclosure, which can be P = Plastic, x Represents AC output rating, which can be R or X, R = with AC output rating, X = without AC output rating, y Represents Input rating voltage, which can be L or W, L = 120Vac, W = 100-277Vac, z Represents EMC components, which can be C or N, C = with EMC components, N = without EMC components, e Represents Input and Output connection, which can be D or H, D = lead connection, H = Cords connection.	LED Drivers
VW-ABP02-Uxyze, A Represents Output voltage for DC, which can be: 12 or 24, 12 = 12Vdc, 24 = 24Vdc, B - Represents Output wattage for DC output, which can be 048, 060, 072, 048 = 48W, 060 = 60W, 072 = 72W P - Represents material of enclosure, which can be P = Plastic, x Represents AC output rating, which can be R or X, R = with AC output rating, X = without AC output rating, y Represents Input rating voltage, which can be L or W, L = 120Vac, W = 100-277Vac, z Represents EMC components, which can be C or N, C = with EMC components, N = without EMC components, e Represents Input and Output connection, which can be D or H, D = lead connection, H = Cords connection.	LED Drivers

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2322242-0
Report Reference E527610-20230522
Date 23-May-2023

Issued to: Zhuhai Ourunn Power Technology Co.,Ltd
Floor 3,No.2,Huarenyuan,Jieyong Industrial
Zone,Xiangzhou District
Zhuhai, Guangdong Sheng 519000
China

**This is to certify that
representative samples of** FKSZ - Light-emitting-diode Drivers
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 8750, Edition 2, Issue Date 2015-09-15, Revision Date
2022-12-07

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


Deborah Jennings-Conner, VP Regulatory Services
UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number

Report Reference

Date

E527610-20230522

23-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
VW-ABP01-Uxyze, A Represents Output voltage for DC, which can be: 12 or 24, 12 = 12Vdc, 24 = 24Vdc, B - Represents Output wattage for DC output, which can be: 018, 024, 036, 018 = 18W, 024 = 24W, 036 = 36W, P - Represents material of enclosure, which can be P = Plastic, x Represents AC output rating, which can be R or X, R = with AC output rating, X = without AC output rating, y Represents Input rating voltage, which can be L or W, L = 120Vac, W = 100-277Vac, z Represents EMC components, which can be C or N, C = with EMC components, N = without EMC components, e Represents Input and Output connection, which can be D or H, D = lead connection, H = Cords connection.	LED Drivers
VW-ABP02-Uxyze, A Represents Output voltage for DC, which can be: 12 or 24, 12 = 12Vdc, 24 = 24Vdc, B - Represents Output wattage for DC output, which can be 048, 060, 072, 048 = 48W, 060 = 60W, 072 = 72W P - Represents material of enclosure, which can be P = Plastic, x Represents AC output rating, which can be R or X, R = with AC output rating, X = without AC output rating, y Represents Input rating voltage, which can be L or W, L = 120Vac, W = 100-277Vac, z Represents EMC components, which can be C or N, C = with EMC components, N = without EMC components, e Represents Input and Output connection, which can be D or H, D = lead connection, H = Cords connection.	LED Drivers

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

