



优质的质量是我们赖以生存的根本

优质的服务是我们继续发展的前提

客户的满意是我们唯一追求的目标



台湾平顺实业有限公司
Taiwan Smooth Industrial Co., Ltd.
上海泉懋机械科技有限公司
Shanghai Quan Mao Machinery Technology Co. Ltd.



台湾平顺实业有限公司
PIN SMOOTH ENTERPRISE CO., LTD.

地址：桃园县观音乡树林子1邻7号
Add : No.7.Shulin tsu.Kuan yin Country
Taoyuan City Tawan.R.O.C.

Tel : 00886-3-3620009

Fax : 0086-3-3758659

Http : //www.pinsmooth.com.tw

E-mail : pinsmoth@ms74.hinet.net

上海泉懋机械科技有限公司

Shanghai Quan Mao Machinery Technology Co. Ltd.

地址：上海市青浦区白鹤镇鹤民路128号后门
Add : 128 back door of crane people road,
Baihe Town, Qingpu District, Shanghai

Tel : 021-59215071/72/73

Fax : 021-59215075

Http : //shqm8888.cn.alibaba.com

E-mail : shqm88@163.com

--- 高周波系列

Welcome to cooperate with us.

中国高端高周波核心技术领先者！



台湾平顺实业有限公司 上海泉懋机械科技有限公司

厂房实貌



◎ 企业简介/Company Profile

台湾平顺实业有限公司是一家外资企业，生产制造研发已有35年以上的经验，上海泉懋机械科技有限公司引进国外先进技术，是一家集科研、开发、销售为一体的高周波设备高新技术企业，能很好的达到客户需求。公司设立在上海青浦区白鹤镇，上万平方米的现代化厂房，紧靠312国道和沪宁高速。交通便利，环境优美。

作为一家国家级高新技术企业，平顺泉懋公司在尖端高周波设备技术领域拥有高质量的产品和优秀稳定的技术团队，拥有完善的服务体系，为客户提供全方位的解决方案，帮助客户提高生产能力。多项核心技术处于国内同行业最前沿，成为业界应用典范。创新的通知，卓越的产品设计和可靠的品质，使我们赢得了国内外客户的一致好评。

立足高新技术，着眼优质服务，我们将不断努力，不断创新，以专业的生产，与时俱进的技术和精良的加工生产设备，全方位的科学管理，高品质上乘产品，用户至上精神意识，完善优越的售后服务，来回报有关客户对本公司产品热情选择。热忱欢迎有广大客户朋友莅临本公司来考察指导及洽谈业务，本公司愿本着新世纪高科技民族工业飞跃发展的时代，造就泉懋的精神与社会各界朋友携手并进，共创辉煌。

Taiwan smooth industrial Co.,LTD is a foreign capital enterprise,Shanghai Quan Mao Machinery Technology Co. Ltd. Is a sino-foreign joint venture enterprise,production research and development for 35 years of experience, can well meet customer demand, is a collection of scientificre search. Development, Production.Sales for the integration of hihg frequency equipment high-te chenterprises. Company headquartered in Shanghai qingpu baihe town, tens of thousands of square meters of modem factory building, close to 312 natioml road and shanghai-nanjing expressway. Conynicnt tansportation and bcautifil cnvironment.

As a national high-tech enterprise,Pin smooth Quan Mao company in the field kf advanced high frequency equipment technology with high quality products and excellent and stable technical team,has perfect service system,providing customers with a full range of solutions, to help customers improve production capacity.A number of core technology in the forefront of the domestic industry to become the industry model application. Innovation ability,outstanding product design and reliable quality,enabled us to win the domestic and foreign customers consistent high praise.

Based on high and new technology,with high quality service,we will continue efforts,continuous innovation,with professional production,advancing with The Times of technology and sophisticated production equipment, a full range of scientific management, high quality products,the user supreme spiritual awareness, the suprior consummation post-sale service,in return for the customer enthusiasm to choose our products. Warmly welcome the masses of customers coming to our company to guide and negotiate business,the company is willing to in line with "high-techera of national industry leap development" in the new century makes jun the spirit and the social from all walks of life friend hand in hand, create brilliance.



▶ 目录

公司概况	1
部分客户厂貌实况	2
部分行业样品展示	3
部分行业样品展示	4

泛用高周波焊接机系列

大型自动高周波塑胶熔接机	5
2滑台分段式自动高周波塑胶熔接机	5
产品主要技术参数	6
自动滑台高周熔接机	7
魔术贴专用高周熔接机	7
中型滑台高周波熔接机	8
水床专用塑胶熔接机	9
圆盘式高周波塑胶熔接机	10
25KW高周波熔接机	10
PLC汽车遮阳板自动熔断专用机	11
T型省力脚踏式熔接机	12
自动滑台地垫压花机	13
移动式帆布塑胶熔接机	14
产品性能及用途	15
部分模具展示	16



高频机展区



高频机装配区



焊接加工区

创新进取

Innovative and enterprising

诚实守信

Honest

真诚服务

Sincere service




现场办公区



会客厅

内部组织



登迈塑胶制品有限公司



广东粤华医疗器械厂有限公司



冠晖塑胶制品有限公司



太仓力九和塑胶工业有限公司



上海华特汽车配件有限公司



浙江嘉声复合面料有限公司



宁波明佳汽车内饰有限公司



地垫行业



汽车脚垫行业



汽车遮阳板行业



汽车吸音棉行业



商标行业



雨衣行业



膜结构行业



篷布行业



新型沼气池



充气船行业



充气浮排行业



充气水池行业



充气床行业



医疗行业



魔术贴行业



医疗床垫



防褥垫行业



冰袋行业



皮革压花行业

01Senles
CH-3501-CH-15001
大型自动高周波塑胶熔接机



02Senles
CH-1502-CH-7502
2滑台分段式自动高周波
塑胶熔接机



产品规格

型号/Model	CH-3501	CH-5001	CH-7501	CH-10001	CH-15001	CH-1502	CH-2502	CH-3502	CH-5002	CH-7502
高周出力 H.F. Output Power	35kw	50kw	75kw	100kw	150kw	15kw	25kw	35kw	50kw	75kw
振荡周率 Scillation Frequeucy	27.12 MHZ OR 13.56 MHZ									
电源电压 Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction									
电源入力 Input Power	50KVA	70KVA	100KVA	120KVA	180KVA	25KVA	35KVA	50KVA	70KVA	100KVA
振荡管 Oscillation Tube	8T87RB	9T64A	9T94A	9T94A	9T94A*2	8T85RB	8T25RA	8T87RB	9T64A	9T94A
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105									
火花防止 Aic Suppressor	高敏度控制盘 Highly Sensitive Preventor									
上电极 Upper Plate	46"×76"	56"×86"	66"×96"	76"×106"	84"×128"	40"×56"	46"×66"	46"×76"	56"×86"	66"×96"
下电极 Lower Plate	50"×80"	60"×90"	70"×100"	80"×110"	86"×130"	44"×60"	50"×70"	50"×80"	50"×90"	68"×100"
活动距离 Press Stroke	150mm	200mm			250mm	200mm		250mm		
操作方式 Type of Operation				Pneumatic Hydraulic	Hydraulic	Pneumatic Hydraulic		Hydraulic		

Remark: 01 C Series: C type welder with Automatic/Manual slide tadie.
02 Series: Automatic welder with Automatic/Manual Silde tadie.
01 Series: Automatic welder with Automatic slide tade, Nodisturd TV and radio.
03 Series: Sppecific weider for water bed only.



自动滑台
高周熔接机

魔术贴专用
高周熔接机

产品规格

型号/Model	CH-801C	CH-150C
高周出力/H.F.Output Power	8kw	15kw
振荡周率/Oscillation Frequency	27.12MHZ OR 13.56MHZ	
电源电压/Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction	
电源入力/Input Power	15KVA	25KVA
振荡管/Oscillation Tube	7T69RB	8T85RB
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105	
火花防止/Aic Suppressor	高敏度控制盘 Highly Sensitive Preventor	
上电极/Upper Plate	600×700mm	900×1000mm
下电极/Lower Plate	700×800mm	1000×1000mm
活动距离/Press Stroke	150mm	
操作方式/Type of Operatione	Pneumatic	



中型滑台
高周波熔接机

产品规格

型号/Model	CH-3501	CH-5001	CH-7501	CH-10001	CH-15001	CH-1502	CH-2502	CH-3502	CH-5002	CH-7502
高周出力 H.F.Oufput Power	35kw	50kw	75kw	100kw	150kw	15kw	25kw	35kw	50kw	75kw
振荡周率 Sscillation Frequeecucy	27.12MHZ OR 13.56MHZ									
电源电压 Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction									
电源入力 Input Power	50KVA	70KVA	100KVA	120KVA	180KVA	25KVA	35KVA	50KVA	70KVA	100KVA
振荡管 Oscillation Tube	8T87RB	9T64A	9T94A	9T94A	9T94A*2	8T85RB	8T25RA	8T87RB	9T64A	9T94A
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105									
火花防止 Aic Suppressor	高敏度控制盘 Highly Sensitive Preventor									
上电极 Upper Plate	46"×76"	56"×86"	66"×96"	76"×106"	84"×128"	40"×56"	46"×66"	46"×76"	56"×86"	66"×96"
下电极 Lower Plate	50"×80"	60"×90"	70"×100"	80"×110"	86"×130"	44"×60"	50"×70"	50"×80"	50"×90"	68"×100"
活动距离 Press Stroke	150mm	200mm			250mm	200mm		250mm		
操作方式 Type of Operatione				Pneumatic Hydraulic	Hydraulic	Pneumatic Hydraulic		Hydraulic		

水床专用塑胶熔接机
(适合各种接搭式产品)



PS-1503.-3503

产品规格

型号/Model	CH-601C	CH-801C	CH-150C	CH-2501C	CH-3501C	PS-1503	PS-2503	PS-3503
高周出力 H.F.Output Power	6kw	8kw	15kw	25kw	35kw	15kw	25kw	35kw
振荡周率 Scillation Frequeecy	27.12MHZ OR 13.56MHZ							
电源电压 Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction							
电源入力 Input Power	10KVA	15KVA	25KVA	35KVA	50KVA	25KVA	35KVA	50KVA
振荡管 Oscillation Tube	9T69RB	7T69RB	8T85RB	8T25RA	8T87RB	8T85RB	8T25RA	8T87RB
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105							
火花防止 Aic Suppressor	高敏度控制盘 Highly Sensitive Preventor							
上电极 Upper Plate	500×600mm	600×700mm	900×1000mm	40"×50"	46"×76"	6"×44"	6"×60"	6"×93"
下电极 Lower Plate	600×700mm	700×800mm	1000×1000mm	42"×52"	50"×80"	6"×44"	6"×62"	6"×95"
活动距离 Press Stroke	150mm				150mm	250mm		
操作方式 Type of Operations	Pneumatic				Pneumatic			

圆盘式高周波台
塑胶熔接机



15-35KW
高周波熔断机



产品规格

型号/Model	PS-801R	PS-150R	PA-2501R
高周出力 H.F. Output Power	8kw	15kw	25kw
振荡周率 Scillation Frequeecy	27.12MHZ OR 13.56MHZ		
电源电压 Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction		
电源入力 Input Power	15KVA	25KVA	35KVA
振荡管 Oscillation Tube	7T69RB	8T85RB	8T825RA
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105		
火花防止 Aic Suppressor	高敏度控制盘 Highly Sensitive Preventor		
上电极 Upper Plate	500×600mm	600×800mm	800×900mm
下电极 Lower Plate	550×600mm	650×850mm	850×950mm
活动距离 Press Stroke	150-250mm		
操作方式 Type of Operatione	Pneumatic		



PLC汽车遮阳板
自动熔断专用机

产品规格

型号/Model	PSH-801
高周出力 H.F. Output Power	8kw
振荡频率 Oscillation Frequency	27.12 MHz
电源电压 Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction
电源入力 Input Power	15KVA
振荡管 Oscillation Tube	7T69RB
火花防止 Aic Suppressor	矽二极管
整流器/Recifier	高敏度控制盘
上电极 Upper Plate	350×850mm
下电极 Lower Plate	450×1200mm
活动距离 Press Stroke	250mm
操作方式 Type of Operatione	Hydraulic



PW-4000FA
-PW8000FA

PW-3000T,4000T,5000T
T型省力脚踏式



T,TYPE FOOT
PEDAL OPERATION

产品规格

高周波塑胶熔接机


型号/Model	PW-4000T-4000FA	PW-5000T-5000FA	PW-8000T-8000FA
高周出力/H.F. Output Power	4kw	5kw	8kw
振荡频率 Oscillation Frequency	40.68MHZ	40.68/27.12MHZ	40.68/27.12MHZ
电源电压/Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction		
电源入力/Input Power	8.5KVA	8.5KVA	15KVA
振荡管/Oscillation Tube	E3062TV	7T85RB	7T69RB
整流器/Recifier	矽二极管 Silicon Diode		
最大压力 Max Pressure(kgs)	200	200	200
上下电极间隔 Max Gap Of Electrodes(mm)	170	170	170
活动距离/Press Stroke(mm)	40	50	50
定盘尺寸 Lower Electrode size(mm)	350×700	350×400×800	350×700/410×800
操作方式/ Type of Operatione	Foot/Pneumatic	Foot/Pneumatic	Foot/Pneumatic
机械净重/Type of Operation	300/320	340/360	380/400
机械毛重 Gross weisht With Packaging(Kgs)	400/420	440/460	480/50
装箱尺寸 Crate Measurement(cuft)	125	128	130



自动滑台地垫压花机

产品规格

型号/Model	CH-1502	CH-2502	CH-3502	CH-5002	CH-7502
高周出力/H.F. Output Power	15kw	25kw	35kw	50kw	75kw
振荡频率/Oscillation Frequency	27.12MHZ OR 13.56MHZ				
电源电压/Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction				
电源输入/Input Power	25KVA	35KVA	50KVA	70KVA	100KVA
振荡管/Oscillation Tube	8T85RB	8T25RA	8T87RB	9T64A	9T94A
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105				
火花防止/Arc Suppressor	高敏度控制盘 Highly Sensitive Preventor				
上电极/Upper Plate	40"×56"	46"×66"	46"×76"	56"×86"	66"×96"
下电极/Lower Plate	44"×60"	50"×70"	50"×80"	50"×90"	68"×100"
活动距离/Press Stroke	200mm		250mm		
操作方式/Type of Operation	Pneumatic Hydraulic		Hydraulic		



移动式帆布塑胶熔接机

产品规格

型号/Model	PS-1503	PS-2503	PS-3503
高周出力/H.F. Output Power	15kw	25kw	35kw
振荡频率/Oscillation Frequency	27.12MHZ OR 13.56MHZ		
电源电压/Power Supply	AC 220/380/400/415/440 3/0. Voltage to be arranged at in straction		
电源输入/Input Power	25KVA	35KVA	50KVA
振荡管/Oscillation Tube	8T85RB	8T25RA	8T87RB
整流器/Recifier	矽二极管 Silicon Rectifier S 5106 or 5105		
火花防止/Arc Suppressor	高敏度控制盘 Highly Sensitive Preventor		
上电极/Upper Plate	6"×44"	6"×60"	6"×93"
下电极/Lower Plate	6"×44"	6"×62"	6"×95"
活动距离/Press Stroke	250mm		
操作方式/Type of Operation	Pneumatic		

特性 usa ce

火花压制器	当火花产生时,本机装有特殊电子回路能自动切断高周波压制火花,使对电极和物料的损害降低到最低,同时警告灯亦发亮示警。
ARCSUPPRESSOR	The electronic circuit on the machine works automatically when sparks occur and cuts high frequency immediately to suppress arce and mirnimize damage to electrodes materials,Alarm lamp also works simultaneocsly.
避免电波干扰装置	置有周波频率稳定器和高周波漏磁压制器,此装置能免除电波的漏出以免干扰别的电子装置,像电视、收音机等。
JAMMING PREVENTION DEVICE	With frequency stabilizer and high frequency magnetic leakage suppress or,This device prevents ieakage of electro magnetic radiation to avoidjamming other electrical instruments such as television,radio ect.
安全装置	当电流超过限制值时,过负荷电流路器自动保护振荡管和整流器,同时可以避免由不当操作引起的频率漂移。
SAFETY DEVICE	When the current exceeds its limits,The oover-current relay works to protect oscillation tubes and rectifier.Frequency deviation caused by faulty operation is also prevented.
强力式机头	经过特殊的装配踏板加压的能力,最大压力可达400KGS,其强度足以应付任何情况。
HICH POWER WELDER	Using a specially designed mechanish the foot pedal pressure is high enough to meet most operating conditions,The hige quality components make these machines work very smoothly and precisely.
容易调整的同调器	输出功率可籍调谐器依电极的大小和物料的厚度调节,除外另备有各种控制装置及特殊电子线路,能大大地降低必要之熔接时间,提高机器之生产量。
EASILY ADJUSBABLE	Output power can be a djusted at the tuner accordinh to electrode size and material thickness,Other control devices,And our special electrical circuits have cut down required welding time considerably to raise the machine productivity.

用途 usa ce

纯PVC或含有PVC30%以上之任何软硬胶皮及真皮或布类之特殊用途均可加工。

Pure PVC or doft & hard PVC leather that contain over 30% PVC. PVC transfers to genuine leather, Specila fabric PVC materials all these can be procersted.

适用范围:鞋类、商标、贴纸、雨衣、

雨帆、雨伞、皮包、手提袋、

海滩袋、文具、名牌、吹气玩具、

水床机、机车坐垫、遮阳板、车门板、

特殊硬壳真空包装

APPLICATIONS:

Foot wear,Trde mark labels,Stickers,Raincoats,Tarpaulins.PVC umbrellas Traveling bags.Handbags.Beach bags toys. Watermattress.

Air boats Stationery.nams-plate badges,Inflatable Seats,sun visor, door pannel forvehicls & matorcjcles,Sealing for blister packaging


部分模具样品展示



医疗袋高频模



汽车遮阳板高频模



五金刀模



熔断式高频模



海绵压花模



防褥疮气垫熔断模




冰袋高频模



工业皮带高频模



双泡壳高频模



暖水袋高频模



充气床垫高频模



充气玩具高频模