

2x1 DP Switch

#PSW0201A1U


DP Switch allows 2 Ultra HD or Full HD DisplayPort sources to be routed to 1 Ultra HD DisplayPort display. The resolution can reach up to 7680x4320@30Hz. Each Ultra HD source can be switched to the display using the front panel push-button.

Features:

- with 2 DisplayPort inputs and 1 DisplayPort output
- Support resolution up to 7680x4320@30Hz
- Support 36 bit color depth
- Support Dolby TrueHD, DTS-HD Master Audio, Dolby Digital and AC 3 audio transmission


Packing List:

- 1 * 2x1 Displayport Switch
- 1 * DC 5V Power adapter
- 1 * User Manual

Panel Description:

ID	Name	Description
1	Input selection status	The LED will be lit (blue) if the corresponding input source is selected
2	Input selection button	select input port
3	DC 5V	5V power supply
4	DisplayPort output	Connect to DisplayPort display
5	DisplayPort inputs	Connect to DisplayPort souce devices

Connection Diagram



Specification:

PSW0201A1U	2x1 DP Switch 7680x4320@30Hz	
Technical		
HDCP compliance	1.2	
Data rate	18 Gbps	
Max. resolution	7680x4320@30Hz	
ESD protection	Human body model - ±8KV (Air-gap discharge)	
Input	2* DP cable	
Output	1* DP cable	
Mechanical		
Power supply	DC 5V	
Operating/storage temperature	0 to 70 degree/-40 to 85 degree	
Operating humidity	10 to 90% RH	
Product	Dimension	122(L) x 54 (W) x 24 (H) mm
	Weight	109g
Item	Dimension	157 (L) x 90 (W) x 76 (H) mm
	Weight	281g
Carton	Dimension	490 (L) x 360 (W) x 360 (H) mm
	Quantity	45pcs
	Total Weight	13.495kg