

JAB 003 series



Features & Benefits




- Rated current: 400A/660A/1000A
- Nominal voltage: 690V
- JAB 360° RADSOK contact technology
- Handle lock quick lock
- Single pole/Multi poles
- Aluminum / Stainless steel housing
- IP67 waterproof
- Mate cycles: >20,000

JAB-003-660 series

1.0 Benefits & feature




- Rated current :400A/660A
- Rated voltage: 690V
- Cable cross section area: 120mm²、150mm², 185mm² , 240mm²
- Single pole
- Stainless steel housing / Aluminilum housing
- IP 67 in mated

1.1 Straight plug/crimp terminal / PN:JAB-003-660-XXX-1PX



JAB-003-660 series

1.2 Receptacle/ screw terminal / PN:JAB-003-660-XXX-1RX





JAB-003-1000 series

2.0 Benefits & feature




- Rated current :800A/1000A
- Rated voltage: 690V
- Cable cross section area: 240mm²、300mm², 400mm²
- Single pole
- Stainless steel housing / Aluminilum housing
- IP 67 in mated

2.1 Straight plug/ screw terminal / PN:JAB-003-1000-XXX-1PX



JAB-003-1000 series

2.2 Receptacle/crimp terminal / PN:JAB-003-1000-XXX-1RX



Application



Contact JAB

上海嘉铠电子科技有限公司
Shanghai JAB Electric Technology CO.,LTD

电话/Tel: +86-021-60753001

传真 Fax: +86-021-60753002

手机/Mobil: +86-13918762311

电邮/Email: zjp@jabsh.com

网站/Web: www.jabsh.com

即时通讯/Skype: joe.chow116

即时通讯 QQ: 438389296

地址/Address: 中国, 上海浦东, 金桥开发区, 浙桥路 277 号
No.277, Zheqiao Road, Pudong district, Shanghai, China