

JAB 038 Ru&Ru series



Features & Benefits


- Rated current: 200A/400A
- Rated voltage: 600V
- Single pole
- Screw termination
- Plastic housing

JAB 038-200A Series

Features & Benefits

- Rated current: 200A
- Rated voltage: 600V
- Cable cross section: 16~35mm²
- Single pole
- Screw termination
- Plastic housing


1- **Plug Male** / mate with RXMZ 200 or RXM 200



Part Number	D1	D2	H	Color
RXG200-R	13	33	136	red
RXG200-Y	13	33	136	yellow
RXG200-L	13	33	136	blue
RXG200-G	13	33	136	green
RXG200-B	13	33	136	black


JAB 038-200A Series

2- Receptacle Female / mate with RXG 200



Part Number	D1	D2	H	B	C	d	Color
RXMZ200-R	13.5	28	70	29	50	φ 4.4	red
RXMZ200-Y	13.5	28	70	29	50	φ 4.4	yellow
RXMZ200-L	13.5	28	70	29	50	φ 4.4	blue
RXMZ200-G	13.5	28	70	29	50	φ 4.4	green
RXMZ200-B	13.5	28	70	29	50	φ 4.4	black


3- Plug Female / mate with RXG 200 or RXGZ 200



Part Number	D1	D2	H	Color
RXM200-R	13.5	33	136	red
RXM200-Y	13.5	33	136	yellow
RXM200-L	13.5	33	136	blue
RXM200-G	13.5	33	136	green
RXM200-B	13.5	33	136	black

JAB 038-200A Series

4- Receptacle Male / mate with RXM 200




Part Number	D1	D2	H	B	C	d	Color
RXGZ200-R	13	29	68	38	50	φ 4.4	red
RXGZ200-Y	13	29	68	38	50	φ 4.4	yellow
RXGZ200-L	13	29	68	38	50	φ 4.4	blue
RXGZ200-G	13	29	68	38	50	φ 4.4	green
RXGZ200-B	13	29	68	38	50	φ 4.4	black

JAB 038-400A Series

Features & Benefits

- Rated current: 400A
- Rated voltage: 600V
- Cable cross section: 50~95mm²
- Single pole
- Screw termination
- Plastic housing


1- **Plug Male/** mate with RXM 400 or RXMZ 400



Part Number	D1	D2	H	Color
RXG400-R	17	43	183	red
RXG400-Y	17	43	183	yellow
RXG400-L	17	43	183	blue
RXG400-G	17	43	183	green
RXG400-B	17	43	183	black


JAB 038-400A Series

2- Receptacle Female / mate with RXG 400



Part Number	D1	D2	H	B	C	d	Color
RXMZ400-R	17.5	38	95	38	59	φ 5.4	red
RXMZ400-Y	17.5	38	95	38	59	φ 5.4	yellow
RXMZ400-L	17.5	38	95	38	59	φ 5.4	blue
RXMZ400-G	17.5	38	95	38	59	φ 5.4	green
RXMZ400-B	17.5	38	95	38	59	φ 5.4	black


3- Plug Female / mate with RXG 400 or RXGZ 400



Part Number	D1	D2	H	Color
RXM400-R	17.5	43	183	red
RXM400-Y	17.5	43	183	yellow
RXM400-L	17.5	43	183	blue
RXM400-G	17.5	43	183	green
RXM400-B	17.5	43	183	black

JAB 038-400A Series

4- Receptacle Male / mate with RXM 400



Part Number	D1	D2	H	B	C	d	Color
RXGZ400-R	17	38	92	38	59	⌀ 5.4	red
RXGZ400-Y	17	38	92	38	59	⌀ 5.4	yellow
RXGZ400-L	17	38	92	38	59	⌀ 5.4	blue
RXGZ400-G	17	38	92	38	59	⌀ 5.4	green
RXGZ400-B	17	38	92	38	59	⌀ 5.4	black

Application



Contact JAB

上海嘉铠电子科技有限公司

Shanghai JAB Electric Technology CO.,LTD

电话/Tel: +86-021-60753001

传真 Fax: +86-021-60753002

手机/Mobil: +86-13918762311

电邮/Email: zjp@jabsh.com

网站/Web: www.jabsh.com

即时通讯/Skype: joe.chow116

即时通讯 QQ: 438389296

地址/Address: 中国, 上海浦东, 金桥开发区, 浙桥路 277 号

No.277, Zheqiao Road, Pudong district, Shanghai, China