


特性 Features

- 不使用工具单手可以重复多次安装和拆卸。Without using tools, connection and disconnection can be repeated several times by one hand.
- 镀镍黄铜材质防腐耐污。Nickel-plated brass body ensures anti-corrosion and fouling resistance.
- 使用可简易替换的 O 型密封圈。The O sealing ring is used and can be easily replaced.

型号表示方法 How to Order

(适用所有金属接头 Valid for all metal fittings)



① 型号 Model

② 气管外径 O.D. of tube (ØD)

		公制 Metric							
代号 Code	04	05	06	08	10	12	14	16	
ØD (mm)	Ø4	Ø5	Ø6	Ø8	Ø10	Ø12	Ø14	Ø16	

③ 螺纹规格 Thread size (T)

		公制 Metric									
代号 Code	M3	M5	M6	M8	M10	M12	M12A	M14	M16	M20	
T	M3x0.5	M5x0.8	M6x1	M8x1	M10x1	M12x1.25	M12x1.5	M14x1.5	M16x1.5	M20x1.5	

		锥管螺纹 Taper pipe thread (BSPT)					G 螺纹 G-thread (BSPP)				
代号 Code	01	02	03	04	06	08	G01	G02	G03	G04	
T	R1/8	R1/4	R3/8	R1/2	R3/4	R1	G1/8	G1/4	G3/8	G1/2	

		统一细牙螺纹 UNF		美制锥管螺纹 Taper pipe thread (NPT)						
代号 Code		U10	N00	N01	N02	N03	N04	N06	N08	
T		10-32UNF	NPT1/16	NPT1/8	NPT1/4	NPT3/8	NPT1/2	NPT3/4	NPT1	

④ 材质 Body material

-	黄铜 Brass
304	不锈钢 Stainless Steel SS304
316	不锈钢 Stainless Steel SS316

Male Stud MPC	Tube(Metric)-Thread(R)
	MPC03-M3 MPC08-03
	MPC03-M5 MPC08-04
	MPC04-M5 MPC10-01
	MPC04-01 MPC10-02
	MPC04-02 MPC10-03
	MPC05-M5 MPC10-04
	MPC05-01 MPC12-02
	MPC05-02 MPC12-03
	MPC06-M5 MPC12-04
	MPC06-01 MPC14-03
	MPC06-02 MPC14-04
	MPC08-01 MPC16-03
	MPC08-02 MPC16-04

Round Male Stud MPOC	Tube(Metric)-Thread(R)
	MPOC03-M3 MPOC08-03
	MPOC03-M5 MPOC08-04
	MPOC04-M5 MPOC10-01
	MPOC04-01 MPOC10-02
	MPOC04-02 MPOC10-03
	MPOC05-M5 MPOC10-04
	MPOC05-01 MPOC12-02
	MPOC05-02 MPOC12-03
	MPOC06-M5 MPOC12-04
	MPOC06-01 MPOC14-03
	MPOC06-02 MPOC14-04
	MPOC08-01 MPOC16-03
	MPOC08-02 MPOC16-04

Female Stud MPCF	Tube(Metric)-Thread(R)
	MPCF04-01 MPCF10-04
	MPCF04-02 MPCF12-01
	MPCF05-01 MPCF12-02
	MPCF05-02 MPCF12-03
	MPCF06-01 MPCF12-04
	MPCF06-02 MPCF14-03
	MPCF08-01 MPCF14-04
	MPCF08-02 MPCF16-03
	MPCF08-03 MPCF16-04
	MPCF08-04
	MPCF10-01
	MPCF10-02
	MPCF10-03

Male Stud Swivel Elbow MPL	Tube(Metric)-Thread(R)
	MPL03-M3 MPL08-03
	MPL03-M5 MPL08-04
	MPL04-M5 MPL10-01
	MPL04-01 MPL10-02
	MPL04-02 MPL10-03
	MPL05-M5 MPL10-04
	MPL05-01 MPL12-02
	MPL05-02 MPL12-03
	MPL06-M5 MPL12-04
	MPL06-01 MPL14-03
	MPL06-02 MPL14-04
	MPL08-01 MPL16-03
	MPL08-02 MPL16-04

Male Stud Elbow MPLN	Tube(Metric)-Thread(R)
	MPLN03-M3 MPLN08-03
	MPLN03-M5 MPLN08-04
	MPLN04-M5 MPLN10-01
	MPLN04-01 MPLN10-02
	MPLN04-02 MPLN10-03
	MPLN05-M5 MPLN10-04
	MPLN05-01 MPLN12-02
	MPLN05-02 MPLN12-03
	MPLN06-M5 MPLN12-04
	MPLN06-01 MPLN14-03
	MPLN06-02 MPLN14-04
	MPLN08-01 MPLN16-03
	MPLN08-02 MPLN16-04

Extended Male Elbow MPLL	Tube(Metric)-Thread(R)
	MPLL04-M5 MPLL10-01
	MPLL04-01 MPLL10-02
	MPLL04-02 MPLL10-03
	MPLL05-M5 MPLL10-04
	MPLL05-01 MPLL12-01
	MPLL05-02 MPLL12-02
	MPLL06-M5 MPLL12-03
	MPLL06-01 MPLL12-04
	MPLL06-02 MPLL14-03
	MPLL08-01 MPLL14-04
	MPLL08-02 MPLL16-03
	MPLL08-03 MPLL16-04
	MPLL08-04

金属快插接头

Metal Push-in Fittings

 <p>T ØD</p>	Female Stud Elbow MPLF	Tube(Metric)-Thread(R)
		MPLF04-01 MPLF10-04
		MPLF04-02 MPLF12-01
		MPLF05-01 MPLF12-02
		MPLF05-02 MPLF12-03
		MPLF06-01 MPLF12-04
		MPLF06-02 MPLF14-03
		MPLF08-01 MPLF14-04
		MPLF08-02 MPLF16-03
		MPLF08-03 MPLF16-04
		MPLF08-04
		MPLF10-01
		MPLF10-02
	MPLF10-03	

 <p>T ØD</p>	Male Y MPX	Tube(Metric)-Thread(R)
		MPX04-M5 MPX10-01
		MPX04-01 MPX10-02
		MPX04-02 MPX10-03
		MPX05-M5 MPX10-04
		MPX05-01 MPX12-01
		MPX05-02 MPX12-02
		MPX06-M5 MPX12-03
		MPX06-01 MPX12-04
		MPX06-02 MPX14-03
		MPX08-01 MPX14-04
		MPX08-02 MPX16-03
		MPX08-03 MPX16-04
	MPX08-04	

 <p>T ØD</p>	Female Standpipe MPCFJ	Tube(Metric)-Thread(R)
		MPCFJ04-01 MPCFJ10-04
		MPCFJ04-02 MPCFJ12-01
		MPCFJ05-01 MPCFJ12-02
		MPCFJ05-02 MPCFJ12-03
		MPCFJ06-01 MPCFJ12-04
		MPCFJ06-02 MPCFJ14-03
		MPCFJ08-01 MPCFJ14-04
		MPCFJ08-02 MPCFJ16-03
		MPCFJ08-03 MPCFJ16-04
		MPCFJ08-04
		MPCFJ10-01
		MPCFJ10-02
	MPCFJ10-03	

 <p>T ØD</p>	Triple Male Banjo MTPH	Tube(Metric)-Thread(R)
		MTPH04-M5 MTPH10-01
		MTPH04-01 MTPH10-02
		MTPH04-02 MTPH10-03
		MTPH05-M5 MTPH10-04
		MTPH05-01 MTPH12-01
		MTPH05-02 MTPH12-02
		MTPH06-M5 MTPH12-03
		MTPH06-01 MTPH12-04
		MTPH06-02 MTPH14-03
		MTPH08-01 MTPH14-04
		MTPH08-02 MTPH16-03
		MTPH08-03 MTPH16-04
	MTPH08-04	

 <p>T ØD</p>	Double Male Double Banjo MDPK	Tube(Metric)-Thread(R)
		MDPK04-M5 MDPK10-01
		MDPK04-01 MDPK10-02
		MDPK04-02 MDPK10-03
		MDPK05-M5 MDPK10-04
		MDPK05-01 MDPK12-01
		MDPK05-02 MDPK12-02
		MDPK06-M5 MDPK12-03
		MDPK06-01 MDPK12-04
		MDPK06-02 MDPK14-03
		MDPK08-01 MDPK14-04
		MDPK08-02 MDPK16-03
		MDPK08-03 MDPK16-04
	MDPK08-04	

 <p>ØD</p>	Union Elbow MPUL	Tube(Metric)
		MPUL03
		MPUL04
		MPUL05
		MPUL06
		MPUL08
		MPUL10
		MPUL12
		MPUL14
		MPUL16

 <p>T ØD</p>	Male Stud Branch Tee MPT	Tube(Metric)-Thread(R)
		MPT04-M5 MPT10-01
		MPT04-01 MPT10-02
		MPT04-02 MPT10-03
		MPT05-M5 MPT10-04
		MPT05-01 MPT12-01
		MPT05-02 MPT12-02
		MPT06-M5 MPT12-03
		MPT06-01 MPT12-04
		MPT06-02 MPT14-03
		MPT08-01 MPT14-04
		MPT08-02 MPT16-03
		MPT08-03 MPT16-04
	MPT08-04	

 <p>T ØD</p>	Bulkhead Straight MPMF	Tube(Metric)-Thread(R)
		MPMF04-01 MPMF10-04
		MPMF04-02 MPMF12-01
		MPMF05-01 MPMF12-02
		MPMF05-02 MPMF12-03
		MPMF06-01 MPMF12-04
		MPMF06-02 MPMF14-03
		MPMF08-01 MPMF14-04
		MPMF08-02 MPMF16-03
		MPMF08-03 MPMF16-04
		MPMF08-04
		MPMF10-01
		MPMF10-02
	MPMF10-03	

 <p>T ØD</p>	Single Male Banjo MPH	Tube(Metric)-Thread(R)
		MPH04-M5 MPH10-01
		MPH04-01 MPH10-02
		MPH04-02 MPH10-03
		MPH05-M5 MPH10-04
		MPH05-01 MPH12-01
		MPH05-02 MPH12-02
		MPH06-M5 MPH12-03
		MPH06-01 MPH12-04
		MPH06-02 MPH14-03
		MPH08-01 MPH14-04
		MPH08-02 MPH16-03
		MPH08-03 MPH16-04
	MPH08-04	

 <p>T ØD</p>	Female Banjo MPHf	Tube(Metric)-Thread(R)
		MPHF04-01 MPHF10-04
		MPHF04-02 MPHF12-01
		MPHF05-01 MPHF12-02
		MPHF05-02 MPHF12-03
		MPHF06-01 MPHF12-04
		MPHF06-02 MPHF14-03
		MPHF08-01 MPHF14-04
		MPHF08-02 MPHF16-03
		MPHF08-03 MPHF16-04
		MPHF08-04
		MPHF10-01
		MPHF10-02
	MPHF10-03	

 <p>T ØD</p>	Triple Male Double Banjo MTPK	Tube(Metric)-Thread(R)
		MTPK04-M5 MTPK10-01
		MTPK04-01 MTPK10-02
		MTPK04-02 MTPK10-03
		MTPK05-M5 MTPK10-04
		MTPK05-01 MTPK12-01
		MTPK05-02 MTPK12-02
		MTPK06-M5 MTPK12-03
		MTPK06-01 MTPK12-04
		MTPK06-02 MTPK14-03
		MTPK08-01 MTPK14-04
		MTPK08-02 MTPK16-03
		MTPK08-03 MTPK16-04
	MTPK08-04	

 <p>ØD</p>	Union Tee MPUt	Tube(Metric)
		MPUt03
		MPUt04
		MPUt05
		MPUt06
		MPUt08
		MPUt10
		MPUt12
		MPUt14
		MPUt16

 <p>T ØD</p>	Male Run Tee MPD	Tube(Metric)-Thread(R)
		MPD04-M5 MPD10-01
		MPD04-01 MPD10-02
		MPD04-02 MPD10-03
		MPD05-M5 MPD10-04
		MPD05-01 MPD12-01
		MPD05-02 MPD12-02
		MPD06-M5 MPD12-03
		MPD06-01 MPD12-04
		MPD06-02 MPD14-03
		MPD08-01 MPD14-04
		MPD08-02 MPD16-03
		MPD08-03 MPD16-04
	MPD08-04	

 <p>T ØD</p>	Male Standpipe MPCJ	Tube(Metric)-Thread(R)
		MPCJ04-M5 MPCJ10-01
		MPCJ04-01 MPCJ10-02
		MPCJ04-02 MPCJ10-03
		MPCJ05-M5 MPCJ10-04
		MPCJ05-01 MPCJ12-01
		MPCJ05-02 MPCJ12-02
		MPCJ06-M5 MPCJ12-03
		MPCJ06-01 MPCJ12-04
		MPCJ06-02 MPCJ14-03
		MPCJ08-01 MPCJ14-04
		MPCJ08-02 MPCJ16-03
		MPCJ08-03 MPCJ16-04
	MPCJ08-04	

 <p>T ØD</p>	Double Male Banjo MDPH	Tube(Metric)-Thread(R)
		MDPH04-M5 MDPH10-01
		MDPH04-01 MDPH10-02
		MDPH04-02 MDPH10-03
		MDPH05-M5 MDPH10-04
		MDPH05-01 MDPH12-01
		MDPH05-02 MDPH12-02
		MDPH06-M5 MDPH12-03
		MDPH06-01 MDPH12-04
		MDPH06-02 MDPH14-03
		MDPH08-01 MDPH14-04
		MDPH08-02 MDPH16-03
		MDPH08-03 MDPH16-04
	MDPH08-04	

 <p>T ØD</p>	Single Male Double Banjo MPK	Tube(Metric)-Thread(R)
		MPK04-M5 MPK10-01
		MPK04-01 MPK10-02
		MPK04-02 MPK10-03
		MPK05-M5 MPK10-04
		MPK05-01 MPK12-01
		MPK05-02 MPK12-02
		MPK06-M5 MPK12-03
		MPK06-01 MPK12-04
		MPK06-02 MPK14-03
		MPK08-01 MPK14-04
		MPK08-02 MPK16-03
		MPK08-03 MPK16-04
	MPK08-04	

 <p>ØD</p>	Union Straight MPUC	Tube(Metric)
		MPUC03
		MPUC04
		MPUC05
		MPUC06
		MPUC08
		MPUC10
		MPUC12
		MPUC14
		MPUC16

 <p>ØD</p>	Union Y MPY	Tube(Metric)
		MPY03
		MPY04
		MPY05
		MPY06
		MPY08
		MPY10
		MPY12
		MPY14
		MPY16

金属快插接头

Metal Push-in Fittings

Bulkhead Union MPM  ØD	Tube(Metric)
	MPM03
	MPM04
	MPM05
	MPM06
	MPM08
	MPM10
	MPM12
	MPM14
	MPM16

Plug MPP  ØD	Tube(Metric)
	MPP03
	MPP04
	MPP05
	MPP06
	MPP08
	MPP10
	MPP12
	MPP14
	MPP16

Plug-in Reducer MPGJ  ØD1 ØD2	Tube(Metric D1-D2)
	MPGJ06-04
	MPGJ08-04
	MPGJ08-06
	MPGJ10-06
	MPGJ10-08
	MPGJ12-06
	MPGJ12-08
	MPGJ12-10

Plug-in Tee MPTJ  ØD ØD	Tube(Metric)
	MPTJ04
	MPTJ05
	MPTJ06
	MPTJ08
	MPTJ10
	MPTJ12
	MPTJ14
	MPTJ16

Plug-in Reducer Run Tee MPDGJ  ØD1 ØD2	Tube(Metric D1-D2)
	MPDGJ06-04
	MPDGJ08-04
	MPDGJ08-06
	MPDGJ10-06
	MPDGJ10-08
	MPDGJ12-06
	MPDGJ12-08
	MPDGJ12-10

Plug-in Barb MBJ  ØD1 ØD2	Tube(Metric D1-D2)
	MBJ07-04
	MBJ08-04
	MBJ08-06
	MBJ10-06
	MBJ10-08
	MBJ12-06
	MBJ12-08
	MBJ12-10

Union Cross MPZA  ØD	Tube(Metric)
	MPZA03
	MPZA04
	MPZA05
	MPZA06
	MPZA08
	MPZA10
	MPZA12
	MPZA14
	MPZA16

Union Reducer MPG  ØD1 ØD2	Tube(Metric D1-D2)
	MPG06-04
	MPG08-04
	MPG08-06
	MPG10-06
	MPG10-08
	MPG12-08
	MPG12-10
	MPG14-10
	MPG14-12
MPG16-12	

Plug-in Elbow MPLJ  ØD ØD	Tube(Metric)
	MPLJ04
	MPLJ05
	MPLJ06
	MPLJ08
	MPLJ10
	MPLJ12
	MPLJ14
	MPLJ16

Plug-in Reducer Tee MPTGJ  ØD1 ØD2	Tube(Metric D1-D2)
	MPTGJ06-04
	MPTGJ08-04
	MPTGJ08-06
	MPTGJ10-06
	MPTGJ10-08
	MPTGJ12-06
	MPTGJ12-08
	MPTGJ12-10

Plug-in Y MPXJ  ØD ØD	Tube(Metric)
	MPXJ04
	MPXJ05
	MPXJ06
	MPXJ08
	MPXJ10
	MPXJ12
	MPXJ14
	MPXJ16

Plug-in MJ  ØD	Tube(Metric)
	MJ03
	MJ04
	MJ05
	MJ06
	MJ08
	MJ10
	MJ12
	MJ14
	MJ16

Cap MPPF  ØD	Tube(Metric)
	MPPF03
	MPPF04
	MPPF05
	MPPF06
	MPPF08
	MPPF10
	MPPF12
	MPPF14
	MPPF16

Union Tee Reducer MPTG  ØD1 ØD2	Tube(Metric D1-D2)
	MPTG06-04
	MPTG08-04
	MPTG08-06
	MPTG10-06
	MPTG10-08
	MPTG12-08
	MPTG12-10
	MPTG14-10
	MPTG14-12
MPTG16-12	

Plug-in Reducer Elbow MPLGJ  ØD1 ØD2	Tube(Metric D1-D2)
	MPLGJ06-04
	MPLGJ08-04
	MPLGJ08-06
	MPLGJ10-06
	MPLGJ10-08
	MPLGJ12-06
	MPLGJ12-08
	MPLGJ12-10

Plug-in Run Tee MPDJ  ØD ØD	Tube(Metric)
	MPDJ04
	MPDJ05
	MPDJ06
	MPDJ08
	MPDJ10
	MPDJ12
	MPDJ14
	MPDJ16

Plug-in Reducer Y MPXGJ  ØD1 ØD2	Tube(Metric D1-D2)
	MPXGJ06-04
	MPXGJ08-04
	MPXGJ08-06
	MPXGJ10-06
	MPXGJ10-08
	MPXGJ12-06
	MPXGJ12-08
	MPXGJ12-10

G螺纹金属快插接头

Metal Push-in Fittings with G Thread

 <p>Male Stud MPC-G</p>	Tube(Metric)-Thread(G)	
	MPC03-G01	MPC10-G03
	MPC04-G01	MPC10-G04
	MPC04-G02	MPC12-G01
	MPC05-G01	MPC12-G02
	MPC05-G02	MPC12-G03
	MPC06-G01	MPC12-G04
	MPC06-G02	MPC14-G03
	MPC08-G01	MPC14-G04
	MPC08-G02	MPC16-G03
	MPC08-G03	MPC16-G04
	MPC08-G04	
	MPC10-G01	
MPC10-G02		

 <p>Round Male Stud MPOC-G</p>	Tube(Metric)-Thread(G)	
	MPOC03-G01	MPOC10-G03
	MPOC04-G01	MPOC10-G04
	MPOC04-G02	MPOC12-G01
	MPOC05-G01	MPOC12-G02
	MPOC05-G02	MPOC12-G03
	MPOC06-G01	MPOC12-G04
	MPOC06-G02	MPOC14-G03
	MPOC08-G01	MPOC14-G04
	MPOC08-G02	MPOC16-G03
	MPOC08-G03	MPOC16-G04
	MPOC08-G04	
	MPOC10-G01	
MPOC10-G02		

 <p>Male Stud Elbow MPL-G</p>	Tube(Metric)-Thread(G)	
	MPL03-G01	MPL10-G03
	MPL04-G01	MPL10-G04
	MPL04-G02	MPL12-G01
	MPL05-G01	MPL12-G02
	MPL05-G02	MPL12-G03
	MPL06-G01	MPL12-G04
	MPL06-G02	MPL14-G03
	MPL08-G01	MPL14-G04
	MPL08-G02	MPL16-G03
	MPL08-G03	MPL16-G04
	MPL08-G04	
	MPL10-G01	
MPL10-G02		

 <p>Extended Male Elbow MPLL-G</p>	Tube(Metric)-Thread(G)	
	MPLL04-G01	MPLL10-G04
	MPLL04-G02	MPLL12-G01
	MPLL05-G01	MPLL12-G02
	MPLL05-G02	MPLL12-G03
	MPLL06-G01	MPLL12-G04
	MPLL06-G02	MPLL14-G03
	MPLL08-G01	MPLL14-G04
	MPLL08-G02	MPLL16-G03
	MPLL08-G03	MPLL16-G04
	MPLL08-G04	
	MPLL10-G01	
	MPLL10-G02	
MPLL10-G03		

 <p>Male Stud Branch Tee MPT-G</p>	Tube(Metric)-Thread(G)	
	MPT04-G01	MPT10-G04
	MPT04-G02	MPT12-G01
	MPT05-G01	MPT12-G02
	MPT05-G02	MPT12-G03
	MPT06-G01	MPT12-G04
	MPT06-G02	MPT14-G03
	MPT08-G01	MPT14-G04
	MPT08-G02	MPT16-G03
	MPT08-G03	MPT16-G04
	MPT08-G04	
	MPT10-G01	
	MPT10-G02	
MPT10-G03		

 <p>Male Run Tee MPD-G</p>	Tube(Metric)-Thread(G)	
	MPD04-G01	MPD10-G04
	MPD04-G02	MPD12-G01
	MPD05-G01	MPD12-G02
	MPD05-G02	MPD12-G03
	MPD06-G01	MPD12-G04
	MPD06-G02	MPD14-G03
	MPD08-G01	MPD14-G04
	MPD08-G02	MPD16-G03
	MPD08-G03	MPD16-G04
	MPD08-G04	
	MPD10-G01	
	MPD10-G02	
MPD10-G03		

 <p>Male Y MPX-G</p>	Tube(Metric)-Thread(G)	
	MPX04-G01	MPX10-G04
	MPX04-G02	MPX12-G01
	MPX05-G01	MPX12-G02
	MPX05-G02	MPX12-G03
	MPX06-G01	MPX12-G04
	MPX06-G02	MPX14-G03
	MPX08-G01	MPX14-G04
	MPX08-G02	MPX16-G03
	MPX08-G03	MPX16-G04
	MPX08-G04	
	MPX10-G01	
	MPX10-G02	
MPX10-G03		

 <p>Male Standpipe MPCJ-G</p>	Tube(Metric)-Thread(G)	
	MPCJ04-G01	MPCJ10-G04
	MPCJ04-G02	MPCJ12-G01
	MPCJ05-G01	MPCJ12-G02
	MPCJ05-G02	MPCJ12-G03
	MPCJ06-G01	MPCJ12-G04
	MPCJ06-G02	MPCJ14-G03
	MPCJ08-G01	MPCJ14-G04
	MPCJ08-G02	MPCJ16-G03
	MPCJ08-G03	MPCJ16-G04
	MPCJ08-G04	
	MPCJ10-G01	
	MPCJ10-G02	
MPCJ10-G03		

 <p>Single Male Banjo MPH-G</p>	Tube(Metric)-Thread(G)	
	MPH04-G01	MPH10-G04
	MPH04-G02	MPH12-G01
	MPH05-G01	MPH12-G02
	MPH05-G02	MPH12-G03
	MPH06-G01	MPH12-G04
	MPH06-G02	MPH14-G03
	MPH08-G01	MPH14-G04
	MPH08-G02	MPH16-G03
	MPH08-G03	MPH16-G04
	MPH08-G04	
	MPH10-G01	
	MPH10-G02	
MPH10-G03		

 <p>Double Male Banjo MDPH-G</p>	Tube(Metric)-Thread(G)	
	MDPH04-G01	MDPH10-G04
	MDPH04-G02	MDPH12-G01
	MDPH05-G01	MDPH12-G02
	MDPH05-G02	MDPH12-G03
	MDPH06-G01	MDPH12-G04
	MDPH06-G02	MDPH14-G03
	MDPH08-G01	MDPH14-G04
	MDPH08-G02	MDPH16-G03
	MDPH08-G03	MDPH16-G04
	MDPH08-G04	
	MDPH10-G01	
	MDPH10-G02	
MDPH10-G03		

 <p>Triple Male Banjo MTPH-G</p>	Tube(Metric)-Thread(G)	
	MTPH04-G01	MTPH10-G04
	MTPH04-G02	MTPH12-G01
	MTPH05-G01	MTPH12-G02
	MTPH05-G02	MTPH12-G03
	MTPH06-G01	MTPH12-G04
	MTPH06-G02	MTPH14-G03
	MTPH08-G01	MTPH14-G04
	MTPH08-G02	MTPH16-G03
	MTPH08-G03	MTPH16-G04
	MTPH08-G04	
	MTPH10-G01	
	MTPH10-G02	
MTPH10-G03		

 <p>Female Banjo MPHF-G</p>	Tube(Metric)-Thread(G)	
	MPHF04-G01	MPHF10-G04
	MPHF04-G02	MPHF12-G01
	MPHF05-G01	MPHF12-G02
	MPHF05-G02	MPHF12-G03
	MPHF06-G01	MPHF12-G04
	MPHF06-G02	MPHF14-G03
	MPHF08-G01	MPHF14-G04
	MPHF08-G02	MPHF16-G03
	MPHF08-G03	MPHF16-G04
	MPHF08-G04	
	MPHF10-G01	
	MPHF10-G02	
MPHF10-G03		

 <p>Single Male Double Banjo MPK-G</p>	Tube(Metric)-Thread(G)	
	MPK04-G01	MPK10-G04
	MPK04-G02	MPK12-G01
	MPK05-G01	MPK12-G02
	MPK05-G02	MPK12-G03
	MPK06-G01	MPK12-G04
	MPK06-G02	MPK14-G03
	MPK08-G01	MPK14-G04
	MPK08-G02	MPK16-G03
	MPK08-G03	MPK16-G04
	MPK08-G04	
	MPK10-G01	
	MPK10-G02	
MPK10-G03		

 <p>Double Male Double Banjo MDPK-G</p>	Tube(Metric)-Thread(G)	
	MDPK04-G01	MDPK10-G04
	MDPK04-G02	MDPK12-G01
	MDPK05-G01	MDPK12-G02
	MDPK05-G02	MDPK12-G03
	MDPK06-G01	MDPK12-G04
	MDPK06-G02	MDPK14-G03
	MDPK08-G01	MDPK14-G04
	MDPK08-G02	MDPK16-G03
	MDPK08-G03	MDPK16-G04
	MDPK08-G04	
	MDPK10-G01	
	MDPK10-G02	
MDPK10-G03		

 <p>Triple Male Double Banjo MTPK-G</p>	Tube(Metric)-Thread(G)	
	MTPK04-G01	MTPK10-G04
	MTPK04-G02	MTPK12-G01
	MTPK05-G01	MTPK12-G02
	MTPK05-G02	MTPK12-G03
	MTPK06-G01	MTPK12-G04
	MTPK06-G02	MTPK14-G03
	MTPK08-G01	MTPK14-G04
	MTPK08-G02	MTPK16-G03
	MTPK08-G03	MTPK16-G04
	MTPK08-G04	
	MTPK10-G01	
	MTPK10-G02	
MTPK10-G03		

特性 Features

- 镀镍黄铜材质防腐耐污。Nickel-plated brass body ensures anti-corrosion and fouling resistance.
- 使用可简易替换的 O 型密封圈。The O sealing ring is used and can be easily replaced.
- 可准确调节最佳气流量以精确控制运动。Accurate regulation of an optimal air flow rate for precise motion control.
- 设计紧凑却能实现较大标准限流器相当的速度调节范围。
The compact design provides the comparable range of speed as the larger standard speed controllers do.

Elbow MNSE	Tube(Metric)-Thread(R)	
		MNSE04-M5
	MNSE04-M6	MNSE10-01
	MNSE04-01	MNSE10-02
	MNSE04-02	MNSE10-03
	MNSE04-03	MNSE10-04
	MNSE06-M5	MNSE12-01
	MNSE06-M6	MNSE12-02
	MNSE06-01	MNSE12-03
	MNSE06-02	MNSE12-04
	MNSE06-03	MNSE16-03
	MNSE08-01	MNSE16-04
	MNSE08-02	
	MNSE08-03	

G-Thread MNSE-G	Tube(Metric)-Thread(G)	
		MNSE04-G01
	MNSE04-G02	MNSE12-G01
	MNSE05-G01	MNSE12-G02
	MNSE05-G02	MNSE12-G03
	MNSE06-G01	MNSE12-G04
	MNSE06-G02	MNSE14-G03
	MNSE08-G01	MNSE14-G04
	MNSE08-G02	MNSE16-G03
	MNSE08-G03	MNSE16-G04
	MNSE08-G04	
	MNSE10-G01	
	MNSE10-G02	
	MNSE10-G03	

Screw Type MNSP	Tube(Metric)-Thread(R)	
		MNSP04-01
	MNSP04-02	MNSP12-01
	MNSP05-01	MNSP12-02
	MNSP05-02	MNSP12-03
	MNSP06-01	MNSP12-04
	MNSP06-02	MNSP14-03
	MNSP08-01	MNSP14-04
	MNSP08-02	MNSP16-03
	MNSP08-03	MNSP16-04
	MNSP08-04	
	MNSP10-01	
	MNSP10-02	
	MNSP10-03	

Screw Type (G-Thread) MNSP-G	Tube(Metric)-Thread(G)	
		MNSP04-G01
	MNSP04-G02	MNSP12-G01
	MNSP05-G01	MNSP12-G02
	MNSP05-G02	MNSP12-G03
	MNSP06-G01	MNSP12-G04
	MNSP06-G02	MNSP14-G03
	MNSP08-G01	MNSP14-G04
	MNSP08-G02	MNSP16-G03
	MNSP08-G03	MNSP16-G04
	MNSP08-G04	
	MNSP10-G01	
	MNSP10-G02	
	MNSP10-G03	

Rapid Type MNSR	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		MNSR-5/3-M5	MNSR-10/8-03
	MNSR-5/3-M6	MNSR-10/8-04	MNSR-6/4-G01
	MNSR-5/3-01	MNSR-12/10-03	MNSR-6/4-G02
	MNSR-6/4-M5	MNSR-12/10-04	MNSR-6/4-G03
	MNSR-6/4-M6		MNSR-8/6-G01
	MNSR-6/4-01		MNSR-8/6-G02
	MNSR-6/4-02		MNSR-8/6-G03
	MNSR-6/4-03		MNSR-10/8-G01
	MNSR-8/6-01		MNSR-10/8-G02
	MNSR-8/6-02		MNSR-10/8-G03
	MNSR-8/6-03		MNSR-10/8-G04
	MNSR-10/8-01		MNSR-12/10-G03
	MNSR-10/8-02		MNSR-12/10-G04

Union Straight MNSF	Tube(Metric)
	
	MNSF06
	MNSF08
	MNSF10
	MNSF12

特性 Features

- 镀镍黄铜材质防腐耐污。Nickel-plated brass body ensures anti-corrosion and fouling resistance.
- 使用可简易替换的 O 型密封圈。The O sealing ring is used and can be easily replaced.
- 可用于连接硬质尼龙管。Can be fitted with rigid nylon tube.
- 提供的锁紧螺母可用手或扳手拧紧。Locking nut provided can be tightened manually or with a spanner.
- 特殊的锥形接口保证不易割坏塑料管。The special guiding cone ensures that the tube can not be accidentally cut.

Male Straight RPC	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPC-5/3-M5	RPC-10/8-03
	RPC-5/3-M6	RPC-10/8-04	RPC-6/4-G01
	RPC-5/3-01	RPC-12/10-03	RPC-6/4-G02
	RPC-6/4-M5	RPC-12/10-04	RPC-6/4-G03
	RPC-6/4-M6		RPC-8/6-G01
	RPC-6/4-01		RPC-8/6-G02
	RPC-6/4-02		RPC-8/6-G03
	RPC-6/4-03		RPC-10/8-G01
	RPC-8/6-01		RPC-10/8-G02
	RPC-8/6-02		RPC-10/8-G03
	RPC-8/6-03		RPC-10/8-G04
	RPC-10/8-01		RPC-12/10-G03
	RPC-10/8-02		RPC-12/10-G04

Female Straight RPCF	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPCF-5/3-M5	RPCF-10/8-03
	RPCF-5/3-M6	RPCF-10/8-04	RPCF-6/4-G01
	RPCF-5/3-01	RPCF-12/10-03	RPCF-6/4-G02
	RPCF-6/4-M5	RPCF-12/10-04	RPCF-6/4-G03
	RPCF-6/4-M6		RPCF-8/6-G01
	RPCF-6/4-01		RPCF-8/6-G02
	RPCF-6/4-02		RPCF-8/6-G03
	RPCF-6/4-03		RPCF-10/8-G01
	RPCF-8/6-01		RPCF-10/8-G02
	RPCF-8/6-02		RPCF-10/8-G03
	RPCF-8/6-03		RPCF-10/8-G04
	RPCF-10/8-01		RPCF-12/10-G03
	RPCF-10/8-02		RPCF-12/10-G04

Male Elbow RPLN	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPLN-5/3-M5	RPLN-10/8-03
	RPLN-5/3-M6	RPLN-10/8-04	RPLN-6/4-G01
	RPLN-5/3-01	RPLN-12/10-03	RPLN-6/4-G02
	RPLN-6/4-M5	RPLN-12/10-04	RPLN-6/4-G03
	RPLN-6/4-M6		RPLN-8/6-G01
	RPLN-6/4-01		RPLN-8/6-G02
	RPLN-6/4-02		RPLN-8/6-G03
	RPLN-6/4-03		RPLN-10/8-G01
	RPLN-8/6-01		RPLN-10/8-G02
	RPLN-8/6-02		RPLN-10/8-G03
	RPLN-8/6-03		RPLN-10/8-G04
	RPLN-10/8-01		RPLN-12/10-G03
	RPLN-10/8-02		RPLN-12/10-G04

Swivel Male Tee RPT	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPT-5/3-M5	RPT-10/8-03
	RPT-5/3-M6	RPT-10/8-04	RPT-6/4-G01
	RPT-5/3-01	RPT-12/10-03	RPT-6/4-G02
	RPT-6/4-M5	RPT-12/10-04	RPT-6/4-G03
	RPT-6/4-M6		RPT-8/6-G01
	RPT-6/4-01		RPT-8/6-G02
	RPT-6/4-02		RPT-8/6-G03
	RPT-6/4-03		RPT-10/8-G01
	RPT-8/6-01		RPT-10/8-G02
	RPT-8/6-02		RPT-10/8-G03
	RPT-8/6-03		RPT-10/8-G04
	RPT-10/8-01		RPT-12/10-G03
	RPT-10/8-02		RPT-12/10-G04

Swivel Male Run Tee RPD	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPD-5/3-M5	RPD-10/8-03
	RPD-5/3-M6	RPD-10/8-04	RPD-6/4-G01
	RPD-5/3-01	RPD-12/10-03	RPD-6/4-G02
	RPD-6/4-M5	RPD-12/10-04	RPD-6/4-G03
	RPD-6/4-M6		RPD-8/6-G01
	RPD-6/4-01		RPD-8/6-G02
	RPD-6/4-02		RPD-8/6-G03
	RPD-6/4-03		RPD-10/8-G01
	RPD-8/6-01		RPD-10/8-G02
	RPD-8/6-02		RPD-10/8-G03
	RPD-8/6-03		RPD-10/8-G04
	RPD-10/8-01		RPD-12/10-G03
	RPD-10/8-02		RPD-12/10-G04

Swivel Male Straight RSPC	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RSPC-5/3-M5	RSPC-10/8-03
	RSPC-5/3-M6	RSPC-10/8-04	RSPC-6/4-G01
	RSPC-5/3-01	RSPC-12/10-03	RSPC-6/4-G02
	RSPC-6/4-M5	RSPC-12/10-04	RSPC-6/4-G03
	RSPC-6/4-M6		RSPC-8/6-G01
	RSPC-6/4-01		RSPC-8/6-G02
	RSPC-6/4-02		RSPC-8/6-G03
	RSPC-6/4-03		RSPC-10/8-G01
	RSPC-8/6-01		RSPC-10/8-G02
	RSPC-8/6-02		RSPC-10/8-G03
	RSPC-8/6-03		RSPC-10/8-G04
	RSPC-10/8-01		RSPC-12/10-G03
	RSPC-10/8-02		RSPC-12/10-G04

Swivel Male Elbow RPL	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPL-5/3-M5	RPL-10/8-03
	RPL-5/3-M6	RPL-10/8-04	RPL-6/4-G01
	RPL-5/3-01	RPL-12/10-03	RPL-6/4-G02
	RPL-6/4-M5	RPL-12/10-04	RPL-6/4-G03
	RPL-6/4-M6		RPL-8/6-G01
	RPL-6/4-01		RPL-8/6-G02
	RPL-6/4-02		RPL-8/6-G03
	RPL-6/4-03		RPL-10/8-G01
	RPL-8/6-01		RPL-10/8-G02
	RPL-8/6-02		RPL-10/8-G03
	RPL-8/6-03		RPL-10/8-G04
	RPL-10/8-01		RPL-12/10-G03
	RPL-10/8-02		RPL-12/10-G04

Female Elbow RPLF	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPLF-5/3-M5	RPLF-10/8-03
	RPLF-5/3-M6	RPLF-10/8-04	RPLF-6/4-G01
	RPLF-5/3-01	RPLF-12/10-03	RPLF-6/4-G02
	RPLF-6/4-M5	RPLF-12/10-04	RPLF-6/4-G03
	RPLF-6/4-M6		RPLF-8/6-G01
	RPLF-6/4-01		RPLF-8/6-G02
	RPLF-6/4-02		RPLF-8/6-G03
	RPLF-6/4-03		RPLF-10/8-G01
	RPLF-8/6-01		RPLF-10/8-G02
	RPLF-8/6-02		RPLF-10/8-G03
	RPLF-8/6-03		RPLF-10/8-G04
	RPLF-10/8-01		RPLF-12/10-G03
	RPLF-10/8-02		RPLF-12/10-G04

Male Tee RPTN	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPTN-5/3-M5	RPTN-10/8-03
	RPTN-5/3-M6	RPTN-10/8-04	RPTN-6/4-G01
	RPTN-5/3-01	RPTN-12/10-03	RPTN-6/4-G02
	RPTN-6/4-M5	RPTN-12/10-04	RPTN-6/4-G03
	RPTN-6/4-M6		RPTN-8/6-G01
	RPTN-6/4-01		RPTN-8/6-G02
	RPTN-6/4-02		RPTN-8/6-G03
	RPTN-6/4-03		RPTN-10/8-G01
	RPTN-8/6-01		RPTN-10/8-G02
	RPTN-8/6-02		RPTN-10/8-G03
	RPTN-8/6-03		RPTN-10/8-G04
	RPTN-10/8-01		RPTN-12/10-G03
	RPTN-10/8-02		RPTN-12/10-G04

Male Run Tee RPDN	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPDN-5/3-M5	RPDN-10/8-03
	RPDN-5/3-M6	RPDN-10/8-04	RPDN-6/4-G01
	RPDN-5/3-01	RPDN-12/10-03	RPDN-6/4-G02
	RPDN-6/4-M5	RPDN-12/10-04	RPDN-6/4-G03
	RPDN-6/4-M6		RPDN-8/6-G01
	RPDN-6/4-01		RPDN-8/6-G02
	RPDN-6/4-02		RPDN-8/6-G03
	RPDN-6/4-03		RPDN-10/8-G01
	RPDN-8/6-01		RPDN-10/8-G02
	RPDN-8/6-02		RPDN-10/8-G03
	RPDN-8/6-03		RPDN-10/8-G04
	RPDN-10/8-01		RPDN-12/10-G03
	RPDN-10/8-02		RPDN-12/10-G04

金属快拧接头(连接塑料管)

Metal Rapid Fittings for Plastic Tubing

Single Male Banjo RPH	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RPH-5/3-M5	RPH-10/8-03
	RPH-5/3-M6	RPH-10/8-04	RPH-6/4-G01
	RPH-5/3-01	RPH-12/10-03	RPH-6/4-G02
	RPH-6/4-M5	RPH-12/10-04	RPH-6/4-G03
	RPH-6/4-M6		RPH-8/6-G01
	RPH-6/4-01		RPH-8/6-G02
	RPH-6/4-02		RPH-8/6-G03
	RPH-6/4-03		RPH-10/8-G01
	RPH-8/6-01		RPH-10/8-G02
	RPH-8/6-02		RPH-10/8-G03
	RPH-8/6-03		RPH-10/8-G04
	RPH-10/8-01		RPH-12/10-G03
	RPH-10/8-02		RPH-12/10-G04

Double Male Banjo RDPH	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RDPH-5/3-M5	RDPH-10/8-03
	RDPH-5/3-M6	RDPH-10/8-04	RDPH-6/4-G01
	RDPH-5/3-01	RDPH-12/10-03	RDPH-6/4-G02
	RDPH-6/4-M5	RDPH-12/10-04	RDPH-6/4-G03
	RDPH-6/4-M6		RDPH-8/6-G01
	RDPH-6/4-01		RDPH-8/6-G02
	RDPH-6/4-02		RDPH-8/6-G03
	RDPH-6/4-03		RDPH-10/8-G01
	RDPH-8/6-01		RDPH-10/8-G02
	RDPH-8/6-02		RDPH-10/8-G03
	RDPH-8/6-03		RDPH-10/8-G04
	RDPH-10/8-01		RDPH-12/10-G03
	RDPH-10/8-02		RDPH-12/10-G04

Triple Male Banjo RTPH	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)
		RTPH-5/3-M5	RTPH-10/8-03
	RTPH-5/3-M6	RTPH-10/8-04	RTPH-6/4-G01
	RTPH-5/3-01	RTPH-12/10-03	RTPH-6/4-G02
	RTPH-6/4-M5	RTPH-12/10-04	RTPH-6/4-G03
	RTPH-6/4-M6		RTPH-8/6-G01
	RTPH-6/4-01		RTPH-8/6-G02
	RTPH-6/4-02		RTPH-8/6-G03
	RTPH-6/4-03		RTPH-10/8-G01
	RTPH-8/6-01		RTPH-10/8-G02
	RTPH-8/6-02		RTPH-10/8-G03
	RTPH-8/6-03		RTPH-10/8-G04
	RTPH-10/8-01		RTPH-12/10-G03
	RTPH-10/8-02		RTPH-12/10-G04

Union Straight RPUC	Tube(Metric)
	
	RPUC-6/4
	RPUC-8/6
	RPUC-10/8
	RPUC-12/10

Elbow RPUL	Tube(Metric)
	
	RPUL-6/4
	RPUL-8/6
	RPUL-10/8
	RPUL-12/10

Tee RPUT	Tube(Metric)
	
	RPUT-6/4
	RPUT-8/6
	RPUT-10/8
	RPUT-12/10

Cross RPZA	Tube(Metric)
	
	RPZA-6/4
	RPZA-8/6
	RPZA-10/8
	RPZA-12/10

Bulkhead Union RPM	Tube(Metric)
	
	RPM-6/4
	RPM-8/6
	RPM-10/8
	RPM-12/10

Locking Nut RM	Tube(Metric)
	
	RM-6/4
	RM-8/6
	RM-10/8
	RM-12/10

Locking Nut With Spring RMS	Tube(Metric)
	
	RMS-6/4
	RMS-8/6
	RMS-10/8
	RMS-12/10

微型快拧接头 Compact Rapid Fittings

Male Straight (Compact) RCPC	Tube(Metric)-Thread(R)
	
	RCPC4/2.5-M6
	RCPC6/4-M5
	RCPC6/4-M6

Banjo (Compact) RCPH	Tube(Metric)-Thread(R)
	
	RCPH4/2.5-M6
	RCPH6/4-M5
	RCPH6/4-M6

<p>Straight Male PSM</p>  <p>T1</p>	Thread(R)T1-Thread(R)T2	
	PSM 01-01	PSM 06-02
	PSM 02-02	PSM 08-08
	PSM 02-01	PSM 08-06
	PSM 03-03	PSM 08-04
	PSM 03-02	PSM 08-03
	PSM 03-01	
	PSM 04-04	
	PSM 04-03	
	PSM 04-02	
	PSM 04-01	
	PSM 06-06	
	PSM 06-04	
	PSM 06-03	

<p>Plug POF</p>  <p>ØD</p>	Thread(G)	
	POF G01	
	POF G02	
	POF G03	
	POF G04	
	POF G06	
	POF G08	

<p>Straight Female PSF</p>  <p>T1</p>	Thread(R)T1-Thread(R)T2	
	PSF 01-01	PSF 06-02
	PSF 02-02	PSF 08-08
	PSF 02-01	PSF 08-06
	PSF 03-03	PSF 08-04
	PSF 03-02	PSF 08-03
	PSF 03-01	
	PSF 04-04	
	PSF 04-03	
	PSF 04-02	
	PSF 04-01	
	PSF 06-06	
	PSF 06-04	
	PSF 06-03	

<p>Equal Male Stud Elbow PEL</p>  <p>T</p>	Thread(R)	
	PEL 01	
	PEL 02	
	PEL 03	
	PEL 04	
	PEL 06	
	PEL 08	

<p>Straight Male to Female PSMF</p>  <p>T1</p>	Thread(R)T1-Thread(G)T2	
	PSMF 01-G01	PSMF 06-G02
	PSMF 02-G02	PSMF 08-G08
	PSMF 02-G01	PSMF 08-G06
	PSMF 03-G03	PSMF 08-G04
	PSMF 03-G02	PSMF 08-G03
	PSMF 03-G01	
	PSMF 04-G04	
	PSMF 04-G03	
	PSMF 04-G02	
	PSMF 04-G01	
	PSMF 06-G06	
	PSMF 06-G04	
	PSMF 06-G03	

<p>Equal Female Stud Elbow PFL</p>  <p>T</p>	Thread(G)	
	PFL G01	
	PFL G02	
	PFL G03	
	PFL G04	
	PFL G06	
	PFL G08	

<p>Reducer Male to Female PRMF</p>  <p>T1</p>	Thread(R)T1-Thread(G)T2	
	PRMF 02-G01	
	PRMF 03-G01	
	PRMF 03-G02	
	PRMF 04-G01	
	PRMF 04-G02	
	PRMF 04-G03	
	PRMF 06-G02	
	PRMF 06-G03	
	PRMF 06-G04	

<p>Equal Female Male Elbow PEFL</p>  <p>T</p>	Thread(R)	
	PEFL 01	
	PEFL 02	
	PEFL 03	
	PEFL 04	
	PEFL 06	
	PEFL 08	

<p>Plug PO</p>  <p>T</p>	Thread(R)	
	PO M5	
	PO 01	
	PO 02	
	PO 03	
	PO 04	
	PO 06	
	PO 08	

<p>Plug POHH</p>  <p>T</p>	Thread(R)	
	POHH M5	
	POHH 01	
	POHH 02	
	POHH 03	
	POHH 04	
	POHH 06	
	POHH 08	

<p>Plug POH</p>  <p>T</p>	Thread(R)	
	POH M5	
	POH 01	
	POH 02	
	POH 03	
	POH 04	
	POH 06	
	POH 08	

<p>In & Out Thread PZ</p>  <p>T1</p> <p>T2</p>	Thread(R)T1-Thread(G)T2	
	PZ 02-G01	
	PZ 03-G01	
	PZ 03-G02	
	PZ 04-G01	
	PZ 04-G02	
	PZ 04-G03	
	PZ 06-G02	
	PZ 06-G03	
	PZ 06-G04	

<p>Male Stud Branch Tee PMT</p>  <p>T</p>	Thread(R)	
	PMT 01	
	PMT 02	
	PMT 03	
	PMT 04	
	PMT 06	
	PMT 08	

<p>Male Tee PSMT</p>  <p>T</p>	Thread(R)	
	PSMT 01	
	PSMT 02	
	PSMT 03	
	PSMT 04	
	PSMT 06	
	PSMT 08	

<p>Male to Female Tee PSFT</p>  <p>T</p>	Thread(R)	
	PSFT 01	
	PSFT 02	
	PSFT 03	
	PSFT 04	
	PSFT 06	
	PSFT 08	

<p>Equal Female Tee PFT</p>  <p>T</p>	Thread(R)	
	PFT 01	
	PFT 02	
	PFT 03	
	PFT 04	
	PFT 06	
	PFT 08	


<p>Male Run Tee PMST</p>  <p>T</p>	Thread(R)	
	PMST 01	
	PMST 02	
	PMST 03	
	PMST 04	
	PMST 06	
	PMST 08	

<p>Double Male to Female Tee PMMT</p>  <p>T</p>	Thread(R)	
	PMMT 01	
	PMMT 02	
	PMMT 03	
	PMMT 04	
	PMMT 06	
	PMMT 08	

金属管道接头 Metal Pipe Fittings

Male Barb PHTM	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)	
		PHTM05-01	PHTM12-03	PHTM05-G01
	PHTM05-02	PHTM12-04	PHTM05-G02	PHTM12-G04
	PHTM07-01	PHTM17-03	PHTM07-G01	PHTM17-G03
	PHTM07-02	PHTM17-04	PHTM07-G02	PHTM17-G04
	PHTM08-01	PHTM18-03	PHTM08-G01	PHTM18-G03
	PHTM08-02	PHTM18-04	PHTM08-G02	PHTM18-G04
	PHTM09-01		PHTM09-G01	
	PHTM09-02		PHTM09-G02	
	PHTM09-03		PHTM09-G03	
	PHTM10-01		PHTM10-G01	
	PHTM10-02		PHTM10-G02	
	PHTM10-03		PHTM10-G03	
	PHTM12-02		PHTM12-G02	

Female Barb PHTF	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)	
		PHTF05-01	PHTF12-03	PHTF05-G01
	PHTF05-02	PHTF12-04	PHTF05-G02	PHTF12-G04
	PHTF07-01	PHTF17-03	PHTF07-G01	PHTF17-G03
	PHTF07-02	PHTF17-04	PHTF07-G02	PHTF17-G04
	PHTF08-01	PHTF18-03	PHTF08-G01	PHTF18-G03
	PHTF08-02	PHTF18-04	PHTF08-G02	PHTF18-G04
	PHTF09-01		PHTF09-G01	
	PHTF09-02		PHTF09-G02	
	PHTF09-03		PHTF09-G03	
	PHTF10-01		PHTF10-G01	
	PHTF10-02		PHTF10-G02	
	PHTF10-03		PHTF10-G03	
	PHTF12-02		PHTF12-G02	

Male Elbow Barb PLB	Tube(Metric)-Thread(R)		Tube(Metric)-Thread(G)	
		PLB05-01	PLB12-03	PLB05-G01
	PLB05-02	PLB12-04	PLB05-G02	PLB12-G04
	PLB07-01	PLB17-03	PLB07-G01	PLB17-G03
	PLB07-02	PLB17-04	PLB07-G02	PLB17-G04
	PLB08-01	PLB18-03	PLB08-G01	PLB18-G03
	PLB08-02	PLB18-04	PLB08-G02	PLB18-G04
	PLB09-01		PLB09-G01	
	PLB09-02		PLB09-G02	
	PLB09-03		PLB09-G03	
	PLB10-01		PLB10-G01	
	PLB10-02		PLB10-G02	
	PLB10-03		PLB10-G03	
	PLB12-02		PLB12-G02	

Female Y PYF	Thread(G)
	
	PYF G02
	PYF G03
	PYF G04


Female to Male Y PYT	Thread(R)
	
	PYT 02
	PYT 03
	PYT 04

Female Bulkhead PMFM	Thread(G)
	
	PMFM G02
	PMFM G03
	PMFM G04

Equal Female Cross PFC	Thread(G)
	
	PFC G02
	PFC G03
	PFC G04

Equal Female to Male Cross PFCT	Thread(R)
	
	PFCT 02
	PFCT 03
	PFCT 04


Barb Union PBB	Tube(Metric)
	
	PBB 07
	PBB 08
	PBB 09
	PBB 10
	PBB 12
	PBB 17
	PBB 18


Barb T PTB	Tube(Metric)
	
	PTB 07
	PTB 08
	PTB 09
	PTB 10
	PTB 12
	PTB 17
	PTB 18

特性 Features

- 使用气动单开闭快速接头连接只需一步，但拆开连接需要两个步骤，在连接重要的情况下可有效防止连接意外断开。
Pneumatic single shut-off couplers allow one-step connection but require two steps to disconnect, this feature greatly reduces the potential of accidental disconnection in applications where connection integrity is of primary importance.
- 常见应用包括急救和呼吸设备以及其他一般气动应用。
Typical uses include rescue and breathing air equipment in addition to general pneumatic applications.
- 主体材质为镀镍黄铜，弹簧与锁珠为不锈钢材质。Couplers feature nickel-plated brass body and stainless steel springs and locking balls.


E 系列 Series E


Automatic Coupler With 4 Balls Female Pipe Thread ESF	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)
				Overall Length	Hex Size	Largest Diameter
				A	B	C
	ESF1-01	1/8	G 1/8	1.42	0.55	0.70
	ESF1-02	1/8	G 1/4	1.81	0.67	0.70
	ESF2-02	1/4	G 1/4	2.45	0.81	0.98
	ESF2-03	1/4	G 3/8	2.55	0.81	0.98

Automatic Coupler With 4 Balls Male Pipe Thread ESM	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)
				Overall Length	Hex Size	Largest Diameter
				A	B	C
	ESM1-01	1/8	G 1/8	1.37	0.55	0.70
	ESM1-02	1/8	G 1/4	1.45	0.66	0.70
	ESM2-02	1/4	G 1/4	2.55	0.81	0.98
	ESM2-03	1/4	G 3/8	2.58	0.81	0.98

Automatic Coupler With 4 Balls Hose Barb ESH	Part No.	Body Size (in.)	Hose I.d.	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)
				Overall Length	Hex Size	Largest Diameter
				A	B	C
	ESH1-1/4	1/8	1/4	1.92	0.55	0.70
	ESH1-5/16	1/8	5/16	1.92	0.55	0.70
	ESH2-1/4	1/4	1/4	3.02	0.81	0.98
	ESH2-3/8	1/4	3/8	3.02	0.81	0.98

Automatic Coupler With 4 Balls Locking Hose ESL	Part No.	Body Size (in.)	Hose	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)
				Overall Length	Hex Size	Largest Diameter
				A	B	C
	ESL2-0640	1/8	6x4mm	1.73	0.55	0.70
	ESL2-0850	1/8	8x5mm	1.73	0.55	0.70
	ESL2-1065	1/4	10x6.5mm	2.14	0.81	0.98
	ESL2-1280	1/4	12x8mm	2.64	0.81	0.98

Nipple Female Pipe EPF	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)
				Overall Length	Exposed Length	Hex Size	Largest Diameter
				D	E	F	G
	EPF1-01	1/8	G 1/8	1.14	0.61	0.55	0.63
	EPF1-02	1/8	G 1/4	1.34	0.81	0.67	0.78
	EPF2-01	1/4	G 1/4	1.62	0.74	0.62	0.72
	EPF2-02	1/4	G 3/8	1.65	0.77	0.81	0.94

Nipple Male Pipe EPM	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)	Dimensions (in.)
				Overall Length	Exposed Length	Hex Size	Largest Diameter
				D	E	F	G
	EPM1-01	1/8	G 1/8	1.06	0.53	0.43	0.51
	EPM1-02	1/8	G 1/4	1.20	0.67	0.55	0.63
	EPM2-01	1/4	G 1/4	1.77	0.89	0.56	0.72
	EPM2-02	1/4	G 3/8	1.80	0.92	0.69	0.94


金属气动单开闭快速接头

Metal Pneumatic Single Shut-off Couplers

E 系列 Series E

Nipple Hose Barb EPH	Part No.	Body Size (in.)	Hose I.d.	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				D	E	G
	EPH1-1/4	1/8	1/4	1.39	0.84	0.39
	EPH1-5/16	1/8	5/16	1.39	0.84	0.39
	EPH2-1/4	1/4	1/4	2.06	1.18	0.55
	EPH2-3/8	1/4	3/8	2.06	1.18	0.55


Nipple Locking Hose EPL	Part No.	Body Size (in.)	Hose	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				D	E	G
	EPL2-0640	1/8	6x4mm	1.37	0.59	0.11
	EPL2-0850	1/8	8x5mm	1.39	0.59	0.19
	EPL2-1065	1/4	10x6.5mm	1.55	0.66	0.25
	EPL2-1280	1/4	12x8mm	1.63	0.66	0.39

Automatic Coupler Female Pipe ESFD	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	ESFD1-01	1/8	G 1/8	1.42	0.55	0.63
	ESFD1-02	1/8	G 1/4	1.81	0.67	0.78

Automatic Coupler Male Pipe ESMD	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	ESMD1-01	1/8	G 1/8	1.50	0.55	0.63
	ESMD1-02	1/8	G 1/4	1.61	0.55	0.63

Automatic Coupler Locking Hose ESLD	Part No.	Body Size (in.)	Hose	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	ESLD1-0640	1/8	6x4mm	1.73	0.55	0.70
	ESLD1-0850	1/8	8x5mm	1.73	0.55	0.70
	ESLD1-1065	1/8	10x6.5mm	2.12	0.86	0.98
	ESLD1-1280	1/8	12x8mm	2.20	0.86	0.98

Nipple Female Pipe Thread EPFD	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Exposed Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				D	E	F	G
	EPFD1-01	1/8	G 1/8	1.56	1.03	0.55	0.63
	EPFD1-02	1/8	G 1/4	1.97	1.44	0.67	0.78

Nipple Male Pipe Thread EPMD	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Exposed Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				D	E	F	G
	EPMD1-01	1/8	G 1/8	1.65	1.12	0.55	0.63
	EPMD1-02	1/8	G 1/4	1.77	1.24	0.67	0.78

Nipple Locking Hose EPLD	Part No.	Body Size (in.)	Hose	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				D	E	G
	EPLD2-0640	1/8	6x4mm	1.57	0.59	0.11
	EPLD2-0850	1/8	8x5mm	1.59	0.59	0.19
	EPLD2-1065	1/8	10x6.5mm	1.75	0.59	0.27
	EPLD2-1280	1/8	12x8mm	1.83	0.64	0.39

金属气动单开闭快速接头

Metal Pneumatic Single Shut-off Couplers

N 系列 Series N

Automatic Coupler With 4 Balls Female Pipe Thread NSF	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NSF2-01	1/4	G 1/8	2.28	0.86	0.86
	NSF2-02	1/4	G 1/4	2.36	0.86	0.86
	NSF2-03	1/4	G 3/8	2.44	0.86	0.86
	NSF2-04	1/4	G 1/2	2.55	0.86	0.86

Automatic Coupler With 4 Balls Male Pipe Thread NSM	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NSM2-01	1/4	G 1/8	2.28	0.86	0.86
	NSM2-02	1/4	G 1/4	2.36	0.86	0.86
	NSM2-03	1/4	G 3/8	2.40	0.86	0.86
	NSM2-04	1/4	G 1/2	2.55	0.86	0.86

Automatic Coupler With 4 Balls Hose Barb NSH	Part No.	Body Size (in.)	Hose I.d.	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NSH2-1/4	1/4	1/4	2.83	0.86	0.86
	NSH2-5/16	1/4	5/16	2.83	0.86	0.86
	NSH2-3/8	1/4	3/8	2.83	0.86	0.86
	NSH2-1/2	1/4	1/2	2.83	0.86	0.86

Automatic Coupler With 4 Balls Locking Hose NSL	Part No.	Body Size (in.)	Hose	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NSL2-0640	1/4	6x4mm	2.30	0.86	0.86
	NSL2-0850	1/4	8x5mm	2.36	0.86	0.86
	NSL2-1065	1/4	10x6.5mm	2.44	0.86	0.86
	NSL2-1280	1/4	12x8mm	2.46	0.86	0.86


Nipple Female Pipe Thread NPF	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NPF2-01	1/4	G 1/8	1.35	0.55	0.64
	NPF2-02	1/4	G 1/4	1.47	0.66	0.74
	NPF2-03	1/4	G 3/8	1.47	0.86	0.98
	NPF2-04	1/4	G 1/2	1.52	0.94	1.10

Nipple Male Pipe Thread NPM	Part No.	Body Size (in.)	Thread Size BSP	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NPM2-01	1/4	G 1/8	1.47	0.55	0.64
	NPM2-02	1/4	G 1/4	1.57	0.66	0.74
	NPM2-03	1/4	G 3/8	1.57	0.86	0.98
	NPM2-04	1/4	G 1/2	1.73	0.94	1.10

Nipple Hose Barb NPH	Part No.	Body Size (in.)	Hose I.d.	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NPH2-1/4	1/4	1/4	2.24	0.59	0.98
	NPH2-5/16	1/4	5/16	2.24	0.59	0.98
	NPH2-3/8	1/4	3/8	2.24	0.59	0.98
	NPH2-1/2	1/4	1/2	2.52	0.59	0.98

Nipple Locking Hose NPL	Part No.	Body Size (in.)	Hose	Dimensions (in.) Overall Length	Dimensions (in.) Hex Size	Dimensions (in.) Largest Diameter
				A	B	C
	NPL2-0640	1/4	6x4mm	1.43	0.55	0.64
	NPL2-0850	1/4	8x5mm	1.49	0.55	0.64
	NPL2-1065	1/4	10x6.5mm	1.57	0.66	0.74
	NPL2-1280	1/4	12x8mm	1.59	0.82	0.94

型号表示方法 How to Order



① 型号 Model

② ③ 气管外径 O.D. of tube (ØD)

		公制 Metric										
代号 Code	2M	3M	4M	6M	8M	10M	12M	16M	18M	20M	22M	25M
ØD (mm)	Ø2	Ø3	Ø4	Ø6	Ø8	Ø10	Ø12	Ø16	Ø18	Ø20	Ø22	Ø25

③ 螺纹规格 Thread size (T)

		锥管螺纹 Taper pipe thread (BSPT)					G 螺纹 G-thread (BSPP)					
代号 Code	2R	4R	6R	8R	12R	16R	2G	4G	6G	8G	12G	16G
T	R1/8	R1/4	R3/8	R1/2	R3/4	R1	G1/8	G1/4	G3/8	G1/2	G3/4	G1

Reducing Union ERMT		Tube(Metric D1-D2)	Bulkhead Union EBHRMT		Tube(Metric)	Male Connector EMMT		Tube(Metric)-Thread(R)			
	ØD1	ERMT 6M-3M		ØD	EBHRMT 3M		ØD	T	EMMT 2M-2R	EMMT 8M-8R	EMMT 16M-8R
	ØD2	ERMT 6M-4M		EBHRMT 4M	EMMT 3M-2R		EMMT 10M-2R	EMMT 16M-12R			
		ERMT 8M-6M		EBHRMT 6M	EMMT 3M-4R		EMMT 10M-4R	EMMT 18M-8R			
		ERMT 10M-6M		EBHRMT 8M	EMMT 4M-2R		EMMT 10M-6R	EMMT 18M-12R			
		ERMT 10M-8M		EBHRMT 10M	EMMT 4M-4R		EMMT 10M-8R	EMMT 20M-8R			
		ERMT 12M-6M		EBHRMT 12M	EMMT 6M-2R		EMMT 12M-4R	EMMT 20M-12R			
		ERMT 12M-8M		EBHRMT 15M	EMMT 6M-4R		EMMT 12M-6R	EMMT 22M-12R			
		ERMT 12M-10M		EBHRMT 16M	EMMT 6M-6R		EMMT 12M-8R	EMMT 22M-16R			
		ERMT 16M-12M		EBHRMT 18M	EMMT 6M-8R		EMMT 12M-12R	EMMT 25M-12R			
		ERMT 25M-18M		EBHRMT 20M	EMMT 8M-2R		EMMT 15M-8R	EMMT 25M-16R			
	ERMT 25M-20M	EBHRMT 22M	EMMT 8M-4R	EMMT 16M-4R							
		EBHRMT 25M	EMMT 8M-6R	EMMT 16M-6R							

Male Connector for Bonded Washer Seal EGMMT		Tube(Metric)-Thread(G)		Female Connector EFMT		Tube(Metric)-Thread(R)		Gauge Connector EGMT		Tube(Metric)-Thread(G)
	ØD	EGMMT 3M-2G	EGMMT 12M-6G		ØD	EFMT 3M-2R	EFMT 12M-2R		ØD	EGMT 3M-4G
	T	EGMMT 3M-4G	EGMMT 12M-8G		EFMT 3M-4R	EFMT 12M-4R	EGMT 6M-4G			
		EGMMT 4M-2G	EGMMT 12M-12G		EFMT 4M-2R	EFMT 12M-6R	EGMT 6M-6G			
		EGMMT 6M-2G	EGMMT 16M-6G		EFMT 6M-2R	EFMT 12M-8R	EGMT 6M-8G			
		EGMMT 6M-4G	EGMMT 16M-8G		EFMT 6M-4R	EFMT 12M-12R	EGMT 8M-4G			
		EGMMT 6M-6G	EGMMT 18M-8G		EFMT 6M-6R	EFMT 15M-8R	EGMT 8M-6G			
		EGMMT 6M-8G	EGMMT 18M-12G		EFMT 6M-8R	EFMT 16M-8R	EGMT 8M-8G			
		EGMMT 8M-2G	EGMMT 20M-8G		EFMT 8M-2R	EFMT 20M-8R	EGMT 10M-4G			
		EGMMT 8M-4G	EGMMT 20M-12G		EFMT 8M-4R	EFMT 20M-12R	EGMT 10M-6G			
		EGMMT 8M-6G	EGMMT 22M-12G		EFMT 8M-6R	EFMT 22M-12R	EGMT 10M-8G			
		EGMMT 8M-8G	EGMMT 22M-16G		EFMT 8M-8R	EFMT 22M-16R	EGMT 12M-4G			
		EGMMT 10M-4G	EGMMT 25M-12G		EFMT 10M-2R	EFMT 25M-12R	EGMT 12M-6G			
		EGMMT 10M-6G	EGMMT 25M-16G		EFMT 10M-4R	EFMT 25M-16R	EGMT 12M-8G			
		EGMMT 10M-8G			EFMT 10M-6R		EGMT 20M-8G			
		EGMMT 12M-4G			EFMT 10M-8R		EGMT 22M-8G			

Male Elbow EME		Tube(Metric)-Thread(R)		Female Elbow EFE		Tube(Metric)-Thread(R)		Male Branch Tee EMBT		Tube(Metric)-Thread(R)	
	ØD	EME 3M-2R	EME 12M-2R		ØD	EFE 6M-4R		T	ØD	EMBT 3M-2R	
	T	EME 3M-4R	EME 12M-4R		EFE 6M-6R	EMBT 3M-4R					
		EME 4M-2R	EME 12M-6R		EFE 6M-8R	EMBT 4M-2R					
		EME 4M-4R	EME 12M-8R		EFE 8M-4R	EMBT 6M-2R					
		EME 6M-2R	EME 12M-12R		EFE 8M-8R	EMBT 6M-4R					
		EME 6M-4R	EME 16M-6R		EFE 10M-4R	EMBT 8M-2R					
		EME 6M-6R	EME 16M-8R		EFE 10M-6R	EMBT 8M-4R					
		EME 6M-8R	EME 18M-8R		EFE 10M-8R	EMBT 10M-4R					
		EME 8M-2R	EME 18M-12R		EFE 12M-6R	EMBT 10M-6R					
		EME 8M-4R	EME 20M-8R		EFE 12M-8R	EMBT 12M-4R					
		EME 8M-6R	EME 20M-12R			EMBT 12M-6R					
		EME 8M-8R	EME 22M-12R			EMBT 12M-8R					
		EME 10M-4R	EME 22M-16R			EMBT 16M-6R					
		EME 10M-6R	EME 25M-12R			EMBT 16M-8R					
		EME 10M-8R	EME 25M-16R			EMBT 20M-12R					

不锈钢双卡套接头

Stainless Steel Two-Ferrule Design Pipe Joint Fittings

Male Run Tee EMRT	Tube(Metric)-Thread(R)
	EMRT 3M-2R
EMRT 3M-4R	
EMRT 4M-2R	
EMRT 6M-2R	
EMRT 6M-4R	
EMRT 8M-2R	
EMRT 8M-4R	
EMRT 10M-4R	
EMRT 10M-6R	
EMRT 12M-4R	
EMRT 12M-6R	
EMRT 12M-8R	
EMRT 16M-6R	
EMRT 16M-8R	
EMRT 20M-12R	

ØD



ØD

T

Female Branch Tee EFBT	Tube(Metric)-Thread(R)
	EFBT 6M-2R
EFBT 6M-4R	
EFBT 6M-6R	
EFBT 6M-8R	
EFBT 8M-2R	
EFBT 8M-4R	
EFBT 8M-6R	
EFBT 8M-8R	
EFBT 10M-4R	
EFBT 10M-6R	
EFBT 10M-8R	
EFBT 12M-4R	
EFBT 12M-6R	
EFBT 12M-8R	
EFBT 16M-8R	

ØD



ØD

T

Union Cross EMC	Tube(Metric)-Thread(R)
	EMC 3M
EMC 6M	
EMC 8M	
EMC 10M	
EMC 12M	
EMC 16M	
EMC 18M	
EMC 20M	
EMC 25M	

ØD



ØD

ØD

ØD