

## 手动阀 (手摇杆) Hand Valve (Hand Lever) Series KLV




### 规格 Specifications

规格 Model	KLV300	KLV400	KLV500	KLV600
功能 Function	5/2, 5/3-Way	5/2, 5/3, 3/2-Way	5/2, 5/3-Way	
使用流体 Fluid	洁净空气 Clean Air			
接管口径 Port Size	1/8"	1/4"	3/8"	1/2"
工作压力范围 Operating Pressure Range (MPa)	0~0.8			
有效截面积 Effective Sectional Area (mm <sup>2</sup> )	13.5	18.0	35.0	90.0
环境及液体温度 Ambient & Fluid Temp.	5~60°C			
* 润滑 Lubrication	不需要 Not Required			

\* 若需要润滑请用透平1号油ISOVG32  
Use Turbine Oil 1st-grade ISOVG32, if necessary.

2

### 型号表示方法 How To Order



# 手动阀 (手摇杆) Hand Valve (Hand Lever)



## Series KLV

### 外形尺寸图 Dimensions (mm)

2位5通 5/2-Way

接管口径 G1/8 Port Size G1/8

KLV310-S 单动 Single    KLV320-D 双动 Double



3位5通 5/3-Way

接管口径 G1/8 Port Size G1/8


KLV330-S 中央封闭 Closed Center    KLV330-D 中央封闭 Closed Center



KLV340-S 中央排气 Exhaust Center    KLV340-D 中央排气 Exhaust Center





KLV350-S 中央加压 Pressure Center    KLV350-D 中央加压 Pressure Center



2位5通 5/2-Way

接管口径 G1/4 Port Size G1/4

KLV410-S 单动 Single    KLV420-D 双动 Double



3位5通 5/3-Way

接管口径 G1/4 Port Size G1/4


KLV430-S 中央封闭 Closed Center    KLV430-D 中央封闭 Closed Center



KLV440-S 中央排气 Exhaust Center    KLV440-D 中央排气 Exhaust Center





KLV450-S 中央加压 Pressure Center    KLV450-D 中央加压 Pressure Center



2位3通 3/2-Way

接管口径 G1/4 Port Size G1/4

KLV460-S 单动 Single    KLV460-D 双动 Double






# 手动阀 (手摇杆) Hand Valve (Hand Lever)

## Series KLV

### 外形尺寸图 Dimensions (mm)

2位5通 5/2-Way  
接管口径 G3/8 Port Size G3/8



KLV510-S 单动 Single    KLV520-D 双动 Double



3位5通 5/3-Way  
接管口径 G3/8 Port Size G3/8



KLV530-S 中央封闭 Closed Center

KLV530-D 中央封闭 Closed Center





KLV540-S 中央排气 Exhaust Center

KLV540-D 中央排气 Exhaust Center




KLV550-S 中央加压 Pressure Center

KLV550-D 中央加压 Pressure Center





2位3通 3/2-Way  
接管口径 G3/8 Port Size G3/8

KLV560-S 单动 Single    KLV560-D 双动 Double



2位5通 5/2-Way  
接管口径 G1/2 Port Size G1/2



KLV610-S 单动 Single    KLV620-D 双动 Double



3位5通 5/3-Way  
接管口径 G1/2 Port Size G1/2



KLV630-S 中央封闭 Closed Center

KLV630-D 中央封闭 Closed Center



KLV640-S 中央排气 Exhaust Center

KLV640-D 中央排气 Exhaust Center



KLV650-S 中央加压 Pressure Center

KLV650-D 中央加压 Pressure Center

