


ARK

3通机械阀  
3-Port Mechanical Valve  
Series KVM430



规格 Specifications

|         |                                |                 |
|---------|--------------------------------|-----------------|
| 型号      | Model                          | KVM430          |
| 接管口径    | Port Size                      | PT1/8"          |
| 使用流体    | Fluid                          | 洁净空气 Clean Air  |
| 工作压力范围  | Operating Pressure Range (MPa) | 0~0.8           |
| 有效截面积   | Effective Sectional Area (mm²) | 10.5            |
| 环境及流体温度 | Ambient & Fluid Temp.          | 5~60°C          |
| * 润滑    | Lubrication                    | 不需要Not Required |

\* 若需要润滑请用透平1号油ISOVG32  
Use Turbine Oil 1st-grade ISOVG32, if necessary.

型号表示方法 How To Order

KV M 4 3 0 - 0 1 - 0 1


通数 Port  
3 3通 3-Port

接管口径 Port  
01 1/8"

驱动机构 Actuator  
00 基本 Basic  
01 滚轮杠杆 Roller Lever  
01-S 硬钢滚轮杠杆 Bearing Steel Roller Lever  
02 单向滚轮杠杆 One-way Roller Lever  
02-S 硬钢滚轮杠杆 One-way Bearing Steel Roller Lever  
30 按钮（蘑菇型） Push Button (Mushroom)  
33 按钮（平型） Push Button (Flat)  
34 旋转选择（2位） Selector (2-Position)


3通机械阀 3-Port Mechanical Valve  
Series KVM430  
外形尺寸图 Dimensions (mm)

基本 Basic  
KVM 430-01-00




2

滚轮杠杆 Roller Lever  
KVM 430-01-01/KVM430-01-01S




# 3通机械阀 3-Port Mechanical Valve Series KVM430 外形尺寸图 Dimensions (mm)

## 单向滚轮杠杆 One-way Roller Lever KVM 430-01-02/KVM430-01-02S




## 按钮（蘑菇型） Push Button (Mushroom) KVM 430-01-30



# 3通机械阀 3-Port Mechanical Valve Series KVM430 外形尺寸图 Dimensions (mm)

按钮（平型） Push Button (Flash)

KVM 430-01-33



旋转旋转（2位） Selector (2-Position)

KVM 430-01-34

