


M2 EXPLORE

INSTRUCTION MANUAL

使用说明书



OMPHOBBY
#1 BY DESIGN

Thank you for buying **OMP HOBBY** products. The **M2EXP** is the latest technology in Rotary RC models. Please read this manual carefully before assembling and flying the New **M2EXP** helicopter. We recommend that you keep this manual for future reference regarding and maintenance

感谢您选用边锋智驱系列产品。

进入遥控世界前必须告诉您许多相关的知识与注意事项，以确保您能够在学习的过程中较得心应手。在开始操作之前，请务必详细阅读本说明书，相信一定能够给您带来相当大的帮助，也请您妥善保管这本说明书，以作为日后参考。

Thank you for buying OMPHOBBY Products. The M2EXP Helicopter is designed as an easy to use,full featured Helicopter R/C model capable of all forms of rotary flight. Please read the manual carefully before assembling the model, and follow all precautions and recommendations located within the manual. Be sure to retain the manal for future reference, routine maintenance, and tuning.

The M2EXP is a new product developed by OMPHOBBY. It features the best design available on the Micro-Heli market to date, providing flying stability for beginners,full aerobatic capbility for advanced fliers, and unsurpassed reliability for customer support.

感谢您选购边锋智驱公司产品，为了你容易方便使用M2EXP直升机，请您详细的阅读完这本说明书之后再进行组装以及操作这台直升机，同时请您妥善保管这本说明书，作为日后进行调整以及维修的参考。

M2EXP是由边锋智驱有限公司自行研发的新产品，不论您是需求飞行稳定的初学者还是追求性能卓越的飞行爱好者。M2EXP将是您最佳的选择。

WARNING LABEL LEGEND 标志代表含义

 WARNING 警告	Mishandling due to failure to follow these instructions may result in damage or injury. 因为疏忽这些操作说明，而使用错误可能造成财产损失或严重伤害。
 CAUTION 注意	Mishandling due to failure to follow these instructions may result in danger. 因为疏忽这些操作说明，而使用错误可能造成危险。
 FORBIDDEN 禁止	Do not attempt under any circumstances 在任何禁止的环境下，请勿尝试操作。

IMPORTANT NOTES 重要声明

R/C helicopters, including The M2EXP are not toys.R/C helicopter utilize various high-tech products and technologies to provide superior performance.Improper use of this product can result in serious injury or even death. Please read this manual carefully before using and make sure to be conscious of your own personal safety and the safety of others and your environment when operating allOMPHOBBY products.

Manufacturer and seller assume no liability for the operation or the use of this product . Intended for use only by adults with experience flying remote control helicopters at a legal flying field. After the sale of this product we cannot maintain any control over its operation or usage.

M2EXP遥控直升机并非玩具，它是结合了许多高科技产品所设计出来的休闲用品，所以商品的使用不当或者不熟悉都可能会造成严重伤害甚至死亡，使用之前请务必详细阅读本说明书，勿轻忽并注意自身安全。

注意！任何遥控直升机的使用，制造商和经销商是无法对使用者于零件使用的损耗异常或组装不当所发生之意外负任何责任，本产品是为提供给有操作过模型直升机经验的成人或者有相当技术的人员在旁指导于当地合法遥控飞行场飞行，以确保安全无误下操作使用，产品售出后该公司将不负任何责任和使用控制上的任何性能与安全责任。

We recommend that you obtain the assistance of an experienced pilot before attempting to fly our products for the first time, A lcoal expert is the best way to properly assmble , setup, and fly your mdel for the first time .M2 Helicopter requires a certain degree of skill to operate, and is a consumer item. Any damage or dissatisfaction as a result or accidents or modifications are not covered by any warrantee and cannot be returned for repair or replacement. Please contact our distributors for free technical consultation and parts at discounted rates when you experience problems during operation or maintenance.

模型商品属于需高操作技术且为消耗性之商品，如经拆装使用后，会造成不等情况零件损耗，任何使用情况所造成的商品不良或不满意，将无发于保固条件内更换新品或者退货，如遇有使用操作维修问题，本公司全球分公司或者代理商将提供技术指导，特价零件供应服务。

SAFETY NOTES 安全注意事项



Fly only in safe areas,away from other people. Do not operate R/C aircraft within the vicinity of homes or crowds of people .R/C aircraft are prone to accidents,failures,and crashes due to a variety of reasons including,lack of maintenance,pilot error, and radio interference. Pilots are responsible for their actions and damage or injury occurring during the poeration or as of a result of R/C aircraft models.

遥控模型飞机、直升机属于高危险性商品，飞行时务必远离人群，人为组装不当或机件损坏，电子控制设备不良，以及操控上的不熟悉、都有可能导致飞行失控损伤等不可预期的意外，请飞行者务必注意飞行安全，并需了解自负疏忽所造成的任何意外之责任。



LOCATE AN APPROPRIATE LOCATION 远离障碍物及人群

R/C helicopters fly at high speed ,thus posing a certain degree of potential danger .Choose a legal flying field consisting of flat,smooth ground without obstacles.

Do not fly near buildings,high voltage cables ,or trees to ensure the safety of yourself,others and your model.

For the first practice,please choose a legal flying field and can use a training skid to fly for reducing the damage .Do not fly your model in inclement weather,such as rain,wind snow or darkness.

直升机飞行时具有一定的速度,相对的也潜在着危险性,场地的选择也相对的重要,请遵守当地的法律法规到合法的遥控飞行场地去飞行。

必须注意周边有没有人、高楼、建筑物、高压电线、树木等等、避免操控的不当造成自己或他人的财产损失。

初次练习时,务必选择在空旷合法专属飞行场地并适当搭配练习架飞行,这对于飞行失误所造成的损伤将会大幅的降低。请勿在下雨天、打雷等恶劣天气下操作,以确保本身及机体的安全。




PREVENT MOISTURE 远离潮湿环境

R/C models are composed of many precision electrical components.

It is critical to keep the model and associated equipment away from moisture and other contaminants.The introduction or exposure to water or moisture in any form can cause the model to malfunction resulting in loss of use,or a crash .Do not operate or expose to rain or moisture

直升机内部也是由精密的电子零件组成,所以必须绝对的防止潮湿或水气,避免在浴室或雨天时使用,防止水气进入机身内部而导致机件及电子零件故障而引发不可预期的意外!




PREVENT OPETATION 勿不当使用本产品

Please use the replacement of parts on the manual to ensure the safety of instructors.

This product is for R/C model,so do not use for other purpose.

请勿自行改造加工,任何的升级改装或维修,请使用三源电子科技产品目录中的零件,以确保结构的安全。

请确认于产品界限内操作,请勿过载使用,并勿用于安全、法令外其他非法用途。



OBTAIN THE ASSISTANCE OF AN EXPERIENCED PILOT 避免独自操控

Before turning on your model and transmitter,check to make sure no one else is operating on the same frequency.Frequency interference can cause your model,or other models to crash.

The guidance provided by an experienced pilot will be invaluable for the assembly,tuning,trimming,and actual first flight.(Recommend you to practice with computer-based flight simulator.)

至飞行场地前,需确认是否有相同频率的同好正在飞行,因为开启相同的频率的发射机将导致自己与他人立即干扰等意外危险。

遥控飞机操控技巧在学习初期有着一定的难度,要尽量避免独自操作飞行,需有经验的人士在旁指导,才可以操控飞行。(勤练电脑模拟器及老手指导是入门必要的选择)



SAFE OPERATION 安全操作

Operate this unit within your ability.Do not fly under tired condition and improper operation may cause in danger


请于自己能力内及需要一定技术范围内操作这台直升机,过于疲劳,精神不佳或不当操作,意外发生风险将可能会提高。



ALWAYS BE AWARE OF THE ROTATING BLADES 远离运转中的零件

During the operation of the helicopter,the main rotor and tail rotor will be spinning at a high rate of speed .The blades are capable of inflicting serious bodily injury and damage to the environment.Be conscious of your actions,and careful to keep your face,eyes,hands,and loose clothing away from the blades.Always fly the model a safe distance from yourself and others,as well as surrounding objects.Never take your eyes off the model or leave it unattended while it is turned on.Immediately turn off the model and transmitter when you have landed model.


当直升机主旋翼与尾旋翼运转时,切勿触摸并远离任何物件,以避免造成危险及损坏。









KEEP AWAY FROM HEAT 远离热源

R/C models are made of various forms of plastic.Plastic is very susceptible to damage or deformation due to extreme heat and clod climate .Make sure not to store the model near any source of heat such as an oven,or heater.It is best to store the model indoors ,in a climate-controlled,room temperature environment.

遥控飞机多半是以PA纤维或聚乙烯、电子商品为主要材质,因此要尽量远离热源、日照、以避免因高温而变形甚至熔毁损坏的可能。



			
Cutter Knife 刀子	Scissors 剪刀	Needle Nose Pliers 尖嘴钳	Diagonal Cutting Pliers 斜口钳
			
Philips Screw Drive 十字螺丝起子	Hexagon Screw Driver 六角螺丝起子	Oil 润滑油	CA 瞬间胶
			
			AB Glue AB 胶

胶水使用方法

When you see the marks as below, please use glue or grease to ensure flying safety.


标有以下符号之组装步骤，请配合上胶或上油，以确保使用之可靠度。



Apply BLUE Threadlock
使用螺丝胶



Apply Petroleum-Based,
Light Viscosity Lube
添加润滑油




Loosely Tighten
普通拧紧



Apply NO Threadlock
无需使用螺丝胶



Apply Synthetic
Grease
添加润滑油脂




Fully Tighten
完全拧紧




Apply MEDIUM CA
使用瞬间胶固定



Repeat Multiple Times
重复多次



BLUE Glue width: approx 1mm
蓝色螺丝胶上胶宽度约1.0mm





Specifications 参数配备





- | | |
|-------------------------------|-----------------|
| ● Length: 408mm | ● 机身长: 408mm |
| ● Height: 135mm | ● 机身高: 135mm |
| ● Main Blade: 173mm | ● 主旋翼长度: 173mm |
| ● Main Rotor Diameter: 400mm | ● 主旋翼直径: 400mm |
| ● Tail Rotor Diameter: 71.5mm | ● 尾旋翼直径: 71.5mm |
| ● Flying Weight: 306g | ● 起飞重量约: 306g |



Features 设计特点


- Dual Brushless direct drive motors
- The blade clip and swash plate are designed using a carbon composite technology
- Air frame all carbon fiber light weight design
- Streamlined low wind resistance hood design
- The landing gear is made of high strength nylon, more forgiving than the carbon fiber plates in previous version.
- The tailpipe is designed with an inverted water drop shape
- The integrated six-sided hollow CNC tailpipe fixing mount
- The directly connected rear carbon fiber fin with tail motor mount is a novel design making the structure light weight.
- Integrated, Dual Brushless ESC, Flight Controller and Receiver
- opened the flight controller to allow for adjusting of the flight controller parameters.


- 采用双无刷电机直接驱主尾旋翼设计
- 高碳工程塑胶材质无副翼旋翼头设计
- 机身全碳纤维轻量化设计
- 流线型低风阻机头罩设计
- 高抗冲击尼龙塑胶脚架设计
- 滴水形铝合金尾管设计
- 一体式6面镂空尾管固定座设计
- 垂直翼一体式尾电机固定座设计
- 四合一OFS控制系统
- 可调个性化设置调参飞控



























Flight Control
飞控

Double-sided tape
双面胶





Socket screw
圆柱头内六角螺丝
(M2x12mm-L4)x2




M2 Nut
M2防松螺母(M2)x2




Screw sleeve
M2螺丝套 x2





Washer
横轴轴承垫片
(Ø2.1xØ10x0.3mm)x4





Socket screw
圆柱头内六角螺丝
(M1.6x6mm)x2









Flight Parameter Setting Introduction
飞行参数设置说明

General Flight Model 一般飞行模式			
Throttle 油门		Screw Pitch 螺距	
5	60	100	11°
4	60	65	5.5°
3	60	15	1.8°
2	60	-5	-0.6°
1	0	-20	-2.4°














IDLE 1 Model IDLE 1模式			
Throttle 油门		Screw Pitch 螺距	
5	65	100	11°
4	65	50	5.5°
3	65	5	0.6°
2	65	-50	-5.5°
1	65	-100	-11°


















IDLE 1 Model IDLE 2模式			
Throttle 油门		Screw Pitch 螺距	
5	80	100	11°
4	80	50	5.5°
3	80	0	0°
2	80	-50	-5.5°
1	80	-100	-11°

Attitude mode /3D mode 姿态模式/3D模式		
Modes 模式	CH5	Flight Control LED 飞控LED
Attitude Modes 姿态模式	75-100	Blue LED Steady Lit 蓝灯常亮
		Red LED Steady Lit 红灯常亮
3D Modes 3D模式	0-25	Blue LED Steady Lit 蓝灯常亮
		Red LED Slow Flash 红灯慢闪












Power On Self Test / Binding 通电自检/对频	
Status 状态	Flight Control LED 飞控LED
Power On Self Test 上电自检	The M2 should be placed on the ground to be energized. After power on, the blue and red led flash quickly and wait for 3 seconds until the blue led is steady lit.
	需将M2放在平地上通电，通电后蓝灯、红灯快闪，静止3秒钟直到蓝灯常亮。
Before Binding 对频前	Blue LED Slow Flash 蓝灯慢闪
After Binding 对频后	Blue LED Steady Lit 蓝灯常亮



Servo Neutral Position Adjustment 舵机中位调整
Please disconnect the main tail motor power cord before debugging to avoid potential safety hazards!
1. Turn on the remote control and power on the aircraft. After the aircraft self-test, the servo can be normally controlled;
2. Put the throttle stick to the lowest position and push the elevator rocker to the highest until the flight control LED flashes red quickly;
3. Push the throttle stick to the high position through the aileron, lift and direction rocker respectively.
4. Push the throttle stick to the lowest position, and push the elevator stick to the highest until the red led flashes slowly or constantly, and the servo neutral position is saved.
在更换舵机，飞控，需要重新检查舵机中点。 调试前请先断开主尾马达电源线，避免安全隐患！
1. 打开遥控器电源，给飞机通电，飞机自检后可以正常控制舵机工作状态；
2. 将油门摇杆放到最低，升降舵摇杆推到最高直到飞控LED红灯快闪；
3. 将油门摇杆推到最高，此时可以分别通过副翼、升降、方向摇杆调整对应舵机中位；
4. 将油门摇杆拉到最低，升降舵摇杆推到最高直到红灯慢闪或常亮，舵机中点保存完成。


Model: OSHM2002 配件编号: OSHM2002 Product name: Feathering shaft set 配件名称: 横轴组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2005 配件编号: OSHM2005 Product name: Thrust Bearing 配件名称: 平面推力轴承组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2008 配件编号: OSHM2008 Product name: FBL Pros and Cons linkage rod 配件名称: 主螺距控制臂组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2010 配件编号: OSHM2010 Product name: Metal Main Rotor Housing set 配件名称: 主轴固定环组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 
Model: OSHM2011 配件编号: OSHM2011 Product name: Ø4 main Shaft Set 配件名称: 主轴组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2014 配件编号: OSHM2014 Product name: Servo Linkage Rod Set 配件名称: 舵机连杆组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 连杆与拉杆头组装好 	Model: OSHM2017 配件编号: OSHM2017 Product name: Concentricity Retention Column Set 配件名称: 同心度保持架组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 压好轴承 	Model: OSHM2023 配件编号: OSHM2023 Product name: Fuselage Middle Reinforcement Plate Set 配件名称: 机身中加强板组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 
Model: OSHM2028 配件编号: OSHM2028 Product name: Battery Panel Set 配件名称: 电池板组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2029 配件编号: OSHM2029 Product name: Battery Strap Set 配件名称: 电池绑带组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2030 配件编号: OSHM2030 Product name: Lithium Battery Set 配件名称: 锂电池组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2038 配件编号: OSHM2038 Product name: Tail Screw Set(black) 配件名称: 尾螺旋桨组-黑色 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 
Model: OSHM2042 配件编号: OSHM2042 Product name: Main Rotor Support Frame Set 配件名称: 主翼支撑架组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2044 配件编号: OSHM2044 Product name: Shim Group 配件名称: 垫片组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2045 配件编号: OSHM2045 Product name: Gross Shaft Suspension Set 配件名称: 横轴减震套组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2047 配件编号: OSHM2047 Product name: Flanged Bearing Set(MF52ZZ) 配件名称: 凸缘轴承组(MF52ZZ) Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 
Model: OSHM2048 配件编号: OSHM2048 Product name: Ball Bearing Group (MR63ZZ) 配件名称: 滚珠轴承组 (MR63ZZ) Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2049 配件编号: OSHM2049 Product name: Ball Bearing Group (684ZZ) 配件名称: 滚珠轴承组 (684ZZ) Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2050 配件编号: OSHM2050 Product name: Ball Bearing Group (6701ZZ) 配件名称: 滚珠轴承组 (6701ZZ) Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2052 配件编号: OSHM2052 Product name: Flight Control Damping Shing Set 配件名称: 飞控减震贴组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 3 PCS 

Model: OSHM2053 配件编号: OSHM2053 Product name: Battery Magic Tape Set 配件名称: 电池魔术贴组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 3公3母 	Model: OSHM2054 配件编号: OSHM2054 Product name: Pull Rod Head Set 配件名称: 拉杆头组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2055 配件编号: OSHM2055 Product name: Futaba Satellite Receiver 配件名称: futaba 卫星接收机 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 线材长度60mm 适用机型: M2-EXP M2-V2 	Model: OSHM2056 配件编号: OSHM2056 Product name: OMP HOBBY T6 Remote(MODE 1) 配件名称: OMP T6遥控器(MODE 1) Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 
Model: OSHM2057 配件编号: OSHM2057 Product name: OMP HOBBY T6 Remote(MODE 2) 配件名称: OMP T6遥控器(MODE 2) Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2058 配件编号: OSHM2058 Product name: Canopy Rubber Ring Set 配件名称: 机头罩橡胶圈组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2059 配件编号: OSHM2059 Product name: Servo Swing Arm 配件名称: 舵机摆臂 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2070 配件编号: OSHM2070 Product name: Ball Joint Set 配件名称: 球头组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 
Model: OSHM2072 配件编号: OSHM2072 Product name: ESC Set 配件名称: 电调组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2074 配件编号: OSHM2074 Product name: SPEKTRUM Satellite Receiver 配件名称: SPEKTRUM 卫星接收机线材 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 一组配件放: 3PCS 适用机型: M2-EXP M2-V2  规格: 1.5母端公壳插头线材 总长120mm	Model: OSHM2075 配件编号: OSHM2075 Product name: Servo Gear Set 配件名称: 舵机齿轮组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2 	Model: OSHM2076 配件编号: OSHM2076 Product name: SFHSS Receiver adapter 配件名称: FUTABA SBUS 卫星接收机线材 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 一组配件放: 3PCS 适用机型: M2-EXP M2-V2  规格: 1.25胶壳端子3PIN线材 60mm长 X 3PCS
Model: OSHM2081 配件编号: OSHM2081 Product name: Metal Main Rotor Housing set 配件名称: 主轴中心座组-EXP Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP  M2*10-L4=1PCS M2=1PCS	Model: OSHM2082 配件编号: OSHM2082 Product name: Plastics Main Rotor Holder set 配件名称: 主夹头组-EXP Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP  压好轴承	Model: OSHM2083 配件编号: OSHM2083 Product name: Croduct Phase Panel Set 配件名称: 相位座 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2  ST1.7*8=2PCS	Model: OSHM2084 配件编号: OSHM2084 Product name: Servo Mount set 配件名称: 舵机固定座组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2  M2.5 M1.6*6=6PCS
Model: OSHM2085 配件编号: OSHM2085 Product name: Tail Boom Mount Set 配件名称: 尾管固定座组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2  M1.6*4=5PCS M2*4=2PCS M2*12=2PCS	Model: OSHM2086 配件编号: OSHM2086 Product name: Frame Upper Carbon Fiber Set 配件名称: 机身上碳纤维板组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2  0.8mm 2PCS	Model: OSHM2087 配件编号: OSHM2087 Product name: Fuselage Lower Left Carbon Fiber Board Set 配件名称: 机身左下碳纤维板组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2  0.8mm 锁好螺丝	Model: OSHM2088 配件编号: OSHM2088 Product name: Fuselage Lower Right Carbon Fiber Board Set 配件名称: 机身右下碳纤维板组 Package: Hang tag +PE bag 包装方式: 吊卡+PE袋 适用机型: M2-EXP M2-V2  0.8mm 锁好螺丝



Model: OSHM2089 Package: Hang tag +PE bag 配件编号: OSHM2089 包装方式: 吊卡+PE袋 Product name: Flight Control Mounting Panel Set 配件名称: 飞控固定座组 适用机型: M2-EXP M2-V2 1PCS ST1.7*6=2PCS ST1.7*4=4PCS	Model: OSHM2090 Package: Hang tag +PE bag 配件编号: OSHM2090 包装方式: 吊卡+PE袋 Product name: Landing Skids Set(Orange) 配件名称: 脚架组-(橙) 适用机型: M2-EXP M2-V2 1PCS	Model: OSHM2091 Package: Hang tag +PE bag 配件编号: OSHM2091 包装方式: 吊卡+PE袋 Product name: Landing Skids Set(Orange) 配件名称: 脚架组-(绿) 适用机型: M2-EXP 1PCS	Model: OSHM2092 Package: Hang tag +PE bag 配件编号: OSHM2092 包装方式: 吊卡+PE袋 Product name: Landing Skids Set(Orange) 配件名称: 脚架组-(黄) 适用机型: M2-EXP M2-V2 1PCS
Model: OSHM2093 Package: Hang tag +PE bag 配件编号: OSHM2093 包装方式: 吊卡+PE袋 Product name: Landing Skids Mounts Set 配件名称: 脚架固定座组 适用机型: M2-EXP M2-V2 2PCS 1PCS M1.6*8=4PCS M1.6*3=8PCS	Model: OSHM2094 Package: Hang tag +PE bag 配件编号: OSHM2094 包装方式: 吊卡+PE袋 Product name: Frame Front Reinforcement Plate Set 配件名称: 舵机组-EXP 适用机型: M2-EXP 1SET Ø3.175x3-M1.6=1PCS M1.6=1PCS M1.6*4=2PCS	Model: OSHM2095 Package: Hang tag +PE bag 配件编号: OSHM2095 包装方式: 吊卡+PE袋 Product name: Frame Widening Mount Set 配件名称: 机身加宽座组 适用机型: M2-EXP M2-V2 2PCS 4.9	Model: OSHM2096 Package: Hang tag +PE bag 配件编号: OSHM2096 包装方式: 吊卡+PE袋 Product name: Tail Boom Set 配件名称: 尾管组 适用机型: M2-EXP M2-V2 2PCS 双面镭射OMPHOBBY商标黑色
Model: OSHM2097 Package: Hang tag +PE bag 配件编号: OSHM2097 包装方式: 吊卡+PE袋 Product name: Vertical Rotor Set(Orange) 配件名称: 垂直翼组-EXP 适用机型: M2-EXP M2-V2 2PCS	Model: OSHM2098 Package: Hang tag +PE bag 配件编号: OSHM2098 包装方式: 吊卡+PE袋 Product name: Tail Boom Inside Mount Set 配件名称: 尾管内固定座组 适用机型: M2-EXP M2-V2 1PCS	Model: OSHM2099 Package: Hang tag +PE bag 配件编号: OSHM2099 包装方式: 吊卡+PE袋 Product name: Tail motor reinforced plate group 配件名称: 尾电机加强板组 适用机型: M2-EXP 黑色-白标 M1.6*6=2PCS M1.6*3=2PCS	Model: OSHM2100 Package: Hang tag +PE bag 配件编号: OSHM2100 包装方式: 吊卡+PE袋 Product name: Frame Rear Reinforcement Plate Set 配件名称: 机身加强板组 适用机型: M2-EXP M2-V2 2PCS 0.8mm Ø2.5
Model: OSHM2101 Package: Hang tag +PE bag 配件编号: OSHM2101 包装方式: 吊卡+PE袋 Product name: Tail Screw Set(Green) 配件名称: 机头罩--绿色 适用机型: M2-EXP 1PCS	Model: OSHM2102 Package: Hang tag +PE bag 配件编号: OSHM2102 包装方式: 吊卡+PE袋 Product name: Tail Screw Set(Yellow) 配件名称: 机头罩--黄色 适用机型: M2-EXP 1PCS	Model: OSHM2103 Package: Hang tag +PE bag 配件编号: OSHM2103 包装方式: 吊卡+PE袋 Product name: Tail Screw Set(Orange) 配件名称: 机头罩--橙色 适用机型: M2-EXP 1PCS	Model: OSHM2104 Package: Hang tag +PE bag 配件编号: OSHM2104 包装方式: 吊卡+PE袋 Product name: Tail Motor Set(Black) 配件名称: 尾电机组-(黑色) 适用机型: M2-EXP 1PCS M1.6*3=3PCS
Model: OSHM2105 Package: Hang tag +PE bag 配件编号: OSHM2105 包装方式: 吊卡+PE袋 Product name: Main Motor Set(Black) 配件名称: 主电机组-(黑色) 适用机型: M2-EXP 1PCS M2.5*7=3PCS	Model: OSHM2106 Package: Hang tag +PE bag 配件编号: OSHM2106 包装方式: 吊卡+PE袋 Product name: 175mm Main Blades(Green) 配件名称: 175主旋翼组-(绿) 适用机型: M2-EXP 2PCS	Model: OSHM2107 Package: Hang tag +PE bag 配件编号: OSHM2107 包装方式: 吊卡+PE袋 Product name: 175mm Main Blades(Orange) 配件名称: 175主旋翼组-(橙) 适用机型: M2-EXP M2-V2 2PCS	Model: OSHM2108 Package: Hang tag +PE bag 配件编号: OSHM2108 包装方式: 吊卡+PE袋 Product name: 175mm Main Blades(Yellow) 配件名称: 175主旋翼组-(黄) 适用机型: M2-EXP M2-V2 2PCS

Model: OSHM2109Package: Hang tag +PE bag 配件编号: OSHM2109包装方式: 吊卡+PE袋 Product name: Ball Bearing Group (MR63) 配件名称: 滚珠轴承 3*6*2 适用机型: M2-EXP 	Model: OSHM2110Package: Hang tag +PE bag 配件编号: OSHP2110包装方式: 吊卡+PE袋 Product name: Screw Kit Set 适用机型: M2-EXP M2-V2 配件名称: 螺丝包组 	Model: OSHM2111Package: Hang tag +PE bag 配件编号: OSHM2111包装方式: 吊卡+PE袋 Product name: Swash plate set -EXP 配件名称: 倾斜盘组-EXP 适用机型: M2-EXP 	
Model: OSHM2112Package: Hang tag +PE bag 配件编号: OSHM2112包装方式: 吊卡+PE袋 Product name: Fuselage Baseplate Set 配件名称: 机身底板组 1 PCS 适用机型: M2-EXP M2-V2 	Model: OSHM2113Package: Hang tag +PE bag 配件编号: OSHM2113包装方式: 吊卡+PE袋 Product name: Flight control 配件名称: 飞控 适用机型: M2-EXP M2-V2 	Model: OSHM2114Package: Hang tag +PE bag 配件编号: OSHM2114包装方式: 吊卡+PE袋 Product name: Control receiver 配件名称: 接收板组 可调参 适用机型: M2-EXP M2-V2 	Model: OSHM2115Package: Hang tag +PE bag 配件编号: OSHM2115包装方式: 吊卡+PE袋 Product name: Canopy Fixed Bolt Set 配件名称: 机头罩固定柱组 M2.5 适用机型: M2-EXP M2-V2 
Model: OSHM2116Package: Hang tag +PE bag 配件编号: OSHM2116包装方式: 吊卡+PE袋 Product name: Flight Control Housing Set 配件名称: 飞控外壳组 适用机型: M2-EXP M2-V2 	Model: OSHM2117Package: Hang tag +PE bag 配件编号: OSHM2117包装方式: 吊卡+PE袋 Product name: Main Motor Mount Set 配件名称: 主电机固定座组 适用机型: M2-EXP M2-V2 	Model: OSHM2129Package: Hang tag +PE bag 配件编号: OSHM2129包装方式: 吊卡+PE袋 Product name: Main Rotor Holder Screw group -EXP 配件名称: 主桨夹螺丝组-EXP 适用机型: M2-EXP 	Model: OSHM2130Package: Hang tag +PE bag 配件编号: OSHM2130包装方式: 吊卡+PE袋 Product name: Main Rotor Holder -EXP 配件名称: 塑胶主桨夹-EXP 单品 2PCS 适用机型: M2-EXP 
Model: OSHM2131Package: Hang tag +PE bag 配件编号: OSHM2131包装方式: 吊卡+PE袋 Product name: Plastic Swash plate outer disc-EXP 配件名称: 塑胶倾斜外盘-EXP 单品 1PCS 适用机型: M2-EXP 			





- (Product Model)产品型号: T6
- (Diameters)外形尺寸长: L165*W98*H180
- (Radio Frequency)无线频率: 2.413GHz--2.453 GHz
- (Transmit Power)发射功率: < 20 dBm
- (Weight)重量约: 345g
- (Modulation Mode)调制方式: GFSK
- (Spread Spectrum Mode)扩频方式: FHSS
- (Working Voltage)工作电压: 3.7V
- (Remote Distance)遥控距离: 800m
- (Charge Interface)充电接口: Micro
- (Low Voltage Alarm)低电压报警: 3.4V
- (Battery Type)电池类型: Lithium Polyer Battery
- (Battery Capacity)电池容规格: 2500mAh 3.7V
- (Coach Interface)教练接口: Yes



[illegible]

OMPHOBBY

Zhuhai edge smart dirve technology Co., Ltd
www.omphobby.com

© 2020