

 **DEGSON 高松**  
 宁波高松电子有限公司  
 NINGBO DEGSON ELECTRICAL CO., LTD.  
 地址：中国宁波慈溪市道林大道1585号  
 邮编：315321

网址：www.degson.com  
 电话：400-885-2488  
 邮箱：info@degson.com



GC 22-CE02

The catalog is only for reference, and the detail data must be based on our company's specification!



## 公司简介

DEGSON高松创建于1990年，是全球知名的工业连接器整体解决方案提供商、业内同时拥有美国UL和德国VDE认可专业实验室的企业，公司通过了ISO9001、ISO14001、ISO80079-34、ISO/TS22163和IATF16949管理体系认证，是国家高新技术企业。

DEGSON高松拥有行业领先的模具加工、自动化制造能力，配备先进的检测仪器和专业检测技术，打造高可靠性、高耐用性产品，服务全球用户；同时，我们具有强大的定制化能力，并根据全球客户个性化需求，提供专业的定制化解决方案，为客户提供增值服务。

DEGSON高松产品畅销中国、美国、德国、英国、意大利、西班牙、土耳其、日本、韩国、新加坡等100多个国家和地区，为全球工业自动化、仪器仪表、电力电气、轨道交通、船舶、新能源、电梯、照明、安防、机械等行业，提供高品质产品和服务，获得了众多世界500强和行业龙头企业的认可。

DEGSON高松以“务实创新、责任诚信、和谐发展、规则共赢”的经营理念，不断整合全球专业技术资源，打造强大的研发创新、产品制造和技术应用能力，依托全球布局，提供系列化、多品种、多型号的高品质产品和服务，为全球客户提供专业、快捷的全连接应用解决方案，帮助客户持续创造价值，致力打造智慧互联世界。



## Brief Introduction


Founded in 1990, DEGSON is a global solution provider of electrical, electronic and industrial connectors. As a National High-tech enterprise, DEGSON owns the UL and VDE certified laboratory. The company achieved ISO9001, ISO14001, ISO80079-34, ISO/TS22163 and IATF16949 management system certifications.

DEGSON is engaged in supplying highly reliable and durable products to serve global customers. The company has a market-leading capability of mould processing, automatic manufacturing and advanced testing. DEGSON has the complete engineering ability to support global customers with the professional customization solution and value-added service.

DEGSON products are widely recognized in China, the USA, Germany, the UK, Italy, Spain, Turkey, Japan, South Korea, Singapore, etc. totally hundred countries and regions. DEGSON supply high quality products and provide professional services globally in the industry sectors likely industrial automation, instrument, electric power, railway, marine and offshore, new energy, elevator, lighting, security, machinery, etc. The company won the recognition from partners among Fortune 500 and industry leading enterprises.

Based on the business philosophy of “pragmatic innovation, responsibility, integrity, harmonious development, regulation and win-win”, DEGSON continuously integrates professional technical resources, R&D innovation, product manufacturing and technology application capabilities. Relying on global sales network, DEGSON aims to supply series of multiple varieties of high-quality products and services. We provide global customers with professional and quick connected application solutions, help customers continue to create value. DEGSON is making contributions to creating a smart and interconnected world.

**企业历程**  
COMPANY HISTORY



**销售网络** SALES NETWORK  
DEGSON高松产品销往全球100多个国家和地区。  
Products have been exported to more than 100 countries and areas in the global.



**亚洲首家同时拥有美国UL、德国VDE认可的实验室**  
First Lab. authorized by UL&VDE in Asia

**UL、VDE战略合作 Strategic cooperation with UL and VDE**



① UL能源与科技全球事业部总经理来访我司  
① The general manager of UL global energy & technology division visit our company



② VDE环球服务公司总裁 Sven Ohrke 来我司商务洽谈战略合作  
② Sven Ohrke, President of VDE global services, comes to DEGSON to discuss strategic cooperation




③ VDE实验室认可: 2010年7月VDE正式向DEGSON颁发了“VDE认可实验室”证书。  
UL实验室认可: 2013年3月UL正式向DEGSON颁发“UL WTDP”证书。  
2016年4月, UL颁发了CTDP实验室认可证书。  
2016年12月, VDE颁发了TDAP实验室认可证书。  
2017年1月, IRIS体系审核通过。  
③ VDE Laboratory Accreditation: In July 2010, VDE Issued the "VDE Authorized Laboratory" Certificate to DEGSON's laboratory.  
UL laboratory accreditation: UL formally issued "UL WTDP" certification to DEGSON in March 2013.  
On April, 2016, UL-CTDP.  
On December, 2016, VDE-TDAP.  
On January, 2017, Pass IRIS system audit.



ISO9001 ISO14001 ISO22163 UL CTDTP 实验室证书 UL - CTDTP VDE TDAP 实验室证书 VDE - TDAP EX 证书 EX certificate




10 UL证书 4000种产品型号 UL Certificates:10,Covering 4000+Products  
175 VDE证书 3000种产品型号 VDE Certificates:175,Covering 3000+Products  
TUV 证书 TUV certificate  
EAC 证书 EAC certificate  
CE 证书 CE certificate  
中国发明专利证书 Chinese invention patent



### 插拔式接线端子 PLUGGABLE TERMINAL BLOCKS

插拔式接线端子，可以连接截面为0.08mm<sup>2</sup>至10mm<sup>2</sup>的所有类型的导线，间距2.5mm至10.16mm可供选择，可根据需要选择进线方向，连接方向，插拔方向。产品设计符合IEC/EN61984、UL1059、CSA C22.2 No.158等国际标准。


.....01-12



### 螺钉式PCB接线端子 PCB UNIVERSAL SCREW TERMINAL BLOCKS

螺钉式PCB接线端子，结构设计兼顾了接线方便，螺钉连接牢固的特点，可以连接截面为0.08mm<sup>2</sup>至35mm<sup>2</sup>的所有类型的导线，间距2.54mm至15.0mm可供选择。产品设计符合IEC/EN60998、IEC/EN60947-7-4 UL1059 CSA C22.2 No.158等国际标准。


.....12-17



### 弹簧式PCB接线端子 PCB SPRING TERMINAL BLOCKS

弹簧式PCB接线端子，接线方式分笼式弹簧连接和螺形弹簧连接，使用方便，连接高效。产品设计符合IEC/EN60998、IEC/EN60947-7-4 UL1059、CSA C22.2 No.158等国际标准。

.....17-20



### 变压器接线端子 TRANSFORMER TERMINAL BLOCKS

变压器接线端子，结构设计兼顾了接线方便，螺钉连接牢固的特点，可以快速方便的安装在2X10mm的导轨上。产品设计符合IEC/EN60998、UL1059、CSA C22.2 No.158等国际标准。

.....20



### 穿墙式接线端子 THROUGH-WALL TERMINAL BLOCKS

穿墙式接线端子，结构设计兼顾了接线方便，螺钉连接牢固的特点，可以连接截面为0.5mm<sup>2</sup>-95mm<sup>2</sup>的所有类型的导线，产品设计符合IEC/EN60947、UL1059、CSA C22.2 No.158等国际标准。

### 贯通式接线端子 FEED THROUGH TERMINAL BLOCKS

贯通式接线端子，将二导体方便、可靠连接起来，可以连接截面为0.5mm<sup>2</sup>至16mm<sup>2</sup>的所有类型的导线，分带保险丝与不带保险丝两种。产品设计符合IEC/EN60998、UL1059、CSA C22.2 No.158等国际标准。

.....21-22



### 栅栏式接线端子 BARRIER TERMINAL BLOCKS

栅栏式接线端子，接线直观明了，可以连接截面为0.5mm<sup>2</sup>至300mm<sup>2</sup>的所有类型的导线，间距6.35-60mm可供选择，可提供有盖、无盖等款式。产品设计符合UL1059、CSA C22.2 No.158等国际标准。

.....22-27



### 导轨接线端子 DIN RAIL TERMINAL BLOCKS

导轨接线端子，接线方式有弹片直插式、弹片回拉式、螺钉式三种。组合端子将二导体方便、可靠连接起来。可安装在U型和G型导轨上。产品设计符合IEC/EN60947、UL1059、CSA C22.2 No.158等国际标准。

.....27-36



### IP20现场总线模块 IP20 I/O SYSTEM

IP20现场总线模块适用于模块化、独立于现场总线的分布式I/O系统。用户根据现场总线的节点需要，将不同信号类型的数字量输入/输出模块、模拟量输入/输出模块、供电模块及特殊功能模块组合在一起。提供PROFINET, PROFIBUS-DP, EtherCAT, Modbus/TCP等多种协议。外形小巧，结构紧凑，组装方便。

.....37



### 继电器 RELAY

继电器是具有隔离功能的自动开关元件，广泛应用于遥控、遥测、通讯、自动控制、机电一体化及电力电子设备中，是最重要的控制元件之一。在继电器的输入部分和输出部分之间，还有对输入量进行、耦合隔离，功能处理和对输出部分进行驱动的中间机构（驱动部分）。

.....37-38




### 模组盒 INTERFACE MODULE


模组盒现有：连接线转接模块系列、继电器模块系列、小型继电器模块系列、固态继电器模块系列。

.....38-39


### HOW TO ORDER



### EG:



















### HOW TO ORDER



The items marked " ( ) " are the parts under scheduling


The catalog is only for reference, and the detail data must be based on our company's specification!




 15EDG, Pitch=2.5mm Pluggable terminal blocks	 <b>15EDGKD-2.5</b> 250V/5A 0.2-0.5mm <sup>2</sup> 150V/4A 26-20AWG Poles 2P-12P	 <b>15EDGRC-2.5</b> 250V/5A 150V/4A Poles 2P-12P	 <b>15EDGVC-2.5</b> 250V/5A 150V/4A Poles 2P-12P	 <b>15EDGRH-2.5</b> 100V/4A 150V/5A Poles 2*(2P-12P)	 <b>15EDGVH-2.5</b> 100V/4A 150V/5A Poles 2*(2P-12P)	 <b>15EDGLM-3.5</b> <b>15EDGLM-3.81</b> 250V/12A 300V/8A Poles 2P-20P	 <b>15EDGRMG-3.5</b> IEC 250V/7A UL 300V/8A Poles 2P-20P	 <b>15EDGVMG-3.5</b> IEC 250V/7A UL 300V/8A Poles 2P-20P	 <b>15EDGRT-3.5</b> <b>15EDGRT-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGRTM-3.5</b> <b>15EDGRTM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)	 <b>15EDGVT-3.5</b> <b>15EDGVT-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGVTM-3.5</b> <b>15EDGVTM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)	 <b>15EDGRH-3.5</b> <b>15EDGRH-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGRHM-3.5</b> <b>15EDGRHM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)
 15EDG, Pitch=3.5 / 3.81mm Pluggable terminal blocks	 <b>15EDGK-3.5</b> <b>15EDGK-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-24P	 <b>15EDGKM-3.5</b> <b>15EDGKM-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKC-3.5</b> <b>15EDGKC-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-24P	 <b>15EDGKC-3.5</b> <b>15EDGKC-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKA-3.5</b> <b>15EDGKA-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-24P	 <b>15EDGRT-3.5</b> <b>15EDGRT-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGRTM-3.5</b> <b>15EDGRTM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)	 <b>15EDGVT-3.5</b> <b>15EDGVT-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGVTM-3.5</b> <b>15EDGVTM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)	 <b>15EDGRH-3.5</b> <b>15EDGRH-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGRHM-3.5</b> <b>15EDGRHM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)			
 <b>15EDGKAM-3.5</b> <b>15EDGKAM-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKB-3.5</b> <b>15EDGKB-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-24P	 <b>15EDGKB-3.5</b> <b>15EDGKB-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKB-3.5</b> <b>15EDGKB-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-24P	 <b>15EDGKR-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-16P	 <b>15EDGKR-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-24P	 <b>15EDGKAM-3.5</b> <b>15EDGKAM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-24P)	 <b>15EDGKVM-3.5</b> <b>15EDGKVM-3.81</b> 250V/7A 300V/8A Poles 2*(2P-20P)	 <b>15EDGRHD-3.5</b> 250V/10A 150V/10A Poles 2*(2P-24P)	 <b>15EDGRHDM-3.5</b> 250V/10A 150V/10A Poles 2*(2P-24P)	 <b>15EDGVHD-3.5</b> 250V/10A 150V/10A Poles 2*(2P-24P)	 <b>15EDGVHDM-3.5</b> 250V/10A 150V/10A Poles 2*(2P-24P)			
 <b>15EDGKDM-3.5</b> <b>15EDGKDM-3.81</b> 250V/12A 0.2-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKDB-3.5</b> IEC 250V/12A 0.2-1.5mm <sup>2</sup> UL 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKN-3.5...1000AH</b> <b>15EDGKN-3.81...1000AH</b> 250V/8A 0.2-1.0mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-22P	 <b>15EDGKNM-3.5...1000AH</b> <b>15EDGKNM-3.81...1000AH</b> 250V/8A 0.2-1.0mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKNG-3.5...1000AH</b> <b>15EDGKNG-3.81...1000AH</b> 250V/8A 0.2-1.0mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKNG-3.5...1000AH</b> <b>15EDGKNG-3.81...1000AH</b> 250V/8A 0.2-1.0mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKAM-3.5</b> <b>15EDGKAM-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGKB-3.5</b> <b>15EDGKB-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGCV-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGGB-3.81</b> 250V/7A 0.5-1.5mm <sup>2</sup> UL 300V/8A 28-16AWG Poles 2P-20P	 <b>15EDGKG-3.5</b> 250V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-22P				
 <b>15EDGKNH-3.5</b> 320V/9.5A 0.2-1.5mm <sup>2</sup> 300V/8A 26-16AWG Poles 2*(2P-24P)	 <b>15EDGKNHM-3.5</b> 320V/9.5A 0.2-1.5mm <sup>2</sup> 300V/8A 26-16AWG Poles 2*(2P-24P)	 <b>15EDGKNHG-3.5</b> 320V/9.5A 0.2-1.5mm <sup>2</sup> 300V/8A 26-16AWG Poles 2*(2P-24P)	 <b>15EDGKNHB-3.5</b> 160V/13.5A 0.2-1.5mm <sup>2</sup> 300V/10A 28-16AWG Poles 2*(2P-24P)	 <b>15EDGKNHM-3.5</b> 160V/13.5A 0.2-1.5mm <sup>2</sup> 300V/10A 28-16AWG Poles 2*(2P-24P)	 <b>15EDGKNHG-3.5</b> 160V/13.5A 0.2-1.5mm <sup>2</sup> 300V/10A 28-16AWG Poles 2*(2P-24P)	 <b>15EDGKAM-3.5</b> <b>15EDGKAM-3.81</b> 450V/7A 300V/8A 28-16AWG Poles 2P-12P	 <b>15EDGK-5.08</b> 450V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-12P	 <b>15EDGKM-5.08</b> 450V/7A 0.5-1.5mm <sup>2</sup> 300V/8A 28-16AWG Poles 2P-12P	 <b>15EDGRC-5.08</b> 450V/7A 300V/8A Poles 2P-12P	 <b>15EDGRM-5.08</b> 450V/7A 300V/8A Poles 2P-12P	 <b>15EDGVC-5.08</b> 450V/7A 300V/8A Poles 2P-12P			
 <b>15EDGKNC-3.5</b> 250V/13.5A 0.2-1.5mm <sup>2</sup> UL 300V/10A 28-16AWG Poles 2*(2P-24P)	 <b>15EDGRC-3.5</b> <b>15EDGRC-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGRM-3.5</b> <b>15EDGRM-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGRMG-3.81</b> 250V/7A 300V/8A Poles 2P-20P	 <b>15EDGRN-3.5</b> 250V/7A 300V/8A Poles 2P-22P	 <b>15EDGRC-LD-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGKAM-3.5</b> <b>15EDGKAM-3.81</b> 450V/7A 300V/8A Poles 2P-12P	 <b>15EDGKE-3.5</b> <b>15EDGKE-3.81</b> IEC 250V/7A 0.5-1.5mm <sup>2</sup> UL 300V/8A 30-14AWG Poles 2P-24P	 <b>15EDGKD-3.5</b> IEC 250V/8A 0.2-1.5mm <sup>2</sup> UL 300V/8A 24-16AWG Poles 2P-12P	 <b>15EDGKDH-3.5</b> IEC 250V/8A 0.2-1.5mm <sup>2</sup> UL 300V/8A 24-16AWG Poles 2P-12P	 <b>15EDGKDM-3.5</b> IEC 250V/8A 0.2-1.5mm <sup>2</sup> UL 300V/8A 24-16AWG Poles 2P-12P	 <b>15EDGKNC-3.81</b> IEC 160V/8A 0.2-1mm <sup>2</sup> UL 300V/8A 18-20AWG Poles 2P-16P	 <b>15EDGKNCM-3.81</b> IEC 160V/8A 0.2-1mm <sup>2</sup> UL 300V/8A 18-20AWG Poles 2P-16P		
 <b>15EDGRM-LD-3.81</b> 250V/7A 300V/8A Poles 2P-20P	 <b>15EDGVC-3.5</b> <b>15EDGVC-3.81</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGVM-3.5</b> <b>15EDGVM-3.81</b> 250V/7A 300V/8A Poles 2P-20P	 <b>15EDGVMG-3.81</b> 250V/7A 300V/8A Poles 2P-20P	 <b>15EDGVN-3.5</b> 250V/7A 300V/8A Poles 2P-24P	 <b>15EDGLC-3.5</b> <b>15EDGLC-3.81</b> 250V/12A 300V/8A Poles 2P-24P	 <b>15EDGKAM-3.5</b> <b>15EDGKAM-3.81</b> IEC 250V/7A UL 300V/8A Poles 2P-20P	 <b>15EDGLF-3.5</b> <b>15EDGLF-3.81</b> IEC 250V/7A UL 300V/8A Poles 3P-5P	 <b>15EDGRF-3.5</b> <b>15EDGRF-3.81</b> IEC 250V/7A UL 300V/8A Poles 3P-5P	 <b>15EDGXA-3.81</b> 15EDGXA-3.81 - 15EDGKM-3.81 Poles 2P-5P	 <b>15EDGXB-3.81</b> 15EDGXB-3.81 - 15EDGKM-3.81 Poles 6P-16P	 <b>15EDGKF-5.08</b> IEC 250V/7A 0.5-1.5mm <sup>2</sup> UL 300V/8A 28-16AWG Poles 2P-12P			


 <p><b>8EDGK-3.5</b> <b>8EDGK-3.81</b></p> <p>130V/10A 0.2-1.5mm<sup>2</sup> UL 300V/10A 28-14AWG Poles 2P-24P</p>	 <p><b>8EDGKG-3.5</b> <b>8EDGKG-3.81</b></p> <p>130V/10A 0.2-1.5mm<sup>2</sup> UL 300V/10A 28-14AWG Poles 2P-24P</p>	 <p><b>8EDGKR-3.5</b> <b>8EDGKR-3.81</b></p> <p>130V/10A 0.2-1.5mm<sup>2</sup> UL 300V/10A 28-14AWG Poles 2P-24P</p>	 <p><b>8EDGKRM-3.5</b> <b>8EDGKRM-3.81</b></p> <p>250V/10A 0.2-1.5mm<sup>2</sup> UL 300V/10A 28-14AWG Poles 2P-24P</p>	 <p><b>8EDGRC-3.5</b> <b>8EDGRC-3.81</b></p> <p>130V/10A — UL 300V/10A — Poles 2P-24P</p>	 <p><b>8EDGVC-3.5</b> <b>8EDGVC-3.81</b></p> <p>130V/10A — UL 300V/10A — Poles 2P-24P</p>	 <p><b>8EDGVC-5.0</b> <b>8EDGVC-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGVC-THR-5.0</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGVC-7.5</b> <b>8EDGVC-7.62</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGA-5.0</b> <b>8EDGA-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGA-7.5</b> <b>8EDGA-7.62</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGAM-5.0</b> <b>8EDGAM-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>
 <p><b>8EDGRH-3.5</b> <b>8EDGRH-3.81</b></p> <p>250V/10A — UL 300V/10A — Poles 4P-24P</p>	 <p><b>8EDGRHB-3.5</b> <b>8EDGRHB-3.81</b></p> <p>250V/10A — UL 300V/10A — Poles 4P-24P</p>	 <p><b>8EDG, Pitch=5.0/5.08/7.5/7.62mm</b> Pluggable terminal blocks</p>	 <p><b>8EDGK-5.0</b> <b>8EDGK-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGK-5.0</b> <b>8EDGK-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGK-7.5</b> <b>8EDGK-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGAM-7.5</b> <b>8EDGAM-7.62</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGB-5.0</b> <b>8EDGB-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGB-7.5</b> <b>8EDGB-7.62</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGBM-5.0</b> <b>8EDGBM-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGBM-7.5</b> <b>8EDGBM-7.62</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGC-5.0</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>
 <p><b>8EDGKC-5.0</b> <b>8EDGKC-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKC-7.5</b> <b>8EDGKC-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKMA-5.0</b> <b>8EDGKMA-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKMA-5.0</b> <b>8EDGKMA-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKMA-7.5</b> <b>8EDGKMA-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKMC-5.0</b> <b>8EDGKMC-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGDM-7.5</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGCM-5.0</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGCM-7.5</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGD-5.0</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGD-7.5</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGDM-5.0</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>
 <p><b>8EDGKG-5.0</b> <b>8EDGKG-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKG-5.0</b> <b>8EDGKG-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKG-7.5</b> <b>8EDGKG-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKF-5.0</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKR-5.0</b> <b>8EDGKR-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKR-7.5</b> <b>8EDGKR-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKB-5.0</b> <b>8EDGKB-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKB-5.0</b> <b>8EDGKB-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKB-7.5</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKB-5.0</b> <b>8EDGKB-5.08</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKD-5.0</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKMB-5.0</b> <b>8EDGKMB-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>
 <p><b>8EDGKRMA-5.0</b> <b>8EDGKRMA-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKRMA-7.5</b> <b>8EDGKRMA-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKRC-5.0</b> <b>8EDGKRC-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKRC-7.5</b> <b>8EDGKRC-7.62</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGSTD-5.0</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGSTD-5.0</b></p> <p>320V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKMB-7.5</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKGB-5.0</b> <b>8EDGKGB-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKGB-7.5</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKRB-5.0</b> <b>8EDGKRB-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKRB-7.5</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKRMB-5.0</b> <b>8EDGKRMB-5.08</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>
 <p><b>8EDGSTDC-5.0</b></p> <p>320V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGSTDB-5.0</b></p> <p>320V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGSTDBM-5.0</b></p> <p>320V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGSTDD-5.0</b></p> <p>320V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGSTD-7.5</b></p> <p>IEC 400V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGSTDM-7.5</b></p> <p>IEC 400V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKRM-7.5</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGKRD-5.0</b></p> <p>320V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-24P</p>	 <p><b>8EDGKRD-7.5</b></p> <p>400V/20A 0.2-2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGRCB-5.0</b> <b>8EDGRCB-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGRCB-5.0</b> <b>8EDGRCB-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGRCB-7.5</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>
 <p><b>8EDGSTDB-7.5</b></p> <p>IEC 400V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGSTDBM-7.5</b></p> <p>IEC 400V/20A 2.5mm<sup>2</sup> UL 300V/15A 22-14AWG Poles 2P-12P</p>	 <p><b>8EDGRC-5.0</b> <b>8EDGRC-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGRC-5.0</b> <b>8EDGRC-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGRC-7.5</b> <b>8EDGRC-7.62</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>8EDGVC-5.0</b> <b>8EDGVC-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGVCB-5.0</b> <b>8EDGVCB-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGVCB-5.0</b> <b>8EDGVCB-5.08</b></p> <p>320V/20A — UL 300V/15A — Poles 2P-24P</p>	 <p><b>8EDGVCB-7.5</b></p> <p>400V/20A — UL 300V/15A — Poles 2P-12P</p>	 <p><b>DG730K</b></p> <p>630V/10A 0.5-2.5mm<sup>2</sup> UL 600V/10A 28-14AWG Poles 3P</p>	 <p><b>DG730J</b></p> <p>630V/10A 0.75-1.5mm<sup>2</sup> UL 600V/10A 18-16AWG Poles 3P</p>	 <p><b>8EDGXA-3.5</b></p> <p>Poles 10P</p>





 <b>DG211R-5.0</b> 250V/15A 0.2-1.5mm <sup>2</sup> UL 300V/8A 26-16AWG Poles 1P-XXP	 <b>DG234-5.0-00AH</b> 320V/10A 0.2-1.5 STR UL 300V/10A 30-16AWG Poles 2P-24P	 <b>DG234-5.0-100AH</b> 320V/10A 0.2-1.5 STR UL 300V/10A 30-16AWG Poles 3P	 <b>DG240-2.5</b> 130V/6A 0.2-0.5mm <sup>2</sup> UL 150V/4A 28-20AWG Poles 1P-XXP	 <b>DG240W-2.5</b> 130V/6A 0.2-0.5mm <sup>2</sup> UL 150V/4A 28-20AWG Poles 1P-XXP	 <b>DG241-2.5</b> 130V/6A 0.2-0.5mm <sup>2</sup> UL 150V/5A 28-20AWG Poles 1P-XXP
 <b>DG242V-5.0</b> <b>DG242V-5.08</b> 450V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG242V-7.5</b> <b>DG242V-7.62</b> 750V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG242V-10.0</b> <b>DG242V-10.16</b> 1000V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG242R-5.0</b> <b>DG242R-5.08</b> 450V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG242R-7.5</b> <b>DG242R-7.62</b> 750V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG242R-10.0</b> <b>DG242R-10.16</b> 1000V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP
 <b>DG243-5.0</b> <b>DG243-5.08</b> 450V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG243-7.5</b> <b>DG243-7.62</b> 750V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG243-10.0</b> <b>DG243-10.16</b> 1000V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG245-5.0</b> <b>DG245-5.08</b> 450V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG245-7.5</b> <b>DG245-7.62</b> 750V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG245-10.0</b> <b>DG245-10.16</b> 1000V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP
 <b>DG245H2-5.0</b> <b>DG245H2-5.08</b> 450V/18A 0.2-2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 2*(1P-XXP)	 <b>DG245H3-5.0</b> <b>DG245H3-5.08</b> 450V/18A 0.2-2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 3*(1P-XX)P	 <b>DG245H3-7.5</b> <b>DG245H3-7.62</b> 630V/18A 0.2-2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 3*(1P-XX)P	 <b>DG245H4-5.0</b> <b>DG245H4-5.08</b> 450V/18A 0.2-2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 4*(1P-XXP)	 <b>DG295-4.57</b> 250V/5A 0.2-0.75mm <sup>2</sup> UL 300V/3A 16AWG SOL Poles 3P-10P	 <b>DG202-5.0</b> 450V/16A 0.2-2.5mm <sup>2</sup> UL 300V/12A 20-12AWG Poles 1P-XXP
 <b>DG202-7.5</b> <b>DG202-7.62</b> 450V/16A 0.2-2.5mm <sup>2</sup> UL 300V/12A 20-12AWG Poles 1P-XXP	 <b>DG202-10.0</b> <b>DG202-10.16</b> 750V/16A 0.2-2.5mm <sup>2</sup> UL 300V/12A 20-12AWG Poles 1P-XXP	 <b>DG204-5.0</b> <b>DG204-5.08</b> 320V/20A 0.2-2.5mm <sup>2</sup> UL 300V/12A 28-12AWG Poles 1P-XXP	 <b>DG204-7.5</b> <b>DG204-7.62</b> 630V/20A 2.5mm <sup>2</sup> UL 300V/12A 28-12AWG Poles 1P-XXP	 <b>DG205-5.0</b> <b>DG205-5.08</b> 250V/10A 2.5mm <sup>2</sup> UL 300V/5A 28-12AWG Poles 1P-XXP	 <b>DG208-3.5</b> 450V/9A 0.2-0.75mm <sup>2</sup> UL 300V/8A 20-16AWG Poles 1P-XXP
 <b>DG208-5.0</b> 450V/9A 0.2-0.75mm <sup>2</sup> UL 300V/7A 20-16AWG Poles 1P-XXP	 <b>DG228-3.5</b> 450V/24A 0.5-2.5mm <sup>2</sup> UL 600V/20A 22-12AWG Poles 2P,3P,4P,5P,8P	 <b>DG222-8.0</b> 450V/24A 0.2-2.5mm <sup>2</sup> UL 300V/22A 12-22AWG Poles 1P	 <b>DG224-8.0</b> 450V/24A 0.2-2.5mm <sup>2</sup> UL 300V/22A 12-22AWG Poles 1P	 <b>DG238-10.0</b> 450V/24A 0.75-2.5mm <sup>2</sup> UL 600V/20A 22-12AWG Poles 2P-5P	 <b>DG046</b> DG046 - DG262 Poles 2P-10P
 <b>DG250-THR-3.5</b> IEC 250V/7A 0.5-0.75mm <sup>2</sup> UL 300V/8A 22-18AWG Poles 1P-XXP	 <b>DG250B-5.0</b> IEC 250V/10A 0.5-1.5mm <sup>2</sup> UL 300V/10A 22-16AWG Poles 1P-XXP	 <b>DG250B-7.5</b> IEC 250V/10A 0.5-1.5mm <sup>2</sup> UL 300V/10A 22-16AWG Poles 1P-XXP	 <b>DG211V-7.5</b> IEC 250V/15A 0.2-1.5mm <sup>2</sup> UL 300V/8A 26-16AWG Poles 1P-XXP	 <b>DG211R-7.5</b> IEC 250V/15A 0.2-1.5mm <sup>2</sup> UL 300V/8A 26-16AWG Poles 2P,3P-24P	 <b>DG261-10.0</b> 630V/32A 0.2-4.0mm <sup>2</sup> UL 300V/30A 24-10AWG Poles 1P-XXP

 <b>DG261-15.0</b> 1000V/76A 0.2-16mm <sup>2</sup> UL 600V/65A 24-6AWG Poles 1P-XXP	 <b>DG245-THR-5.0</b> IEC 320V/24A 0.08-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG245H2-7.5</b> <b>DG245H2-7.62</b> 450V/12A 2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 2*(1P-XXP)	 <b>DG245H2-10.0</b> <b>DG245H2-10.16</b> 450V/12A 2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 2*(1P-XXP)	 <b>DG245H3-10.0</b> <b>DG245H3-10.16</b> 450V/12A 2.5mm <sup>2</sup> UL 300V/10A 28-12AWG Poles 3*(1P-XXP)	 <b>DG742-5.0</b> <b>DG742-5.08</b> IEC 250V/16A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP
 <b>DG742B-5.0</b> <b>DG742B-5.08</b> IEC 250V/16A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG206-5.0</b> <b>DG206-5.08</b> IEC 250V/24A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG206-7.5</b> <b>DG206-7.62</b> 450V/24A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG206M-5.0</b> <b>DG206M-5.08</b> IEC 250V/24A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG206M-7.5</b> <b>DG206M-7.62</b> 450V/24A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG207R-5.0</b> <b>DG207R-5.08</b> IEC 250V/16A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP
 <b>DG207V-5.0</b> <b>DG207V-5.08</b> IEC 250V/16A 2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG208-7.5</b> 450V/9A 0.2-0.75mm <sup>2</sup> UL 300V/7A 2X20-16AWG Poles 1P-XXP	 <b>DG209-5.0</b> 450V/17A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-12AWG Poles 1P-XXP	 <b>DG227</b> 400V/18A 1.5mm <sup>2</sup> UL 600V/10A 18-16AWG Poles 3P,5P,8P	 <b>DG222T-9.5</b> 450V/24A 2.5mm <sup>2</sup> UL 300V/20A 22-12AWG Poles 1P	
 Transformer terminal blocks	 <b>TS 2.5</b> 800V/24A 0.5-2.5mm <sup>2</sup> UL 300V/10A 24-14AWG Poles 2P,3P	 <b>TS 4</b> 250V/32A 0.75-4.0mm <sup>2</sup> UL 300V/20A 20-12AWG Poles 1P	 <b>TS 10</b> 750V/57A 4.0-10.0mm <sup>2</sup> UL 300V/55A 12-6AWG Poles 1P	 <b>TSB 2.5</b> 250V/24A 0.5-2.5mm <sup>2</sup> UL 600V/20A 20-12AWG Poles 2P,3P	 <b>TSB 4</b> 450V/32A 0.5-4.0mm <sup>2</sup> UL 600V/30A 20-12AWG Poles 1P
 <b>TSC 4</b> 750V/32A 0.5-4.0mm <sup>2</sup> UL 300V/20A 20-10AWG Poles 1P,2P	 <b>TSC 6</b> 750V/41A 0.5-6.0mm <sup>2</sup> UL 300V/20A 20-10AWG Poles 1P	 <b>TSC 10</b> 1000V/57A 0.2-10.0mm <sup>2</sup> UL 600V/65A 24-6AWG Poles 2P	 <b>TSCB 4</b> 800V/32A 0.5-4.0mm <sup>2</sup> UL 600V/30A 20-10AWG Poles 1P-3P	 <b>TSCF 4</b> 250V/10A 0.5-4.0mm <sup>2</sup> UL 300V/8A 30-10AWG Poles 1P	 <b>TSF 2.5</b> 250V/6.3A 0.5-2.5mm <sup>2</sup> UL 250V/6.3A 20-14AWG Poles 1P
 <b>TSCBF 4</b> 750V/10A 0.5-4.0mm <sup>2</sup> UL 600V/10A 30-12AWG Poles 1P	 <b>TSCK 4</b> 800V/32A 0.2-4mm <sup>2</sup> UL 600V/30A 30-10AWG Poles 2P	 <b>TZB 4</b> TZB4 → TSB2.5, TSB4, TSC4, TSC6, TSCB4, TSA2.5, TSA4, TSC10, TSCF4, TSCW4 Poles 1P	 <b>TSZB4</b> TSZB4 → TS2.5, TS4, TS10, TSF2.5 Poles 2P	 <b>TSA 2.5</b> IEC 250V/24A 0.5-2.5mm <sup>2</sup> UL 600V/10A 24-14AWG Poles 2P	 <b>TSA 4</b> IEC 450V/32A 0.5-4.0mm <sup>2</sup> UL 600V/30A 24-10AWG Poles 1P
 <b>TSCW 4</b> IEC 750V/32A 0.5-4.0mm <sup>2</sup> UL 300V/20A 20-10AWG Poles 1P,2P	 <b>TSP 4</b> IEC 750V/32A 0.5-4.0mm <sup>2</sup> UL 300V/20A 20-10AWG Poles 1P	 <b>TSPF 4</b> IEC 750V/10A 0.5-4.0mm <sup>2</sup> UL 300V/10A 20-10AWG Poles 1P			



 <b>DG1450-B</b> CE 800V/45A 10.0mm <sup>2</sup> UL 300V/50A 22-8AWG Poles 2P-14P	 <b>DG1450-B-10A</b> — — — — UL 300V/50A 22-8AWG Poles 2P-14P	 <b>DG1450H-B</b> CE 800V/45A 10.0mm <sup>2</sup> UL 600V/45A 22-8AWG Poles 3P-14P	 <b>DG1450H-B-10A</b> CE 800V/45A 10.0mm <sup>2</sup> UL 600V/45A 22-8AWG Poles 3P-14P	 <b>DG1450H-B-20A</b> CE 800V57A 10.0mm <sup>2</sup> UL 600V45A 22-8AWG Poles 3P-14P	 <b>DG1450H-B-30A</b> CE 800V57A 10.0mm <sup>2</sup> UL 600V/45A 22-8AWG Poles 3P-14P
 <b>DG1450H-B-40A</b> CE 800V57A 10.0mm <sup>2</sup> UL 600V/45A 22-8AWG Poles 2P-14P	 <b>DG1700</b> CE 1000V/76A 16.0mm <sup>2</sup> UL 600V/65A 22-6AWG Poles 3P-14P	 <b>DG2000-B</b> CE 800V/75A 25.0mm <sup>2</sup> UL 600V/75A 26-4AWG Poles 2P-12P	 <b>DG2000H-B</b> CE 1000V/75A 25.0mm <sup>2</sup> UL 600V/80A 26-4AWG Poles 2P-12P	 <b>DG90-B</b> CE 1000V/76A 16.0mm <sup>2</sup> UL 600V/90A 4-22AWG Poles 3P	 <b>DG1716-B</b> CE 1000V/76A 16.0mm <sup>2</sup> UL 600V/80A 4-22AWG Poles 4P
 <b>DG2020-B</b> CE 1000V/76A 16.0mm <sup>2</sup> UL 600V/100A 18-3AWG Poles 11P	 <b>DG2020-B-10A</b> — — — — UL 600V/115A 18-3AWG Poles 11P	 <b>DG2350</b> — — — — UL 600V/120A 3-1/0AWG Poles 2P-6P	 <b>DG49-A</b> — — — — Pitch:9.5-17.45mm	 <b>DG69-A</b> CE 450V/32A 4.0mm <sup>2</sup> UL 300V/20A 22-12AWG Poles 2P-24P	 <b>DG69-A</b> CE 750V/32A 4.0mm <sup>2</sup> UL 300V/25A 22-12AWG Poles 2P-26P
 <b>DG89-A</b> CE 750V/41A 6.0mm <sup>2</sup> UL 600V/30A 22-10AWG Poles 2P-18P	 <b>DG98-A</b> CE 750V/41A 0.2-6.0mm <sup>2</sup> UL 600V/45A 22-8AWG Poles 2P-13P	 <b>DG99-A</b> CE 750V/41A 0.2-6.0mm <sup>2</sup> UL 600V/75A 14-4AWG Poles 2P-12P	 <b>DG30-A</b> CE 750V/41A 6.0mm <sup>2</sup> UL 600V/40A 22-8AWG Poles 2P-10P	 <b>DG31-B</b> CE 600V/25A 6.0mm <sup>2</sup> UL 300V/30A 18-10AWG Poles 8P-9P	 <b>DG97-A</b> — — — — UL 300V/60A 22-3AWG Poles 12P
 <b>DG24-1</b> Pitch:7.62mm (.300")	 <b>DG24-2</b> CE 250V/17.5A 1.5mm <sup>2</sup> UL 300V/15A 22-14AWG Poles 2*(3P-24P)	 <b>DG24-3</b> CE 250V/17.5A 1.5mm <sup>2</sup> UL 300V/15A 22-14AWG Poles 2*(4P-24P)	 <b>DG24B-1</b> — — — — UL 300V/15A 22-14AWG Poles 06-48P	 <b>DG24B-2</b> — — — — UL 300V/8A 22-14AWG Poles 5P-49P	 <b>DG24B-2</b> — — — — UL 300V/15A 24-14AWG Poles 4P-48P
 <b>DG24-4</b> — — — — UL 300V/8A 22-14AWG Poles 10P-48P	 <b>DG24-5</b> — — — — UL 300V/8A 24-14AWG Poles 11P-49P	 <b>DG44B-1</b> Pitch:9.52mm (.375")	 <b>DG44-1</b> CE 250V/24A 2.5mm <sup>2</sup> UL 300V/15A 22-14AWG Poles 2*(5P-18P)	 <b>DG44-1</b> CE 450V/32A 4.0mm <sup>2</sup> UL 300V/20A 18-12AWG Poles 4P-20P	 <b>DGB100-A-10A</b> Pitch:7.3-60mm (.287" ~2.36")
 <b>DGR10</b> CE 250V/17.5A 0.2-1.5mm <sup>2</sup> UL 600V/10A 24-16AWG Poles 1P-XXP	 <b>DGR20</b> CE 800V/20A 0.2-4mm <sup>2</sup> UL 600V/20A 24-12AWG Poles 1P-XXP	 <b>DGR30</b> CE 800V/32A 0.2-6mm <sup>2</sup> UL 600V/30A 20-10AWG Poles 1P-XXP	 <b>DGR40</b> CE 800V/41A 0.2-10mm <sup>2</sup> UL 600V/40A 22-8AWG Poles 1P-XXP	 <b>DGB40</b> — — — — UL 600V — Poles 1P	 <b>DGB100-A-10A</b> CE 1000V/101A 35mm <sup>2</sup> UL 600V/130A 20-1AWG Poles 1P-XXP

 <b>DGR60</b> CE 1000V/101A 25.0mm <sup>2</sup> UL 600V/80A 20-4AWG Poles 1P-XXP	 <b>DGR60-20A</b> — — — — UL 600V/80A 20-4AWG Poles 1P-XXP	 <b>DGR100</b> CE 1000V/125A 35.0mm <sup>2</sup> UL 600V/130A 20-1AWG Poles 1P-XXP	 <b>DGR100-20A</b> — — — — UL 600V/130A 20-2AWG Poles 1P-XXP	 <b>DGR150</b> CE 1000V/155A 70mm <sup>2</sup> UL 600V/155A 20-2/0AWG Poles 1P-XXP	 <b>DGR150-20A</b> — — — — UL 600V/155A 20-2/0AWG Poles 1P-XXP
 <b>DGR200</b> CE 1000V/200A 95mm <sup>2</sup> UL 600V/200A 20-4/0AWG Poles 1P-XXP	 <b>DGR200-20A</b> — — — — UL 600V/200A 20-4/0AWG Poles 1P-XXP	 <b>DGR240</b> CE 1000V/240A 120mm <sup>2</sup> UL 600V/240A 4-250kcmil Poles 1P-XXP	 <b>DGR300</b> CE 1000V/300A 150mm <sup>2</sup> UL 600V/300A 20-300kcmil Poles 1P-XXP	 <b>DGR300-20A</b> — — — — UL 600V/300A 20-300kcmil Poles 1P-XXP	 <b>DGR500</b> CE 1000V/520A 300mm <sup>2</sup> UL 600V/500A 300-750kcmil Poles 1P-XXP
 <b>DGB32-A</b> Pitch:28mm(1.10")	 <b>DGB32-A-100A</b> CE 1000V/120A 35mm <sup>2</sup> UL 600V/120A 20-2AWG Poles 3P	 <b>DGB32-A-100A</b> CE 1000V/120A 35mm <sup>2</sup> UL 600V/120A 20-2AWG Poles 3P	 <b>DGB78R-B</b> Pitch:10-27mm (.395" ~1.06")	 <b>DGB78R-B</b> CE 750V/41A 6.0mm <sup>2</sup> UL 600V/40A 18-10AWG Poles 2P-20P	 <b>DGB048</b> — — — — UL 600V/10A — Poles 2P

 <b>WS2.5</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/15A 28-14AWG T/W/End plate 4/53/2.5mm	 <b>WS2.5-PE</b> CE — 0.2-2.5mm <sup>2</sup> UL — 28-14AWG T/W/End plate 5/53/2.5mm	 <b>WS2.5-TW</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/15A 28-14AWG T/W/End plate 5/64.2/2.5mm	 <b>WS2.5-TW-PE</b> CE — 0.2-2.5mm <sup>2</sup> UL — 28-14AWG T/W/End plate 5/64.2/2.5mm	 <b>WS2.5-QU</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/15A 28-14AWG T/W/End plate 5/75.5/2.5mm	 <b>WS2.5-QU-PE</b> CE — 0.2-2.5mm <sup>2</sup> UL — 28-14AWG T/W/End plate 5/75.5/2.5mm
 <b>WS2.5-DB</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm	 <b>WS2.5-DB-11A(H)</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-14AWG T/W/End plate 6/28/2.5mm	 <b>WS2.5-DIN15</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 6/32/4.0mm	 <b>WS2.5-DIN35</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 6/32/4.0mm	 <b>WS2.5-MID-CO</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 6/32/4.0mm	 <b>WS2.5-END-CO</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 12/32/4.0mm
 <b>WS2.5T-DB</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-14AWG T/W/End plate 10/28/2.5mm	 <b>WS2.5T-DB-11A(H)</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-14AWG T/W/End plate 10/28/2.5mm	 <b>WS2.5T-DIN15</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 10/32/4.0mm	 <b>WS2.5T-DIN35</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 10/32/4.0mm	 <b>WS2.5T-MID-CO</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 10/32/4.0mm	 <b>WS2.5T-END-CO</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/20A 28-14AWG T/W/End plate 10/32/4.0mm
 <b>WS4</b> CE 800V/24A 0.2-4mm <sup>2</sup> UL 600V/15A 28-14AWG T/W/End plate 6/60.4/2.5mm	 <b>WS4-PE</b> CE — 0.2-4mm <sup>2</sup> UL — 28-12AWG T/W/End plate 6/60.4/2.5mm	 <b>WS4-DB</b> CE 630V/32A 0.2-4mm <sup>2</sup> UL 300V/20A 28-12AWG T/W/End plate 7/33.4/2.5mm	 <b>WS4-TW</b> CE 800V/32A 0.2-4mm <sup>2</sup> UL 600V/20A 28-12AWG T/W/End plate 6/73.5/2.5mm	 <b>WS4-TW-PE</b> CE — 0.2-4mm <sup>2</sup> UL — 28-12AWG T/W/End plate 6/73.5/2.5mm	 <b>WS4-QU</b> CE 800V/32A 0.2-4mm <sup>2</sup> UL 600V/20A 28-12AWG T/W/End plate 6/86.2/2.5mm
 <b>WS4-QU-PE</b> CE — 0.2-4mm <sup>2</sup> UL — 28-12AWG T/W/End plate 6/86.2/2.5mm	 <b>WS4T-DB</b> CE 800V/32A 0.2-4mm <sup>2</sup> UL 300V/20A 28-12AWG T/W/End plate 12/33.4/2.5mm	 <b>WS6</b> CE 800V/41A 0.2-6mm <sup>2</sup> UL 600V/30A 24-10AWG T/W/End plate 8/74.5/2.5mm	 <b>WS6-PE</b> CE — 0.2-6mm <sup>2</sup> UL — 24-10AWG T/W/End plate 8/74.5/2.5mm	 <b>WS6-TW</b> CE 800V/41A 0.2-6mm <sup>2</sup> UL 600V/30A 24-10AWG T/W/End plate 8/93/2.5mm	 <b>WS6-TW-PE</b> CE — 0.2-6mm <sup>2</sup> UL — 24-10AWG T/W/End plate 8/93/2.5mm
 <b>WS10</b> CE 800V/57A 0.2-10mm <sup>2</sup> UL 600V/50A 24-8AWG T/W/End plate 10/77.5/2.5mm	 <b>WS10-PE</b> CE — 0.2-10mm <sup>2</sup> UL — 24-8AWG T/W/End plate 10/77.5/2.5mm	 <b>WS10-TW</b> CE 800V/57A 0.2-10mm <sup>2</sup> UL 600V/50A 24-8AWG T/W/End plate 10/97.5/2.5mm	 <b>WS10-TW-PE</b> CE — 0.2-10mm <sup>2</sup> UL — 24-8AWG T/W/End plate 10/97.5/2.5mm	 <b>WS16</b> CE 800V/76A 0.2-16mm <sup>2</sup> UL 600V/66A 24-6AWG T/W/End plate 12/94.5/2.5mm	 <b>WS16-PE</b> CE — 0.2-16mm <sup>2</sup> UL — 24-6AWG T/W/End plate 12/94.5/2.5mm
 <b>WS16-TW</b> CE 800V/76A 0.2-16mm <sup>2</sup> UL 600V/66A 24-6AWG T/W/End plate 12/104.5/2.5mm	 <b>WS16-TW-PE</b> CE — 0.2-16mm <sup>2</sup> UL — 24-6AWG T/W/End plate 12/104.5/2.5mm	 <b>WS35</b> CE 1000V/125A 0.5-35mm <sup>2</sup> UL 600V/115A 24-2AWG T/W/End plate 16/99.9/-mm	 <b>WS35-PE</b> CE — 0.5-35mm <sup>2</sup> UL — 24-2AWG T/W/End plate 16/99.9/-mm	 <b>WS2.5-TW-TA</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/15A 28-14AWG T/W/End plate 5/50.5/2.5mm	 <b>WS2.5-TW-TA-PE</b> CE — 0.2-2.5mm <sup>2</sup> UL — 28-14AWG T/W/End plate 5/50.5/2.5mm

 <b>WSF4-TA</b> CE 400V/6.3A 0.5-4mm <sup>2</sup> UL 300V/6.3A 28-10AWG T/W/End plate 6/60/-mm	 <b>WSF4-TA-08A(H)</b> CE 24V/6.3A 0.2-4mm <sup>2</sup> UL — 28-10AWG T/W/End plate 6/60/-mm	 <b>WSF4-TA-10A(H)</b> CE 250V/10A 0.2-4mm <sup>2</sup> UL — 28-10AWG T/W/End plate 6/60/-mm	 <b>WS2.5-QU-LD-L-R</b> CE 250V(反向绝缘电压1000V)/0.5A 0.2-2.5mm <sup>2</sup> UL 28-14AWG T/W/End plate 5/75.5/2.5mm	 <b>WS2.5-QU-LD-R-L</b> CE 250V(反向绝缘电压1000V)/0.5A 0.2-2.5mm <sup>2</sup> UL 28-14AWG T/W/End plate 5/75.5/2.5mm	 <b>WS1.5-SD</b> CE 800V/18A 0.2-1.5mm <sup>2</sup> UL 600V/10A 28-16AWG T/W/End plate 4/42.5/2.3mm
 <b>WS2.5-SD</b> CE 800V/24A 0.2-2.5mm <sup>2</sup> UL 600V/15A 28-12AWG T/W/End plate 5/42.5/2.5mm	 <b>WS2.5-SD-PE</b> CE — 0.2-2.5mm <sup>2</sup> UL — 28-12AWG T/W/End plate 5/42.5/2.5mm	 <b>WS4-SD</b> CE 800V/32A 0.2-4mm <sup>2</sup> UL 600V/20A 28-12AWG T/W/End plate 6/41.8/2.5mm	 <b>WS6-SD</b> CE 800V/32A 0.2-6mm <sup>2</sup> UL 600V/30A 24-10AWG T/W/End plate 8/46.5/2.5mm	 <b>WS6-SD-PE</b> CE — 0.2-6mm <sup>2</sup> UL — 24-10AWG T/W/End plate 8/46.5/2.5mm	 <b>WS10-SD</b> CE 800V/57A 0.2-10mm <sup>2</sup> UL 600V/50 24-8AWG T/W/End plate 10/52/2.5mm
 <b>WS10-SD-PE</b> CE — 0.2-10mm <sup>2</sup> UL — 24-8AWG T/W/End plate 10/52/2.5mm	 <b>WS16-SD</b> CE 800V/76A 0.2-16mm <sup>2</sup> UL 600V/66A 24-6AWG T/W/End plate 2/58/4mm	 <b>WS16-SD-PE</b> CE — 0.2-16mm <sup>2</sup> UL — 24-6AWG T/W/End plate 2/58/4mm	 <b>WS2.5P</b> CE 500V/22A 0.2-2.5mm <sup>2</sup> UL 300V/15A 28-14AWG T/W/End plate 5/53/2.5mm	 <b>WS2.5P-PE</b> CE — 0.2-2.5mm <sup>2</sup> UL — 28-14AWG T/W/End plate 5/53/2.5mm	
 <b>WFA1.5</b> WS1.5系列桥接件-2位可叠加桥接	 <b>WFA2.5</b> WS2.5系列桥接件-2位可叠加桥接	 <b>WFA4</b> WS4系列桥接件-2位可叠加桥接	 <b>WFA6</b> WS6系列桥接件-2位可叠加桥接	 <b>WFA10</b> WS10系列桥接件-2位可叠加桥接	 <b>WFA16</b> WS16系列桥接件-2位可叠加桥接
 <b>WFB1.5</b> WS1.5系列跨接件-间隔1位跨接	 <b>WFB2.5</b> WS2.5系列跨接件-间隔1位跨接	 <b>WFB4</b> WS4系列跨接件-间隔1位跨接	 <b>WFB6</b> WS6系列跨接件-间隔1位跨接	 <b>WFB10</b> WS10系列跨接件-间隔1位跨接	 <b>WFB16</b> WS16系列跨接件-间隔1位跨接
 <b>WFC2.5-2, WFC2.5-3, WFC2.5-4, WFC2.5-5, WFC2.5-6, WFC2.5-7, WFC2.5-8</b> WS2.5系列跨接件-间隔1-7位跨接	 <b>WFE-2.5</b> WS2.5系列插接件 -WS2.5-DIN15, WS2.5-DIN35, -WS2.5-MID-CO, WS2.5-MID-CO, -WS2.5-DB, WS2.5-DB-11A(H)				
 <b>BS series</b> The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No.158.	 <b>BS8</b> CE 1000V/192A 2.5-70mm <sup>2</sup> UL 600V/175A 16-2/0AWG T/W/End plate 29/184/-mm	 <b>BS8 N</b> CE 1000V/192A 2.5-70mm <sup>2</sup> UL 600V/175A 16-2/0AWG T/W/End plate 29/136/-mm	 <b>BS10</b> CE 1000V/309A 6-150mm <sup>2</sup> UL 600V/310A 10-350AWG T/W/End plate 41/235/-mm	 <b>BS10 N</b> CE 1000V/309A 6-150mm <sup>2</sup> UL 600V/310A 10-350AWG T/W/End plate 41/144/-mm	

 K1	 K2	 K3	 K4
Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass
 K5	 K6	 K7	 K8
Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass
 K9	 K10	 K11	 K12
Terminal: Tin-Plated Brass	Rated Current: 20A Terminal: Tin-Plated Brass	Rated Current: 20A Terminal: Tin-Plated Brass	Rated Current: 20A Terminal: Tin-Plated Brass
 K13	 K14	 K15	 K16
Terminal: Tin-Plated Brass	Rated Current: 15A Terminal: Tin-Plated Brass	Rated Current: 15A Terminal: Tin-Plated Brass	Rated Current: 25A Terminal: Tin-Plated Brass
 K17	 K18	 K19	 K20
Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass
 K21	 K22	 K23	 K24
Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Ni-Plated Brass
 K25	 K27	 K30	 OEM01
Terminal: Ni-Plated Brass	Terminal: Tin-Plated Brass	Cage: Ni-Plated Brass	Cage: Ni-Plated Brass

 DG10000-TOWPIN	 K31	 K32	 K33
Terminal: Tin-Plated Brass	Terminal: Tin-Plated Brass	Terminal: Sn-Plated Brass	Terminal: Tin-Plated Brass
 K34	 K36	 K41	 K45
Terminal: Tin-Plated Brass	Rated Current: 65A Terminal: Tin-Plated Brass	Rated Current: 115A Terminal: Tin-Plated Brass	Rated Current: 200A Terminal: Sn-Plated Copper
 K46	 K48	 K50	 K51
Terminal: Sn-Plated Brass	Rated Current: 30A Terminal: Sn-Plated Brass	Rated Current: 50A Terminal: Tin-Plated Brass	Rated Current: 92A Terminal: Tin-Plated Brass
 K54	 K55	 K56	 K58
Terminal: Ni-Plated Brass	Rated Current: 30A Terminal: Ni-Plated Brass	Rated Current: 20A Terminal: Ni-Plated Brass	Pitch: 5.0mm Terminal: Sn-Plated Copper
 K59	 K60	 K67	 K68
Terminal: Tin-Plated Brass	Rated Current: 269A Terminal: Tin-Plated Brass	Rated Current: 65A Terminal: Ni-Plated Brass	Rated Current: 80A Terminal: Tin-Plated Brass
 K72	 K75	 K81	 K91
Terminal: Zn-Ni Plated Steel	Rated Current: 50A Terminal: Tin-Plated Brass	Rated Current: 50A Terminal: Tin-Plated Brass	Rated Current: 50A Terminal: Tin-Plated Brass
 K92	 K93	 K94	 K96
Terminal: Tin-Plated Brass	Rated Current: 25A Terminal: Tin-Plated Brass	Rated Current: 25A Terminal: Tin-Plated Brass	Rated Current: 200A Terminal: Tin-Plated Copper



## 环境政策

**DEGSON** 高松认识到保护环境资源的重要性，并将其视为公司对社会应尽的义务，自觉满足产品的各项环保指标，为此我们制定以下环境战略方针：

- 1、满足客户需求，遵守国家和地方的法律、法规和其它环保要求。
- 2、环境保护为公司可持续发展的一项准则，坚持质量、效益和环保全面发展。
- 3、建立厂内废弃物管理，充分考虑在产品开发、生产、材料使用和废弃物处理等过程中可能影响环境的因素，提高企业内各场所的环境质量。
- 4、实施培训，全面提升全员的环境保护意识，实现环境管理体系和对环境保护能力的持续改进。
- 5、降耗节能，实现资源的充分利用。
- 6、向合作方及社会承诺为环境保护做出贡献。响应口号“人类只有一个地球”。
- 7、不断创新，开发新材料、新技术，制造节约型环保产品。

## ENVIRONMENTAL POLICY

**DEGSON** realizes system regulation without lead in 2005 and has been granted ISO14001 in 2006. All the products conform to the European ROHS requirement.

**DEGSON** realizes the importance to protect environment resources, selfconsciously meets environment protection requirements for products and regards it as the responsibility.

Thus, we have made the following environment strategic policy :

- 1.To meet customers'demands and obey the national and local laws and regulations as well as other environmental protection requirements.
- 2.Take environmental protection as one criterion for continuing development of our company. Insist on fully development of quality, benefit and environmental protection.
- 3.Fully considering the factors which will influence the environment in the processes of product development, manufacturing, material usage and waste processing, establish management system of waste in order to improve the environment of our company.
- 4.To increase the employees' consciousness of environmental protection through training and to realize the continuing improvement of environment management system and the ability of environmental protection.
- 5.To make full use of resources and to decrease consumption of material in order to save energy.
- 6.To promise to our partners and society that we will make contribution to environment protection. There is only one Earth for our humanity.
- 7.To strive for making conservation-oriented and environment-friendly products through continuous innovation and developing new materials and technology.

