

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50183595

Blatt *Page*
0012

Ihr Zeichen *Client Reference*
L.S.S.

Unser Zeichen *Our Reference*
ZC10-HLI- 14704963 011

Ausstellungsdatum
11.01.2023

Date of Issue
(day/mo/yr)

Genehmigungsinhaber *License Holder*

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
239400 Anhui
P.R. China

Fertigungsstätte *Manufacturing Plant*

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
239400 Anhui
P.R. China

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*
EN 61810-1:2015+A1

Zertifiziertes Produkt *(Geräteidentifikation)*
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relay (Relay)

as page 0001-0002 and 0005-0011

Change

Test Requirement: See above

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg

Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety



ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
Shengshan Li

Date : 11.01.2023
Our ref. : HLI ZC10
Your ref.: L.S.S.

No. 66, Liuwan Road
Industrial Zone of Mingguang City
239400 Anhui
P.R. China

Ref : R TÜV-Mark Approval

Type of Equipment : Relay
Model Designation : See Certificate
Certificate No. : R 50183595 0012
Report No. : 14704963 011

Dear Shengshan Li,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.


Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area. In case you have a change regarding your involved local representative for the certificate, please inform us in due time.

With kind regards,

Certification Body


James Li

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
Mr. Li Renfeng
-
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Date : 14.05.2012
Our ref. : ZJ ZC10
Your ref.: L.R.F.

Ref : R TÜV-Mark Approval

Type of Equipment : Relay
Model Designation : See Certificate
Certificate No. : R 50183595 0005
Report No. : 14704963 004

Dear Mr. Li Renfeng,

The above specified technical equipment has been tested and found to be in accordance with the relevant requirements.

Enclosed you will find the certificate of approval.

If cancellation of the certificate is submitted by November 15 in a given year, no fee will be charged for the following year.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

Please contact our office for approval of your new products.

With kind regards,

Certification Body


James Li

Enclosure

证书的详细信息请登陆www.tuvdotcom.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50183595

Blatt *Page*
0005

Ihr Zeichen *Client Reference*
L.R.F.

Unser Zeichen *Our Reference*
ZC10-ZJ- 14704963 004

Ausstellungsdatum
14.05.2012


Date of Issue
(day/mo/yr)

Genehmigungsinhaber *License Holder*
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte *Manufacturing Plant*
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen *Test Mark*

Geprüft nach *Tested acc. to*
EN 61810-1:2008



Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relais (Relay)

as page 0001-0004

Change

Name of License Holder : See above

Name of Factory : See above

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle



Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50183595

Blatt Page
0001

Ihr Zeichen Client Reference
L.R.F.

Unser Zeichen Our Reference
ZC10-ZJ- 14704963 001

Ausstellungsdatum
20.10.2010

Date of Issue
(day/mo/yr)

Genehmigungsinhaber License Holder


Anhui Mingguang Huaxin Electric
Co., Ltd.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte Manufacturing Plant

Anhui Mingguang Huaxin Electric
Co., Ltd.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen Test Mark

Geprüft nach Tested acc. to
EN 61810-1:2008



Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relais (Relay)

Type Designation : 1) BRD-SS-1xL
2) BRD-SS-1xLM
x = 05, 06, 09, 12, 24, 48
(AFE)
Rated Coil Voltage : DC 5V, 6V, 9V, 12V, 24V, 48V
Rated Coil Power : 0.36W
Ambient Temperature : -40°C to +85°C
Contact Rating : 1) normally open contact, 12A 250VAC
normally closed contact, 7A 250VAC
2) 12A 250VAC
15A 125VAC
Number of Cycles for
Electrical Endurance : 1) 60,000
2) 80,000
Number of Cycles for
Mechanical Endurance : 1,000,000

5
1
1


Continued on page 0002

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle



Dr.-Ing. T. Keiter

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50183595

Blatt Page
0002


Ihr Zeichen Client Reference	Unser Zeichen Our Reference	Ausstellungsdatum	Date of Issue
L.R.F.	ZC10-ZJ- 14704963 001	20.10.2010	(day/mo/yr)

Genehmigungsinhaber License Holder
Anhui Mingguang Huaxin Electric
Co., Ltd.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte Manufacturing Plant
Anhui Mingguang Huaxin Electric
Co., Ltd.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen Test Mark

Geprüft nach Tested acc. to
EN 61810-1:2008



Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relais (Relay)

Continuation from page 0001

Thermal Insulation Class : B
Type of Interruption : Micro-disconnection
Insulation System between
Coil and Contact : Basic Insulation

Endurance test in accordance with Annex U of IEC/EN 60730-1:

Rated Current/Voltage: 1) normally open contact; 12A 250VAC
normally closed contact; 7A 250VAC
2) 12A 250VAC

Number of Automatic
Cycles : 10,000

The labelling requirements acc. to EU Directive 2001/95
have to be observed for distribution within the EEA.

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle



Dr.-Ing. T. Keifer

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
Shengshan Li
-
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P. R. China

Date : 18.07.2017
Our ref. : ZHB ZC10
Your ref.: L.S.S.

Ref : R TÜV-Mark Approval

Type of Equipment : Relay
Model Designation : See Certificate
Certificate No. : R 50183595 0009
Report No. : 14704963 007

Dear Shengshan Li,

The above specified equipment has been tested and found to be in accordance with the relevant requirements.

Please find enclosed your certificate as specified above.

If cancellation of the certificate is submitted by 15 November in a given year, no fee will be charged for the following year.

The certificate is issued with the reservation that the license holder applies all information required in § 6 of the ProdSG related to name and address of the manufacturer or his authorized representative / importer, including their respective contact addresses on the product prior to marketing of the product in the European Economic Area.

With kind regards,

Certification Body


James Li

Enclosure

证书的详细资料请登陆www.certipedia.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50183595

Blatt Page
0009

Ihr Zeichen Client Reference	Unser Zeichen Our Reference	Ausstellungsdatum	Date of Issue (day/mo/yr)
L.S.S.	ZC10-ZHB- 14704963 007	18.07.2017	

Genehmigungsinhaber License Holder
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P. R. China

Fertigungsstätte Manufacturing Plant
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P. R. China

Prüfzeichen Test Mark



Geprüft nach Tested acc. to
EN 61810-1:2015

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relay (Relay)

as page 0001-0008

Change

Test Requirement : See above

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle



James Li

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
Mr. Li Renfeng
-
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Date : 14.05.2012
Our ref. : ZJ ZC10
Your ref.: L.R.F.

Ref : R TÜV-Mark Approval

Type of Equipment : Relay
Model Designation : See Certificate
Certificate No. : R 50183595 0005
Report No. : 14704963 004

Dear Mr. Li Renfeng,

The above specified technical equipment has been tested and found to be in accordance with the relevant requirements.

Enclosed you will find the certificate of approval.

If cancellation of the certificate is submitted by November 15 in a given year, no fee will be charged for the following year.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

Please contact our office for approval of your new products.

With kind regards,

Certification Body


James Li

Enclosure

证书的详细信息请登陆www.tuvdotcom.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50183595

Blatt *Page*
0005

Ihr Zeichen *Client Reference*
L.R.F.

Unser Zeichen *Our Reference*
ZC10-ZJ- 14704963 004

Ausstellungsdatum
14.05.2012


Date of Issue
(day/mo/yr)

Genehmigungsinhaber *License Holder*
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte *Manufacturing Plant*
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen *Test Mark*

Geprüft nach *Tested acc. to*
EN 61810-1:2008



Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relais (Relay)

as page 0001-0004

Change

Name of License Holder : See above

Name of Factory : See above

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle



ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
Mr. Li Renfeng

Date : 18.01.2013
Our ref. : YQ ZC10
Your ref.: L.R.F.

No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Ref : R TÜV-Mark Approval

Type of Equipment : Relay
Model Designation : See Certificate
Certificate No. : R 50183595 0006
Report No. : 14704963 005

Dear Mr. Li Renfeng,

The above specified technical equipment has been tested and found to be in accordance with the relevant requirements.

Enclosed you will find the certificate of approval.


If cancellation of the certificate is submitted by November 15 in a given year, no fee will be charged for the following year.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

Please contact our office for approval of your new products.

With kind regards,

Certification Body


James Li

Enclosure

证书的详细信息请登陆www.tuvdotcom.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50183595

Blatt Page
0006

Ihr Zeichen Client Reference
L.R.F.

Unser Zeichen Our Reference
ZC10-YQ- 14704963 005

Ausstellungsdatum
18.01.2013

Date of Issue
(day/month/year)

Genehmigungsinhaber License Holder
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte Manufacturing Plant
ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen Test Mark

Geprüft nach Tested acc. to
EN 61810-1:2008



Type Approved
Safety
Regular
Production
Surveillance
www.tuv.com
ID 2000000000

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relay (Relay)

as page 0001-0002 and 0005

Addition

Type Designation	: 1) BRD-SS-1xLF	2
	2) BRD-SS-1xLMF	1
	x = 05, 06, 09, 12, 24, 48	1
	(AFE)	

Ambient Temperature : -40°C to +105°C
Contact Rating : 1) normally open contact, 12A 250VAC
normally closed contact, 7A 250VAC
2) 12A 250VAC
15A 125VAC

Continued on page 0007


4

ANLAGE (Appendix): 1.2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

Zertifizierungsstelle



Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50183595

Blatt Page
0007

Ihr Zeichen Client Reference
L.R.F.

Unser Zeichen Our Reference
ZC10-YQ- 14704963 005

Ausstellungsdatum
18.01.2013

Date of Issue
(day/mo/yr)

Genehmigungsinhaber License Holder

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte Manufacturing Plant

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen Test Mark



Geprüft nach Tested acc. to
EN 61810-1:2008

Type Approved
Safety
Regular
Production
Surveillance
www.tuv.com
ID 2000000000

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relay (Relay)

Continuation from page 0006

Number of Cycles for
Electrical Endurance : 1) 60,000
2) 80,000
Thermal Insulation Class : F

Endurance test in accordance with clause 17 of IEC 60730-1:

Rated Current/Voltage: 1) normally open contact; 12A 250VAC
normally closed contact; 7A 250VAC
2) 12A 250VAC

The labelling requirements acc. to EU Directive 2001/95
have to be observed for distribution within the EEA.

ANLAGE (Appendix): 1.2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety



ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
Mr. Li Renfeng
—
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Date : 25.06.2013
Our ref. : YQ ZC10
Your ref.: L.R.F.

Ref : R TÜV-Mark Approval

Type of Equipment : Relay
Model Designation : See Certificate
Certificate No. : R 50183595 0008
Report No. : 14704963 006

Dear Mr. Li Renfeng,

The above specified technical equipment has been tested and found to be in accordance with the relevant requirements.

Enclosed you will find the certificate of approval.

If cancellation of the certificate is submitted by November 15 in a given year, no fee will be charged for the following year.

We appreciate your kind support and would like to offer our assistance and continuous services in the future.

Please contact our office for approval of your new products.

With kind regards,

Certification Body

— 
James Li

Enclosure

证书的详细资料请登陆www.tuvdotcom.com查阅,或拨打我司客服热线800 999 3668 / 400 883 1300咨询

Zertifikat

Certificate



Zertifikat Nr. Certificate No.
R 50183595

Blatt Page
0008

Ihr Zeichen Client Reference
L.R.F.

Unser Zeichen Our Reference
ZC10-YQ- 14704963 006

Ausstellungsdatum
25.06.2013

Date of Issue
(day/month/year)

Genehmigungsinhaber License Holder

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Fertigungsstätte Manufacturing Plant

ANHUI MINGGUANG LIFE ELECTRONIC
CO., LTD.
No. 66, Liuwan Road
Industrial Zone of Mingguang City
Anhui 239400
P.R. China

Prüfzeichen Test Mark

Geprüft nach Tested acc. to
EN 61810-1:2008



Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Relay (Relay)

as page 0001-0002 and 0005

Addition

Type Designation : BRD-SS-1xLMG (AFE) 2
x =05,06,09,12,24,48 1

Contact Rating :1) 12A 250VAC
2) 15A 125VAC

Number of Cycles for
Mechanical Endurance :1) 100,000
2) 80,000

Endurance test in accordance with Annex U of IEC/EN 60730-1:
Rated Current/Voltage: 12A 250VAC
Number of Automatic
Cycles : 10,000

3

ANLAGE (Appendix): 1.3

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety

