

圓柱鎖・工具鑰匙開啟

Quarter Turn Latches



MS-705 系列

- 材質：鋅合金
- Material : Zinc Alloy
- 表面處理：亮鉻、黑色塗裝
- S.Tr : Bright chrome plated, black powder coated
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 固定螺母建議擰緊力矩：20N.m
- Fixed Nut Recommended Tightness : 20N.m
- 最大輸入扭矩：9N.m
- Maximum Input Torque : 9N.m


MS-705-1-A

MS-705-3-A


MS-705-4-A

MS-705-5-A


MS-705-8-A




S 型 (D=4)




一字槽




8mm 三角型





10mm 內六角型



8X8mm 四角型



開孔尺寸 Cut Out



訂購範例 Order Exp:
鎖芯 + 鑰匙 + 擋片
Cylinder Type+ Key+ Cam Selection
MS-705-1-A+ K15-01+S1B4500

擋片 (選配) Cam Selection		鎖芯樣式 (Cylinder Type)	亮鉻 (Chrome)	黑 (Black)	鑰匙 (Key)
擋片型號 CAM CODE	擋片深度 H CAM DEPTH	S 型 4mm	MS-705-1-A	MS-705-1-B	K15-01
S1B4500	18	三角型 8mm	MS-705-3-A	MS-705-3-B	K15-03
S1B4507	25	四角型 8x8mm	MS-705-4-A	MS-705-4-B	K15-04
S1B4516	35	內六角型 10mm	MS-705-5-A	MS-705-5-B	K15-07
		一字槽型	MS-705-8-A	MS-705-8-B	硬幣 or 一字起子

單位：(mm)

圓柱鎖・工具鑰匙開啟

Quarter Turn Latches

IP65 RoHS RL

圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



鑰匙 KEY



K15-01




K15-03



K15-04



K15-07



安裝示意圖

選配組件 Optional








取手 TX-2014



防水蓋 WP-001



掛鎖座
A-3001-SS
A-3001-ST



MS-705-1-B

MS-705-3-B

MS-705-4-B

MS-705-5-B

MS-705-8-B


防水・壓縮・工具鑰匙開啟

Quarter Turn Compression Latch




MS-817 系列

- 材質：鋅合金 • Material: Zinc Alloy
- 表面處理：黑色塗裝 • S.Tr: Black powder coated
- 門擋迫緊行程：7m/m • Compression: 7m/m
- 適用門板厚度：1~17m/m • Panel thickness: 1~17 m/m
- 最大靜載荷：190N • Maximum Static Load: 190N
- 最大輸入扭矩：6N.m • Maximum Input Torque: 6N.m
- 選配 KE06.K15 系列鑰匙




4mm S 型




一字槽






8mm 三角型




8mm 內六角型




8X8mm 四角型



開孔尺寸 Cut Out



固定間距型

可調間距型
(Adjustable grip)

鎖芯樣式 (Cylinder Type)	固定間距型	可調間距型 Adjustable grip	鑰匙 - 選配 (Key)
S 型 4mm	MS-817	MS-817-1A	K15-01
三角型 8mm	MS-817-3	MS-817-3A	K15-03
四角型 8x8mm	MS-817-4	MS-817-4A	K15-04
內六角型 8mm	MS-817-5	MS-817-5A	K15-07
一字槽型	MS-817-8	MS-817-8A	硬幣 or 一字起子

MS-817 固定間距

MS-817-1A 可調間距

小型・壓縮・工具鑰匙或手旋開啟

Compression Latch · Adjustable grip




MS-816-3 系列

- 材質：鋅合金
- Material : Zinc Alloy
- 表面處理：黑色塗裝
- S.Tr : Black powder coated
- 門擋迫緊行程：5m/m
- Compression : 5m/m
- 適用門板厚度：1~10m/m
- Panel thickness : 1~10m/m
- 最大靜載荷：360N
- Maximum Static Load : 360N
- 最大輸入扭矩：8N.m
- Maximum Input Torque : 8N.m
- 可選配 S1G 系列擋片



選配組件
Optional Accessory

防水蓋 WP-004


Waterproof Dust Cover




開孔尺寸 Cut Out



K15-05



K370



標準擋片 Standard Cam Type)



MS-816-3A



MS-816-3B



MS-816-3C



MS-816-3F




MS-816-5

迷你型圓柱鎖

Small Type



- 材質：鋅合金
- Material : Zinc Alloy
- 表面處理：黑色塗裝
- S.Tr:Black powder coating
- 最大靜載荷：220N
- Maximum Static Load : 220N

鑰匙 Key
K15-05

開孔尺寸 Cut Out









MS-845-1



MS-845-2



MS-845-3

MS-845-1
(□ 6x6 四方型)MS-845-2
(一字槽型)MS-845-3
(手柄型)

T 型手柄式防水門扣

Waterproof Cam Latch-T Handle




- 材質：主體 & 手柄 - 鋅合金、擋片 - 鋼鐵
- Material: Body&Handle -Zinc Alloy ; Cam-Steel
- 表面處理：主體 & 手柄 - 黑色塗裝、擋片 - 鍍鋅
- S.Tr: Body&Handle -Black powder coated, Cam-Zinc plated
- 適用板厚 :1~6m/m
- Panel thickness:1~6m/m
- 最大靜載荷 :220N
- Maximum Static Load:220N
- 最大輸入扭矩 :15N.m
- Maximum Input Torque:15N.m




訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-714-6+S1B4500

單位：(mm)

擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH
S1B4500	18
S1B4507	25
S1B4516	35



開孔尺寸 Cut Out



T 型手柄式防水門鎖

Waterproof Cam Latch-T Handle




- 材質：主體 & 手柄 - 鋅合金、擋片 - 鋼鐵
- Material : Body&Handle -Zinc Alloy ; Cam-Steel
- 表面處理：主體 & 手柄 - 黑色塗裝、擋片 - 鍍鋅
- S.Tr : Body&Handle -Black powder coated, Cam-Zinc plated
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 最大輸入扭矩：20N.m
- Maximum Input Torque : 20N.m




訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-3242+DS1B4500

單位：(mm)

擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH
DS1B4500	18
DS1B4507	25
DS1B4516	35



開孔尺寸 Cut Out



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-714-6



MS-3242

工具開啟・固定間距

Quarter Turn Latches



IP55

RoHS




MS-773-4

- 材質：鋅合金、鐵擋片
- Material：Zinc Alloy、Cam-Steel
- 表面處理：亮光鉻、鍍鋅擋片
- S.Tr：Bright chrome、Cam- Zinc Plated
- 最大靜載荷：270N
- Maximum Static Load：270N
- 最大輸入扭矩：9N.m
- Maximum Input Torque：9N.m
- 防止震動開啟・適用於軌道車輛及各種震動箱體
- Vibration resistant suitable for rail vehicles and a variety of vibration boxes



開孔尺寸 Cut Out



單位：(mm)

擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 H CAM DEPTH
DS1B4500	18
DS1B4507	25
DS1B4516	35



MS-769-3

塑膠 PA 門鎖

Cam Latch

IP55


RoHS

RL



- 材質：PA6+GF30 塑料
- Material：PA6+GF30
- 最大靜載荷：80N
- Maximum Static Load：80N



鑰匙 Key



開孔尺寸 Cut Out



不銹鋼小圓鎖

Stainless Steel Cam Lock




- 材質 & 表面處理: 鎖體 - 不銹鋼 304/ 拋光、擋片 - 不銹鋼 304/ 電解、鑰匙 - 鋅合金 / 鍍鉻
- Material & S.Tr: Body-stainless steel 304, Polished Finish key-zinc alloy, Chrome plated




鑰匙 KEY
K15-01

單位: (mm)

型號 Item No	鎖芯樣式 Lock Style
MS-705-1-SS	翼型 4mm
MS-705-3-SS	三角 8mm
MS-705-4-SS	四角 8x8mm
MS-705-T-SS	特規梯形



開孔尺寸 Cut Out



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-705-1-SS

不銹鋼防水・壓縮型



Stainless steel Compression Latch Waterproof




- 材質: 不銹鋼 304
- Material: Stainless steel 304
- 門擋迫緊行程: 6mm
- Pawl compression depth: 6mm
- 手柄承載拉力值 ≤ 590N
- Handle Strength ≤ 590N
- 最大輸入扭矩: 11N.m
- Maximum Input Torque: 11N.m



鑰匙 KEY
K15-04



開孔尺寸 Cut Out



MS-816-4-SS



手柄型

Cam Latch




MS-714-5

- 材質：主體 & 手柄 - 鋅合金、擋片 - 鋼鐵鍍鋅
- Material : Body&Handle -Zinc Alloy
Cam-Steel zinc plated
- 適用板厚 :1~4m/m
- Panel thickness:1~4m/m
- 主體與擋片中間配置彈性墊圈，防止震動開啟
- Install the spring spacer to prevent vibration when opening door.
- 最大靜載荷：270N
- Maximum Static Load: 270N
- 最大輸入扭矩：9N.m
- Maximum Input Torque : 9N.m



開孔尺寸 Cut Out




手柄型・防水

Small Type Waterproof Latch





MS-714-4


- 材質：主體 - 鋅合金、手柄 -PA、
擋片 - 鋼鐵鍍鋅
- Material: Body-Zinc Alloy ; Handle-PA ;
Cam-Steel zinc plated
- 適用板厚 :1~8m/m
- Panel thickness:1~8m/m
- 可選配其他規格擋片
- Available with a selection of different cam types



選配擋片規格



開孔尺寸 Cut Out



標準擋片

單位：(mm)



擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH
S1B4500	18
S1B4507	25
S1B4516	35

手柄型・圓柱鎖

T-Handle Type Cylindrical Lock



- 材質：鋅合金手柄 & 基座 & 鎖芯
- Material: Zinc Alloy Body&Cylinder&Handle
- 表面處理：黑色塗裝、鎖芯鍍鉻
- S.Tr: Black powder coated、Cylinder- Chrome plated
- 鎖芯旋轉 180°，手柄自動向上彈起，手柄可 360°旋轉使用
- Turn the lock cylinder 180° and the handle automatically springs up.
- 最大靜載荷：270N
- Maximum Static Load : 270N



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS




MS-324-3



交通箱鎖

Push to Close Latch

- 材質：鎖芯 - 銅 & 鋅合金，安裝座 - 不銹鋼
- Material: Lock Cylinder - Zinc Alloy & Copper, Body- stainless steel 304
- 轉動鑰匙、門擋內縮 8m/m，以鑰匙當成拉手柄將門開啓



開孔尺寸 Cut Out



MS-836

防水型門扣．手旋開啟

Wing Knob Cam Latch. Waterproof



MS-648-3A



MS-648-3

- 材質：主體 - 鋅合金、手柄 - 尼龍玻璃纖維、擋片 - 鋼鐵
- Material : Body -Zinc Alloy、Handle-Nylon fiberglass、Cam-Steel
- 表面處理：主體 - 黑色烤漆、手柄 - 黑色、擋片 - 鍍鋅
- S.Tr: Body & Handle - Black Finish、Cam-Zinc plating
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 最大輸入扭矩：30N.m
- Maximum Input Torque : 30N.m




鑰匙 KEY


訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-648-3+DS1B4500

單位：(mm)


擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH
DS1B4500	18
DS1B4507	25
DS1B4516	35



開孔尺寸 Cut Out



MS-648-3



MS-648-3A

壓縮．手旋開啟．可調間距



Wing Knob Compression Type Latch. Adjustable Grip

MS-816-1-K
(WITH LOCKING)MS-816-1-KN
(NON-LOCKING)



- 材質：主體 - 鋅合金、擋片 - 鋼鐵
- Material : Body-Zinc Alloy、Cam-Steel
- 表面處理：主體 - 黑色烤漆、擋片 - 鍍鋅
- S.Tr: Body-Black powder coated、Cam-Zinc plated
- 門擋迫緊行程：7m/m
- Compression : 7m/m
- 適用門板厚度：1~18m/m
- Panel thickness : 1~18m/m
- 最大靜載荷：300N
- Maximum Static Load : 300N



鑰匙 KEY



開孔尺寸 Cut Out




壓縮迫緊型圓柱鎖

Compression Tubular Lock



防護等級：IP54

- 材質：主體、鎖芯、擋片 - 鋅合金
- Material：Zinc Alloy
- 表面處理：主體、鎖芯、擋片 - 鍍鉻
- S. Tr：Chrome Plated
- 最大靜載荷：300N
- Maximum Static Load: 300N
- 最大輸入扭矩：9N.m
- Maximum Input Torque: 9N.m
- 鎖芯旋轉 270°開啟
- 擋片可反面安裝



單位：(mm)

型號 Item No	規格 . SPEC
MS-756-40	GH=40
MS-756-50	GH=50

圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS




MS-756

雙翼型蝴蝶鎖．手旋開啟


Wing Knob · Lockable Cam Latch




- 材質：鋅合金
- Material: Zinc Alloy
- 表面處理：電鍍亮鉻
- S.Tr: Bright Chrome plated



鑰匙 KEY



開孔尺寸 Cut Out



MS-657-24


按壓式門鎖

Push to Close Latch




MS-7530

- 材質：ABS・黑色
- Material：ABS・Block
- 按壓按鈕開啟門板，門板回推自動關閉
- Push button to open, push door to close automatically
- 固定扣與取手為標準配件
- Supplied with catch and pull tab
- 最大靜載荷：240N
- Maximum Static Load：240N
- 固定螺母最大擰緊力矩：7.2N.m
- Fixed Nut Maximum Tightness：7.2N.m




固定扣




取手



鑰匙 KEY



開孔尺寸 Cut Out



高防盜型・圓柱鎖


Cam Lock – Anti-theft

RL




MS-8510S-1



- 材質 & 表面處理：本體 - 銅・鍍鉻、擋片 - 鋼鐵・鍍鎳
- Material：Body-Copper, chrome plated; Cam-Steel, nickle plated
- 可提供 2000 種鎖芯組合 (訂製生產)，常規品為同號鎖芯
- Available in 2000 different key combinations (Customized).
Standard specification: Keyed alike.
- 關閉狀態時，鑰匙方可拔出，避免使用者忘記關門
- The key cannot be removed from the lock while the lock is turned opened. It can only be removed when the lock is closed. This helps prevent user from forgetting to lock the door.
- 鑰匙無法直接從正面插入，加強防盜
- The key cannot be inserted directly which enhance the anti-theft function



開孔尺寸 Cut Out




鑰匙 KEY




按壓鎖・插銷型

Push Lock · Pin Type

- 材質：銅
- Material : Copper
- 表面處理：電鍍亮鉻
- S.Tr : Bright chome plated
- 鑰匙可當拉手柄使用
- The key can be used as a handle to pull the door open.
- 手指按壓 -> 上鎖
- Press button to lock
- KEY-> 解鎖
- Use key to unlock



MS-310





開孔尺寸 Cut Out




MS-310



鑰匙 KEY

後方插銷
示意圖

MS-520



開孔尺寸 Cut Out




MS-520

迷你型圓柱鎖

Cam Lock-Small Type

- 材質 & 表面處理：本體 - 鋅合金・鍍鉻、擋片 - 鋼鐵・鍍鎳
- Material : Body-zinc alloy, chrome plated ; Cam-Steel , nickel plated
- 可提供 5000 種鎖芯組合 (訂製生產)・常規品為同號鎖芯
- Available in 5000 different key combinations (Customized).
Standard specification: Keyed alike.
- 關閉狀態時，鑰匙方可拔出，避免使用者忘記關門
- The key cannot be removed from the lock while the lock is turned opened. This helps prevent the user from forgetting to lock the door.

RL




開孔尺寸 Cut Out





MS-520-ZS-1



鑰匙 KEY



鑰匙 KEY




星型・手旋

Star Handle Waterproof Cam Latch



MS-714


- 材質：把手 -PA、基座 - 鋅合金、擋片 - 鋼鐵鍍鋅
- Material: Hand-nylon fiberglass、Body-zinc alloy、Cam-Steel zinc plated
- 防水密封功能，旋轉 90° 開啓
- With waterproof function. Turn 90° to open.
- 最大靜載荷：220N
- Maximum Static Load: 220N
- 最大輸入扭矩：9N.m
- Maximum Input Torque: 9N.m
- 適用板厚：1~6mm
- Panel thickness: 1~6mm



訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-714+S1B4500

單位：(mm)

擋片 (選配) Cam Selection		
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH	
S1B4500	18	
S1B4507	25	
S1B4516	35	



開孔尺寸 Cut Out



星型・壓縮・手旋・可調間距

Compression Latches · Adjustable grip



MS-811-2

- 材質：銀色鋅合金旋鈕 & 主體
- Material: Silver zinc alloy knob & body, cam-steel zinc plated
- 旋轉旋鈕，調節擋片固定位置，可前後伸縮 8mm
- Turn the knob to adjust cam depth. Compression Range: 8mm



開孔尺寸 Cut Out

防水型圓鎖


Waterproof Cam Lock



- 材質：鋅合金、鋼鐵擋片
Material: Body-Zinc Alloy ; Cam-Steel
- 表面處理：鍍鉻鎖體、鍍鋅擋片
- S.Tr:Body-Bright chome plated,Cam-zinc plated
- 鎖芯內部加裝 O 型環，提高防水性能
- Install O-ring on lock cylinder to enhance the waterproof and airtightness function.
- 變換限位墊片方向，可左右門共用
The lock can be adjusted to fit left or right opening door by changing the rotating direction of the cam.
- 最大靜載荷：230N
- Maximum Static Load : 230N




鑰匙 KEY



開孔尺寸 Cut Out

MS-7360



開孔尺寸 Cut Out

MS-7362

可提供 500 種鎖心組合 (訂製)
Can be custom made with different lock and key
combination (500 key numbers)

訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-7362+S1B4500

單位: (mm)

擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片折彎 (H) CAM DEPTH
S1B4500	0
S1B4507	7
S1B4516	16



O-Ring 示意圖

圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-7360



MS-7362

圓柱鎖・工具開啟



Cam Latch-Plastic

IP54 RL RoHS




MS-806-2

- 材質：主體 - PA、鎖芯 - 不銹鋼 304
- Material: Body-PA、Lock Cylinder - Stainless steel 304
- 表面處理：主體 - 黑色、鎖芯 - 拉絲拋光
- S.Tr: Body - Black Finish; Lock Cylinder - Polished Finish
- 最大靜載荷 : 100N
- Maximum Static Load : 100N
- 適用板厚 : 0.8~6mm
- Panel thickness : 0.8~6mm

取手 Pull(選配)
TX-2016

開孔尺寸 Cut Out



塑料門扣

Cam Latch-PA

RL




MS-817-2



- 材質：尼龍 + 玻璃纖維
- Material : PA6+GF30
- 防水、耐腐蝕
- Waterproof corrosion-resistant
- 適用板厚 : 0.8~6 mm
- Panel thickness : 0.8~6 mm



鑰匙 KEY



開孔尺寸 Cut Out





壓縮・手旋・可調間距


Compression Latches. Adjustable Grip



- 材質：黑色尼龍旋鈕及主體、擋片 - 鋼鐵、鍍鋅
- Material: Black nylon knob and body, Cam-Steel zinc plated
- 轉動旋鈕可調整擋片深度，達到門板壓縮密封效果
- Rotate the knob to adjust cam depth



開孔尺寸 Cut Out



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-811

壓縮・防塵蓋保護・工具鑰匙開啟

Waterproof – Compression Latch



- 材質：鋅合金
- Material: Zinc Alloy
- 表面處理：電鍍亮鉻
- S.Tr: Bright chrome plated
- 最大靜載荷：100N
- Maximum Static Load: 100N
- 最大輸入扭矩：12N.m
- Maximum Input Torque: 12N.m
- 搭配 K15-01 鑰匙
- 可批量訂製其他工具型鎖芯樣式




防塵蓋旋開狀態





鑰匙 KEY
K15-01



MS-823



開孔尺寸 Cut Out




翼型・手旋開啟

Wing Knob Cam Latch – Waterproof



MS-714-2


- 材質：把手 - PA、基座 - 鋅合金、擋片 - 鋼鐵鍍鋅
- Material: Hand-nylon fiberglass、Body-zinc alloy、Cam-Steel zinc plated
- 防水密封功能，旋轉 90° 開啟
- With waterproof function. Turn knob 90° to open
- 最大靜載荷：220N
- Maximum Static Load：220N
- 最大輸入扭矩：9N.m
- Maximum Input Torque：9N.m
- 適用板厚：1~6m/m
- Panel thickness：1~6m/m




訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-714-2+S1B4500

單位：(mm)

擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH
S1B4500	18
S1B4507	25
S1B4516	35



開孔尺寸 Cut Out




翼型・手旋・附掛鎖孔

Padlockable Wing Knob Waterproof Cam Latch




MS-714-3

- 材質：鋅合金、擋片 - 鋼鐵鍍鋅
- Material：zinc alloy、Cam-Steel zinc plated
- 防水密封功能，旋轉 90° 開啟
- With waterproof function. Turn knob 90° to open
- 最大靜載荷：250N
- Maximum Static Load: 250N
- 最大輸入扭矩：18N.m
- Maximum Input Torque：18N.m
- 固定螺母建議擰緊力矩：20N.m
- 適用板厚：1~6m/m
- Panel thickness：1~6m/m
- 可自行加裝掛鎖，增加防盜性
- Install padlock to enhance anti-theft function





開孔尺寸 Cut Out



訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-714-3+S1B4500

單位：(mm)

擋片 (選配) Cam Selection	
擋片型號 CAM CODE	擋片深度 (H) CAM DEPTH
S1B4500	18
S1B4507	25
S1B4516	35




壓縮・固定間距


Compression Latch



- 材質：鋅合金
- Material : Zinc Alloy
- 表面處理：灰藍烤漆
- S.Tr : Gray blue powder
- 門擋迫緊行程：7m/m
- Pawl Compression : 7m/m
- 適用門板厚度：1.0~17m/m
- Panel thickness : 1.0~17m/m
- 最大靜載荷：300N
- Maximum Static Load: 300N
- 最大輸入扭矩：11N.m
- Maximum Input Torque: 11N.m

鑰匙 KEY
K15-03

開孔尺寸 Cut Out



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-816-1

工具鑰匙開啟・壓縮迫緊

Compression Latch




- 材質：鎖體一鋅合金、檔片一鐵
- Material : Body-zinc alloy, Cam-steel
- 表面處理：鎖體一黑色烤漆、檔片一鍍鋅
- S.Tr: Body-black powder coated, Cam-zinc plated
- 最大靜載荷：300N
- Maximum Static Load: 300N






防水蓋 WP-001

選配組件
Optional Accessory

取手 TX-2014



開孔尺寸 Cut Out



MS-816-1-6

訂購範例 Order Exp: 主體 Body+ 檔片 Cam
MS-816-1-6+S1B4500

單位: (mm)


檔片 (選配) Cam Selection	
檔片型號 CAM CODE	檔片深度 (H) CAM DEPTH
S1B4500	33
S1B4507	40
S1B4516	49

鑰匙型・圓柱鎖



Cam Lock

RL

- 材質：鋅合金基座 & 鎖芯、鐵擋片
- Material : Zinc Alloy Body&Cylinder、Cam-Steel
- 表面處理：鍍鉻基座 & 鎖芯、鍍鋅擋片
- S.Tr : Base & Lock Cylinder – Chrome Plated, Cam – Zinc Plated
- 最大靜載荷：150N
- Maximum Static Load:150N



開孔尺寸 Cut Out



MS-729-1(H=30)

MS-729-2(H=20)



MS-729-3(H=16)

旋鈕型・壓縮迫緊


KNOB TYPE. COMPRESSION



- 材質：主體、手柄 - 鋅合金，擋片 - 鐵製
- Material : Body - Zinc Alloy, Cam - Steel
- 表面處理：主體、手柄 - 鍍亮光鉻，擋片 - 鍍鋅
- S. Tr : Body - Bright Chrome Finish, Cam - Zinc Plated
- 最大靜載荷：91N
- Maximum Static Load : 91N
- 最大輸入扭矩：4N.m
- Maximum Input Torque : 4N.m



開孔尺寸 Cut Out



MS-803

圓管型鎖

Cam Lock




圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS

MS-824 系列

- 材質：鋅合金
- Material: Zinc Alloy
- 表面處理：電鍍亮鉻
- S.Tr: Bright chrome plated
- 可變換 5000 種以上鑰匙（訂製）· 標準品為同號鑰匙
- Available in more than 5000 key combinations (Customized). Standard specification: Keyed alike.
- 鑰匙可當拉手
- The key can be used as a handle




開孔尺寸 Cut Out




訂購範例 Order Exp: 主體 Body+ 擋片 Cam
MS-824-1+TX-010

MODEL NO.	(L1)	(L2)	(L3)
MS-824-1	34	17	6.3
MS-824-2	40	23	6.3
MS-824-3	45	28	6.3



Stopper plate



TX-010-2 TX-010

MS-824-1





MS-824-2




MS-824-3

MS-743

- 材質：主體 - 鋅合金，擋片 - 鐵製
- Material: Body - Zinc Alloy, Cam - Steel
- 表面處理：主體 - 鍍亮鉻，擋片 - 鍍鋅
- S. Tr: Body - Bright Chrome Finish, Cam - Zinc
- 最大靜載荷：140N
- Maximum Static Load: 140N



開孔尺寸 Cut Out



MS-743

鑰匙解鎖・推入鎖定

Keylocking Latches · Push to Close




MS-826

- 材質：鋅合金
- Material: Zinc Alloy
- 表面處理：電鍍亮鉻
- S.Tr: Bright chrome plated
- 最大靜載荷：340N
- Maximum Static Load: 340N
- 適用板厚：1~5mm
- Panel thickness: 1~5mm
- 轉動鑰匙、門擋內縮，開啟門板
- Turn the key to retract the cam and unlock the door
- 鑰匙在開啟狀態時，代替拉手柄
- 可以選配 WP003 防水蓋和 HP003 取手
- Optional: can be used with WP003 Dust Cover and HP003 Pull Tab




鑰匙 KEY




開孔尺寸 Cut Out



鎖芯



固定扣





門板

回復式鎖舌





MS-826-K72-3

- 材質：鋅合金
- Material: Zinc Alloy
- 表面處理：基座 & 鎖芯 - 鍍鉻，其餘電鍍鋅
- S.Tr: Base & Lock Cylinder - Chrome Plated, Other Parts - Zinc Plated
- 最大靜載荷：340N
- Maximum Static Load: 340N
- 可以選配 WP003 防水蓋和 HP003 取手
- Optional: can be used with WP003 Dust Cover and HP003 Pull Tab
- 關閉門板，不需旋轉鑰匙上鎖，鎖舌自動鎖定
- Simply push the door to lock automatically. No need to use the key.



自動回復鎖門

(Automatic rebound cam)



開孔尺寸 Cut Out




不銹鋼・附掛鎖座



STAINLESS STEEL LOCK WITH PADLOCK BRACKET

SUS 304 **IP54** **RL** **RoHS**

- 材質：不銹鋼 304 ● Material : Stainless Steel 304
- 表面處理：研磨震動拋光 ● S. Tr: Vibration Polish Finish
- 最大靜載荷：270N ● Maximum Static Load : 270N



開孔尺寸 Cut Out



標配 DS1B4500. 外定位擋片
With DS1B4500 Cam

圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-351



小型・不銹鋼・工具鑰匙開啟


MINI STAINLESS STEEL CAM LOCK WITH MECHANICAL KEY

SUS 304 **RL** **RoHS**


- 材質 : 不銹鋼 304
- Material : Stainless Steel 304
- 最大靜載荷 : 270N
- Maximum Static Load : 270N



鑰匙 KEY



開孔尺寸 Cut Out



MS-845-7B




不同號鎖芯訂製

CUSTOMIZED KEYED DIFFERENT LOCK





MS-705-3E

- 材質：主體 - 鋅合金，擋片 - 鐵製
- Material : Body - Zinc Alloy, Cam - Steel
- 表面處理：主體 - 噴塑 (黑淡光)，擋片鍍鋅
- S. Tr : Body - Matt Black Finish, Cam - Zinc Plated
- 可選配訂製 500 組雜號鎖芯
- Available in 500 different key combination (customized)
- 常規品為同號鎖芯
- Standard specification : Keyed alike
- 最大靜載荷：220N
- Maximum Static Load : 220N
- 開啟後鑰匙不可拔出，當成手柄可將門板拉開
- The key can't pulled out after opening, and the key becomes the handle to pull the door open



開孔尺寸 Cut Out



擋片可選 S1B45 系列

不銹鋼 316. 工具型衛生鎖

STAINLESS STEEL 316.




防護等級：IP65



- 鎖體材質：不銹鋼 316
 - Material : Body - Stainless Steel 316
 - 表面處理：擋片電解
 - S. Tr : Cam - Polished Finish
 - 鎖芯旋轉扭矩：0.5N.m~2.5N.m
 - Lock Cylinder Torque : 0.5N.m~2.5N.m
 - 擋片承載力：300N
 - Cam Strength : 300N
 - 最大輸入扭矩：9N.m
 - Maximum Input Torque : 9N.m
- 專為衛生環境應用設計，符合國際衛生規範要求
Specially designed for hygienic environment applications, in line with international hygienic regulations



一體成型密封圈



開孔尺寸 Cut Out




擋片可選外定位 DS1B45 系列

鑰匙型．不同號鎖心

KEY DIFFERENT TUBULAR LOCK



- 材質：鋅合金、鋼鐵擋片
- Material: Body-Zinc Alloy ; Cam-Steel
- 表面處理：鍍鉻鎖體、鍍鋅擋片
- S.Tr: Body-Bright chrome plated,Cam-zinc plated
- 變換限位墊片方向，可左右門共用
- The lock can be adjusted to fit left or right opening door by changing the rotating direction of the cam
- 最大靜載荷：230N
- Maximum Static Load: 230N
- 可選訂製 2000 組 不同號鎖芯，常規品為同號鎖芯
- Available in 2000 different key combination(customized)
- Standard specification: Keyed alike
- 開啟後鑰匙不可拔出，當成把手柄可將門板拉開
- The key can't pulled out after opening, and the key becomes the handle to pull the door open



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS




MS-760-5A

翼型．手旋．不銹鋼 316. 高耐鹽霧
WING KNOB WATERPROOF CAM LATCH. SUS316

防護等級：IP65



- 鎖體材質：主體全不銹鋼 316 . 擋片不銹鋼 304
- Material: Body-Stainless Steel 316 .Cam- Stainless Steel 304
- 表面處理：高耐鹽霧黑漆
- S.Tr: High salt spray resistant coating.Black.
- 擋片承載力：300N.
- Cam Strength: 300N
- 最大輸入扭矩：9N.m • 最大靜載荷：270N.m
- Maximum Input Torque: 9N.m Maximum Static Load: 270N
- 適用於戶外型設備箱體門板上．旋轉開啟時，手柄有些微阻尼力．
- Maximum Input Torque: 9N.m Maximum Static Load: 270N
- Applicable to the door panel of the outdoor equipment.
- When the rotation is turned on, the handle has some slight damping force.



MS-705-3P-316

* 鹽霧測試可達 700 小時 *

* Salt spray test can be 700 hours*




壓縮迫緊・特殊工具鑰匙

Compression Type






MS-734

- 材質：主體、鎖芯 - 鋅合金，擋片 - 鐵製
- Material : Body - Zinc Alloy, Cam - Steel
- 表面處理：主體、鎖芯 - 鍍亮鉻，擋片 - 鍍鋅
- S. Tr : Body - Bright Chrome Finish, Cam - Zinc Plated
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 最大輸入扭矩：8N.m
- Maximum Input Torque : 8N.m
- 選配：TX-2016 取手 (見附件)




開孔尺寸 Cut Out

擋片可選 S1B45 系列
標配 S1B4500 平擋片



MS-773

防護等級：IP55

- 材質：主體、防塵板、鎖芯、螺母 - 鋅合金，擋片、螺絲 - 鐵製
- Material: Body - Zinc Alloy, Cam - Steel
- 表面處理：主體、防塵板、鎖芯 - 鍍鉻，螺母、螺絲、擋片 - 鍍鋅
- S. Tr : Body - Chrome Plated, Cam - Zinc Plated
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 最大輸入扭矩：9N.m
- Maximum Input Torque : 9N.m



開孔尺寸 Cut Out



擋片可選 DS1B45 系列 (外定位)




鑰匙・手旋開啟



KEY. HAND OPERATED



- 材質：主體 - 鋅合金，擋片 - 鐵製
- Material: Body - Zinc Alloy, Cam - Steel
- 表面處理：主體 - 鍍亮光鉻，擋片 - 鍍鋅
- S. Tr: Body - Bright Chrome Finish, Cam - Zinc Plated
- 最大靜載荷：160N
- Maximum Static Load : 160N
- 最大輸入扭矩：40N.m(旋鈕型)
- Maximum Input Torque : 40N.m



開孔尺寸 Cut Out



型號 Item No	規格 . SPEC
MS-745-1	帶鎖芯型
MS-745-2	旋鈕型

圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-745-1




MS-745-2

防震型・附防塵蓋



VIBRATION RESISTANT TYPE. WITH BUILT-IN DUST COVER



- 材質：主體、蓋板、鎖芯、螺母、鑰匙 - 鋅合金，擋片 - 鐵製
- Material: Body - Zinc Alloy, Cam - Steel
- 表面處理：主體、蓋板、鎖芯、鑰匙 - 鍍鉻
- S. Tr: Body - Chrome Plated
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 最大輸入扭矩：9N.m
- Maximum Input Torque : 9N.m



開孔尺寸 Cut Out



MS-758


防震型・附防塵蓋

VIBRATION RESISTANT TYPE. WITH BUILT-IN DUST COVER




MS-758-2

- 材質：主體、蓋板、鎖芯 - 鋅合金，擋片 - 不銹鋼
- Material: Body - Zinc Alloy, Cam - Stainless Steel
- 表面處理：主體、蓋板、鎖芯 - 鍍鉻
- S. Tr: Body - Chrome Plated
- 最大靜載荷：270N
- Maximum Static Load: 270N
- 最大輸入扭矩：9N.m
- Maximum Input Load: 9N.m



開孔尺寸 Cut Out




壓縮型圓鎖・特殊工具鑰匙

Compression Latches . Tool key



MS-816-1-12-B

- 工具鑰匙開啟
- 材質：鎖體 - 鋅合金、擋片 - 鐵
- 表面處理：鎖體 - 黑色烤漆、擋片 - 鍍鋅
- 最大靜載荷：300N
- Tool key to open
- Material: Body-zinc alloy, Cam-Steel
- S.Tr: Body - Black paint, Cam - Zinc plated.
- Maximum static load: 300N



開孔尺寸 Cut Out

選配組件 Optional



防水蓋 WP-001




取手 TX-2014

壓縮迫緊型圓柱鎖・可調間距・一字工具型


ADJUSTABLE RANGE. SLOTTED DRIVE TYPE



- 材質：主體 - 鋅合金，轉軸、擋片 - 鐵製
- Material: Body - Zinc Alloy, Cam - Steel
- 表面處理：鍍鋅
- S. Tr: Zinc Plated
- 最大靜載荷：210N
- Maximum Static Load : 210N
- 最大輸入扭矩：11N.m
- Maximum Input Torque : 11N.m



開孔尺寸 Cut Out



左旋鎖閉	右旋鎖閉
MS-811-4L	MS-811-4R

圓柱鎖

QUARTER TURN TUBULAR LOCKS


CYLINDER CAM LOCKS





MS-811-4

鑰匙・手旋開啟
KEY. HAND OPERATED

- 材質：主體、手柄、鎖芯 - 鋅合金，擋片 - 鐵製
- Material: Body - Zinc Plated, Cam - Steel
- 表面處理：主體、手柄 - 噴漆 (黑淡光)，擋片 - 鍍鋅
- S. Tr: Body - Matt Black Finish, Cam - Zinc Plated
- 最大靜載荷：100N
- Maximum Static Load : 100N



開孔尺寸 Cut Out



MS-815-1

小型双翼手柄・手旋開啟

WING KNOB KEY-LOCKING. HAND OPERATED


IP54 RoHS

防護等級：IP54

- 材質：主體、鎖芯 - 鋅合金，擋片 - 鐵製
- Material: Body - Zinc Plated, Cam - Steel
- 表面處理：主體、手柄 - 噴漆（黑），擋片 - 鍍鋅
- S. Tr: Body - Black Powder Coated, Cam - Zinc Plated
- 最大靜載荷：270N
- Maximum Static Load: 270N



MS-815-2






開孔尺寸 Cut Out




MS-815-3B


- 材質：主體、鎖芯 - 鋅合金，擋片 - 鐵製
- Material: Body - Zinc Alloy, Cam - Steel
- 表面處理：主體、手柄 - 噴漆（黑），擋片 - 鍍鋅
- S. Tr: Body - Black Powder Coated,
- Cam - Zinc Plated
- 最大靜載荷：250N
- Maximum Static Load: 250N



開孔尺寸 Cut Out



MS-815-3B



MS-815-3A


RoHS

手旋開啟 · 嵌入快速安裝



HAND-TURNED. EASY TO INSTALL.



- 材質：主體 - PA
- Material：Body - PA
- 表面處理：檔片 - 鐵鍍鋅
- S. Tr：Zinc Plated
- 最大靜載荷：220N
- Maximum Static Load: 220N
- 主體為快速安裝方式
Snap-in



開孔尺寸 Cut Out



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS




MS-845-5

推入鎖定型



TUBULAR LOCK. PUSH TO CLOSE TYPE



- 材質：鋅合金
- Material: Zinc Alloy
- 表面處理：亮光鉻
- S. Tr : Bright Chrome Finish
- 最大靜載荷：270N
- Maximum Static Load : 270N
- 最大輸入扭矩：9N.m
- Maximum Input Torque : 9N.m
- 具有自動鎖閉功能，推回關閉，自動鎖定
- 選配：K15 鑰匙、TX-2014 取手（見附件）、WP-002 防水蓋（見附件）



開孔尺寸 Cut Out



MS-705-1W2DL
MS-705-1W2DR

左擋片 (Left)	右擋片 (Right)
MS-705-1W2DL	MS-705-1W2DR

壓縮迫緊型圓柱鎖・T型手柄・間距可調


T HANDLE TYPE. ADJUSTABLE COMPRESSION





MS-816-1E-1

防護等級：IP65

- 材質：主體、手柄、鎖芯 - 鋅合金，擋片 - 鐵製
- Material：Body - Zinc Alloy, Cam - Steel
- 表面處理：主體、手柄 - 黑麻面，擋片 - 鍍鋅
- S. Tr：Body - Matt Black Finish, Cam - Zinc Plated
- 壓縮鎖緊行程：7mm
- Compression Range：7mm
- 最大靜載荷：300N
- Maximum Static Load：300N
- 擋片可調夾持間距




開孔尺寸 Cut Out



MS-816-1E-2



鑰匙 KEY



MS-816-1E-1



MS-816-1E-2

型號 Item No	規格 . SPEC
MS-816-1E-1	帶鎖芯型 Locking
MS-816-1E-2	無鎖芯型 Non Locking


壓縮型圓柱鎖．可調間距．三角鎖心

Quarter Turn Compression Latch. Triangle lock cylinder



- 材質：鋅合金 - 主體、鎖芯；鐵製擋片
- 表面處理：黑色烤漆 - 主體、鎖芯；鍍鋅 - 擋片
- 擋片 90°旋轉實現開啟或鎖閉，具有壓縮迫緊功能
- 選配 K15-03 工具鑰匙
- 最大靜載荷：250N
- 最大輸入扭矩：9N.m
- 固定螺母的建議組裝力矩：20N.m

- Material: Zinc alloy - base & lock cylinder, carbon steel - Cam.
- S.Tr: Black powder coating - base & lock cylinder, Zinc-plated - Cam
- The steel cam is rotated 90° to realize opening or locking, with compression function
- K15-03 key is optional
- Maximum static load: 300N
- Maximum input torque: 11N.m
- Recommended tightening torque for fixing nut: 20N.m



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS



MS-816-1A-3




MS-8246

迷你圓鎖．低平安裝

MINI LOCK. LOW FLAT INSTALLATION



- 材質：鎖殼 & 鎖心 - 銅；擋片 - 鐵材質
- Material: lock body & cylinder - copper; Cam - Steel.
- 表面處理：鍍鉻
- S.Tr: Chrome Plated
- 關閉狀態時，鑰匙方可拔出，避免忘記鎖門；
- When it is closed, the key can be pulled out to avoid forgot lock the door;
- 打開狀態時，鑰匙可當成拉手柄。
- When open, the key can be used as a pull handle.



MS-8246

軌道設備鎖 . IP65. 不鏽鋼壓縮型圓鎖 .


RAILWAY EQUIPMENT LOCK.COMPRESSION . IP65.







防護等級 : IP65

- 材質 : 主體 - 不鏽鋼 304 鑄造 .
- 表面處理 : 拋光
- 擋片壓縮行程 : 6mm
- 防塵防水等級 : IP65
- 建議門板搭配密封膠條使用 , 以發揮此款門鎖最佳壓縮迫緊效果 .
- 適用於戶外配電櫃 , 軍用設備 , 軌道列車設備 , 食品機械
- MS-816-4E-Y-H28 為右旋開啟
- MS-816-4E-Z-H28 為左旋開啟

- Material : Stainless Steel 304
- S.Tr : Polish finish
- The cam compression stroke : 6mm
- Dustproof and waterproof grade : IP65
- It is recommended that the door panel be used with a sealing strip to maximize the compression and tightening effect of this door lock.
- Suitable for outdoor power distribution cabinets, military equipment, rail equipment, food machinery.
- MS-816-4E-Y-H28 is open for right rotation
- MS-816-4E-Z-H28 is open for left rotation



開孔尺寸 Cut Out


MS-816-4E-Y-H28
右旋開啟MS-816-4E-Y-Z28
左旋開啟MS-816-4E-Y-H28
MS-816-4E-Y-Z28

壓縮迫緊型圓柱鎖・工具鑰匙

Compression Tubular Lock・Mechanical key




- 材質：主體 - 鋅合金・鎖芯 - 鐵製
- Material: Body - Zinc Alloy
- 表面處理：主體・鎖芯 - 鍍亮鉻
- S. Tr : Body & Lock Cylinder - Bright Chrome Finish
- 最大輸入扭矩：9N.m
- Maximum Static Load : 9N.m
- 可壓縮迫緊物件



開孔尺寸 Cut Out

單位：(mm)

型號 Item No	規格 . SPEC
MS-704-1	A=40 B=2.5 H=23
MS-704-2	A=46 B=7.5 H=28
MS-704-3	A=54 B=13.5 H=34



圓柱鎖

QUARTER TURN TUBULAR LOCKS

CYLINDER CAM LOCKS






MS-704

不鏽鋼 316 圓鎖 . IP65

STAINLESS STEEL 316 LOCK. IP65. WATERPROOF



- 材質：不銹鋼 316 鎖體
- Material: stainless steel lock body
- 表面處理：拋光
- S.Tr: Polish
- 適用門板厚度：1~5mm
- Applicable door thickness: 1~5mm



開孔尺寸 Cut Out

選配組件 Optional



取手 TX-2014



防水蓋 WP-001



MS-7366-SS



[illegible]

NOTE