


可調式把手

Adjustable Hand Levers

- 把手：鋅合金壓鑄
- Handle : Zinc die casting
- 螺栓：鋼鐵、染黑
- Bolt : Steel 、Dyed black
- 表面處理：黑色烤漆 (BK)、橘色烤漆 (OR)、銀色烤漆 (SR)
- S.Tr : Paint black(BK) 、Paint orange(OR) 、Paint silver(SR)




訂購範例：
MS-403-45-M6-BK

單位：(mm)

型號 Item No	A	B	C	D	E	F
MS-403 - A - B - 顏色 (Color)	45	M4	8	10	24.5	35
	45	M5	8	10	24.5	35
	45	M6	8	10	24.5	35
	63	M6	10	13.5	31	45
	63	M8	10	13.5	31	45
	78	M8	14	16	36	55
	78	M10	14	16	36	55
	92	M10	17	19	43	65
	92	M12	17	19	43	65
	108	M12	22	23	50.5	76
	108	M14	22	23	50.5	76
	108	M16	22	23	50.5	76



- 把手：鋅合金壓鑄
- Handle : Zinc die casting
- 螺牙：鋼鐵、染黑
- Screw: Steel 、Dyed black
- 表面處理：黑色烤漆 (BK)、橘色烤漆 (OR)、銀色烤漆 (SR)
- S.Tr : Paint black(BK) 、Paint orange(OR) 、Paint silver(SR)



訂購範例：
MS-404-45-M6-10-BK

單位：(mm)

MS 404 45 M6 10 D1


型號 Item No	A	B	C										D	E	F
MS-404 - A - B - C - 顏色 (Color)	45	M5	10	15	20	25	30					10	24.5	35	
表面顏色 Surfaced color 螺紋長度 Thread length 外螺紋 External thread 手柄長度 Handle length	45	M6	10		20		30	40	50			10	24.5	35	
	45	M8	10		20		30	40	50			10	24.5	35	
	63	M8	10		20		30	40	50			13.5	31	45	
	63	M10	10		20		30	40	50			13.5	31	45	
	78	M8	10		20		30	40	50			16	36	55	
	78	M10	10		20		30	40	50			16	36	55	
	78	M12	10		20		30	40	50			19	43	65	
	92	M10			20		30	40	50	60		19	43	65	
	92	M12			20		30	40	50	60		19	43	65	
	108	M12					30	40	50	60	70		23	50.5	76
108	M16						40	50	60	70	80	23	50.5	76	



不銹鋼可調式把手

Stainless Steel Adjustable Hand Levers

- 把手：鋅合金壓鑄
- Handle : Zinc die casting
- 螺栓：不銹鋼
- Bolt : Stainless steel
- 表面處理：黑色烤漆 (BK)、橘色烤漆 (OR)、銀色烤漆 (SR)
- S.Tr : Paint black(BK)、Paint orange(OR)、Paint silver(SR)



訂購範例：
MS-405-45-M6-BK

單位：(mm)

型號 Item No	A	B	C	D	E	F
MS-405 - A - B - 顏色 (Color)	45	M4	8	10	24.5	35
	45	M5	8	10	24.5	35
	45	M6	8	10	24.5	35
	63	M6	10	13.5	31	45
	63	M8	10	13.5	31	45
	78	M8	14	16	36	55
	78	M10	14	16	36	55
	92	M10	17	19	43	65
	92	M12	17	19	43	65
	108	M12	22	23	50.5	76
	108	M16	22	23	50.5	76




可調式把手、
旋鈕、螺絲

ADJUSTABLE HANDLES .
KNOBS . NUTS



MS-405

- 把手：鋅合金壓鑄
- Handle : Zinc die casting
- 螺牙：不銹鋼
- Screw : Stainless steel
- 表面處理：黑色烤漆 (BK)、橘色烤漆 (OR)、銀色烤漆 (SR)
- S.Tr : Paint black(BK)、Paint orange(OR)、Paint silver(SR)



訂購範例：
MS-406-45-M6-20-BK

單位：(mm)

型號 Item No	A	B	C										D	E	F
MS-406 - A - B - C - 顏色 (Color) 表面顏色 Surfaced color 螺紋長度 Thread length 外螺紋 External thread 手柄長度 Handle length	45	M5	10	15	20	25	30					10	24.5	35	
	45	M6	10		20		30	40	50				10	24.5	35
	63	M6	10		20		30	40	50				13.5	31	45
	63	M8	10		20		30	40	50				13.5	31	45
	78	M8	10		20		30	40	50				16	36	55
	78	M10	10		20		30	40	50				16	36	55
	92	M10			20		30	40	50	60			19	43	65
	92	M12			20		30	40	50	60			19	43	65
	108	M12					30	40	50	60	70		23	50.5	76
	108	M16						40	50	60	70	80	23	50.5	76




MS-406

星型旋鈕

Hand knobs

- 旋鈕 : PA6+GF30 尼龍加玻纖
- Knob : PA6+GF30
- 螺栓 : 銅
- Bolt : Copper
- 表面處理 : 旋鈕一黑色
- S.Tr : Knob-black






MS-1020

訂購範例：
MS-1020-32-M6

單位 : (mm)

型號 Item No	A	B	C	D	E	F
MS-1020 - A - B 內螺紋 Internal Thread 旋鈕外徑 Knobs diameter	20	M4	13	6.5	7	10
	25	M5	16	9.5	8	12
	25	M6	16	9.5	8	12
	32	M6	20	12	10	14
	40	M6	25	14	13	18
	40	M8	25	14	13	18
	50	M8	32	18	17	22
	50	M10	32	18	17	22
	63	M10	40	22	21	26
	63	M12	40	22	21	26
	80	M12	50	22	25	35
	80	M16	50	30	25	35



- 旋鈕 : PA6+GF30 尼龍加玻纖
- Knob : PA6+GF30
- 螺柱 : 鋼鐵
- Screw : steel
- 表面處理 : 旋鈕一黑色、螺牙一鍍鋅
- S.Tr : Knob-black, Screw-zinc plated





MS-1050

訂購範例：
MS-1050-32-M6-10

單位 : (mm)

型號 Item No	A	B	C								D	E
MS-1050 - A - B - C 螺紋長度 Thread length 外螺紋 External Thread 旋鈕外徑 Knobs diameter	25	M5	10	15	20	30					16	12
	25	M6	10	15	20	30					16	12
	32	M6	10	15	20	30	40				20	14
	40	M6		15	20	30	40	50			25	18
	40	M8		15	20	30	40	50			25	18
	50	M8		15	20	30	40	50	60		32	22
	50	M10			20	30	40	50	60		32	22
	63	M10			20	30	40	50	60		40	26
	63	M12			20	30	40	50	60		40	26
	80	M12			20	30	40	50	60	80	50	35
	80	M16					40	50	60	80	50	35



全不銹鋼星型旋鈕・螺柱型




Stainless Steel Star Knob. Stud Type

SUS
304

RoHS

- 材質：不銹鋼 SUS304
- 表面處理：亞光表面
- 不銹鋼 SUS304 帶螺牙旋鈕，具有耐腐蝕性，適用在衛生要求及惡劣氣候環境條件下
- 用途：化工設備，食品機械，醫療設備及檢測儀器

- Material : Stainless Steel 304
- Finish : Matte
- Features : Stainless steel 304 with stud knob, with corrosion resistance, suitable for hygienic, climatic environmental conditions and environments that require the use of corrosion-resistant materials
- Application : Chemical equipment, food machinery, medical equipment and testing equipment.



單位：(mm)

型號 Item No	材質 Material	D	L	H	D1	F	M
MS-50-40-M8-20	SUS304	40	24	20	14	12	M8
MS-50-50-M10-30	SUS304	50	30	30	18	16.5	M10
MS-50-60-M12-30	SUS304	60	37.5	30	20	20	M12

可調式把手、
旋鈕、螺絲ADJUSTABLE HANDLES .
KNOBS . NUTS

MS-50 SERIES




一字旋鈕螺絲・螺帽

Hand knobs



MS-2061

- 旋鈕：PA6+GF30 尼龍加玻纖
- Knob：PA6+GF30
- 螺柱：鋼
- Screw：Steel
- 表面處理：旋鈕一黑色、螺柱一鍍鋅
- S.Tr：Knob-black, Screw-zinc plated



訂購範例：
MS-2061-35-M6-10


單位：(mm)

型號 Item No	A	B	C								D	E
MS-2061 - A - B - C 螺紋長度 Thread length 外螺紋 External thread 旋鈕外徑 Knobs diameter	35	M6	10	15	20	25	30				15.6	18
	35	M8	10	15	20	25	30	35			15.6	18
	45	M8		15	20	25	30	35	40		20	24
	45	M10		15	20	25	30	35	40	45	20	24



MS-2062

- 旋鈕：PA6+GF30% 尼龍加玻纖
- Knob：PA6+GF30%
- 螺栓：銅
- Bolt：Copper
- 表面處理：旋鈕一黑色
- S.Tr：Knob-black



訂購範例：
MS-2062-35-M6

單位：(mm)


型號 Item No	A	B	C	D	E
塑膠 (KT)					
MS-2062 - A - B 內螺紋 Internal Thread 手柄長度 Handle length	35	M6	14	15.6	18
	35	M8	14	15.6	18
	45	M8	18	20	24
	45	M10	18	20	24



壓花螺絲・螺帽

Hand knobs

- 旋鈕：尼龍
- Knob：Nylon
- 螺柱：鐵
- Screw：Steel
- 表面處理：旋鈕一黑色、螺牙一鍍鋅
- S.Tr：Knob-black, Screw-zinc plated



MS-2010


訂購範例：
MS-2010-20-M4-10

單位：(mm)

型號 Item No	A	B	C				D	E	F
MS-2010 - A - B - C 螺紋長度 Thread length 外螺紋 External Thread 旋鈕外徑 Knobs diameter	20	M4	10	15	20		8.5	8	12
	20	M5	10	15	20		8.5	8	12
	25	M6	10		20	30	19.5	9	15
	30	M8			20	30	21.5	11	18
	35	M10			20	30	29	13	21



- 旋鈕：尼龍
- Knob：Nylon
- 螺栓：銅
- Bolt：Copper
- 表面處理：旋鈕一黑色
- S.Tr：Knob-black,



MS-2031

單位：(mm)




型號 Item No	A	B	C	D	E	F
MS-2031 - A - B 內螺紋 Internal Thread 旋鈕外徑 Knobs diameter	20	M4	8	13.5	12	7
	20	M5	8	13.5	12	8
	25	M6	9	19.5	15	12
	30	M8	11	21.5	18	12
	35	M8	13	29	21	18
	35	M10	13	29	21	18



通孔星型旋鈕

Penetrated Hand knobs

- 旋鈕：PA6+GF30
- Knob：PA6+GF30
- 螺栓：鋼鐵
- Bolt：steel
- 表面處理：旋鈕一黑色、螺栓一鍍鋅
- S.Tr：Knob-black, Bolt-zinc plated



訂購範例：
MS-1025-32-M6

單位：(mm)


型號 Item No	A	B	C	D	E	F
MS-1025 - A - B 內螺紋 Internal Thread 旋鈕外徑 Knobs diameter	32	M6	20	9	10	14
	40	M6	25	12	13	18
	40	M8	25	12	13	18
	50	M10	32	16	17	22
	63	M12	39	21	21	26



不銹鋼壓花螺絲

Stainless Steel Screws

- 旋鈕：ABS
- 螺柱：不銹鋼
- Material：Knob-Abs, Screw- Stainless Steel



unit:m/m

單位：(mm)

型號 Item No	L
MS-2011-15	15
MS-2011-25	25
MS-2011-30	30
MS-2011-40	40



MS-1025

MS-2011

NOTE