2021 Medical Diagnostic Instruments

ARK-REACH



SHANGHAI ARK-REACH BUSINESS SERVICE CO., LTD.

Add: 10th Floor, Building 1, No.188, Changyi Road,

Baoshan District, Shanghai

Tel: 86-18321425676





Ark-reach is a trusted partner and experienced communication facilitator of China's skilled medical device factories, dedicated to bringing high-quality, cost-effective products to the global market.

With deep expertise in international branding and precision channel matching, Ark-reach empowers manufacturers to expand overseas with confidence and efficiency. By leveraging its extensive network and proven track record, the company bridges the gap between Chinese innovation and global demand, making international growth more accessible than ever.

Setting the standard for miniaturised optics, precision engineering and state-of-the-art diagnostic technology

With continual investment in research and design, many of our products incorporate unique features and benefits, some of which are universal across the entire range.

High Quality LED

Powering the illminatioin of all our instruments, our unique LEDs provide consistent, high quality light and excellent colour-rendering to ensure a natural image with enhanced detail and no colour distortion. Their working life of 10,000 hours is some 400 times that of traditional halogen bulbs and such is our confidence in their performance that we offer a 10-year lifetime on the illumination source and significant cost savings over the life of the instrument.

Optical clarity

Our precision engineered optics provide outstanding image quality, with no distortion and edge-to- edge clarity, while multi-coatings on most optics reduce UV and IR glare and minimise patient discomfort too.

Class-leading power supplies Worldwide focus

With a choice of rechargeable batteries or mains power supply, our instruments have the ersatility that makes them eminently suitable to every working environment - and whichever you choose, you can be sure of low consumption, rapid recharging and ultralong working durations.

From our headquarters in Suzhou China, we now distribute our products through an extensive network of partners in Europe, Asia, America and Australasia. Our expansion is on-going and we're always keen to meet like-minded companies what would like to join our team. Simply get in touch to find out more.

Contents

MED

Diagnostic sets	3-18	General medicine,
Otoscopes	19-35	ENT, ophthalmics and dermatology
Ophthalmoscopes	36-41	and definatology
Handles, power sources	42-45	
Specula, bulbs	46-47	
Specialist ophthalmic Instruments	48-59	
Dermatology	61-65	
LED Examination Lights	66	

VET

Veterinary diagnostic sets	68-72	Instruments for	
Veterinary otoscopes	73-79	all aspects of	
Instruments and Veterinary Tips	80	veterinary medicine	

LED DIAGNOSTIC SETS AND INSTRUMENTS High Quality. Long-lasting. Professional. Economic

CONVINCING	Instruments are built to last. The exceptional care taken at all stages of design
	and manufacture make them ideal for long term use in busy clinics and practices

VERSATILE Th ange includes innovative new designs and useful upgrades on existing traditional styles. From LED Pocket Otoscopes to Variable Focus Otoscopes, there is

sure to be a suitable item within our extensive range.

INNOVATIVE Together with leading institutions the range has been continuously developed

to provide the very best in hand held diagnostics.

ECONOMICAL Highly effcient Lithium-lon charging systems and long life high quality materials ensure

that instruments are not only realistically priced but provide on going cost

savings over the extensive life of the instrument.

LONG LASTING High performance medical grade LEDs provide constant bright illumination of the

examination field and have a virtually unlimited life cycle.

Expensive replacement bulbs are a thing of the past. You will never have to buy a spare

bulb for the life of the instrument!

PRECISE Precision optics with multi coated lenses guarantee high resolution, perfectly focussed

DURABLE 1 year product warranty

Diagnostics and Medical Equipment - LED Pocket Diagnostic Sets











The LED Pocket Ophthalmoscope

- 5 apertures
- Large and small spot
- · Graticule with fixation ring slit
- Red Free
- 19 lenses from -20d to +20d
- Dust proofed
- · Precise screw thread handle fitting
- 1 Year product warranty

The LED Pocket Otoscope

- 3x swivelling viewing window
- Fibre optic light transmission
- Clear unobstructed vision
- Precise screw thread handle fitting
- 1 Year product warranty

Lens range





405E0150

LED Pocket Ophthalmoscope Head

460E0150

LED Pocket Otoscope Head

The Professional, Durable, High Quality LED Pocket Set Range

- Choice of AA or Lithium-Ion rechargeable handles with precise on/off switch
- · Long life metal screw thread fitting.
- · High quality LED for accurate colour rendering and easier diagnosis
- Unique 10 year LED lifetime for lower running costs, never have to buy a spare bulb again
- 20,000 hour plus LED lifetime unlimited use with no blown bulb downtime
- Long battery life; AA cells circa. 60 hours, Lithium rechargeable circa. 5 hours
- 1 year product warranty



LED Pocket Diagnostic Sets in Zipped Case

- 1 or 2 AA handles
- LED Ophthalmoscope head
- LED Otoscope
- Disposable tips
- Zip case
- 1 year product warranty



Lens range

- 20 15 10 8 6 1-4 2 1-4 6 8 10 15 20 +

Apertures 0.0

LED Pocket Diagnostic Set in zipper case. 1 Handle



Lens range - 20 15 10 8 6 1-4 2 1-4 6 8 10 15 20+ Apertures



- •1 AA handle
- •LED Ophthalmoscope head
- LED Otoscope
- Disposable tips
- zipper case

LED Pocket Diagnostic Set in 467E7850, 1 Handle

LED Pocket Diagnostic Set in zipper case. 2 Handles



Lens range



- 20 15 10 8 6 1-4 / 1-4 6 8 10 15 20 +
- •LED Ophthalmoscope head
- LED Otoscope

•2 AA handles

- Disposable tips
- •zipper case

LED Pocket Diagnostic Set in 467E7860, 2 Handles

LED Pocket Diagnostic Set

- •2 lithium rechargeable handles
- •Twin port desk charger
- •LED Ophthalmoscope head
- •LED Otoscope with fibre optic light transmission

Diagnostics and Medical Equipment - LED Pocket Diagnostic Sets

•1 year product warranty

LED Pocket Diagnostic Set

- •1 lithium rechargeable handles
- •Single port desk charger
- •LED Ophthalmoscope head
- •LED Otoscope with fibre optic light transmission
- •1 year product warranty



Apertures ••

Lens range

- 20 15 10 8 6 1-4 / 1-4 6 8 10 15 20 +





LED Pocket Diagnostic Set, Twin Charger, 2 Handles

467E8850

LED Pocket Diagnostic Set, Single Charger, 1 Handles

Lithium Rechargeable Upgrade Set

If you have an AA battery handle Set the Lithium-Ion Rechargeable Upgrade Set is an economical and easy way of converting from an AA powered set to a Lithium rechargeable set. All you need to decide is whether to buy a Single or Twin Port Charger and one or two handle kits?

Lithium-lon cells

Twin port charger

Single port charger







406-0910

Lithium-Ion Cell for Mini handle

408-1000

Twin port charger for Mini handles

407-1000

Single port charger for Mini handle



Reliable, cost effective wall mounted compact diagnostic set.

Powered by 3 x C cells (100 hours continuous use) and/or mains transformer.

Wall mounted Compact LED diagnostic set

- •LED mini ophthalmoscope
- •LED Mini otoscope

483E1210 Twin wall unit



483-0006 Tip Dispenser Standard



485-0086 Thermometer







The LED Otoscope

•3x swivel high quality lens

•Protected fibre optic bundle

•Excellent tympanic reflex

LED Otoscope Head

•Clear view for instrumentation

High quality LED

461E0010



The LED 3.5V Coaxial Ophthalmoscope

- •High quality LED
- •Polarising and Cobalt Blue filters
- •28 lens from -25d to +40d
- Dust proofed
- •5 apertures
- ·Large, Medium and Small spot, Graticule and Slit

Lens range

- 25 20 15 12 1-10 / 1-10 12 15 20 25 40 +

Apertures









With polarisation filter

410E0010

3.5V LED Coaxial Ophthalmoscope Head

The Professional, Durable, High Quality **LED Desk Set Range**

- •Choice of C cell, USB Lithium, 490 Lithium and 489 Lithium rechargeable handles
- •Rheostat adjustable illumination from 100% to 6%
- •High quality LED for accurate colour rendering and easier diagnosis
- •20,000 hour plus LED lifetime unlimited use with no blown bulb downtime
- •Long battery life; C cells circa. 30 hours, Lithium rechargeable circa. 20 hours
- •1 year product warranty







C Cell Set

- •3.5V Fiber Optic LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 490 C Cell Metal Handle

468E6100

C Cell Set, Single Handle

USB Chargeable Lithium Set

- •3.5V Fiber Optic LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 490 USB Metal Lithium Handle







Lithium Desk Rechargeable Set

- •3.5V Fiber Optic LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 490 Lithium-Ion handle
- •Dual charging mode of USB and cradle charging
- ·Single Port Charger

468E5102

Lithium Set, Single Handle



Lithium Desk Rechargeable Set

- •3.5V fiber optic LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Two 490 Metal Lithium-Ion Handles
- •Dual charging mode of USB and cradle charging
- Twin Port Charger

465E5804

Lithium Desk Rechargeable Set

- 25 20 15 12 1-10 2 1-10 12 15 20 25 40 +

With polarisation filter

Lithium Desk Rechargeable Set

- •3.5V Fiber Optic LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 489 Lithium-Ion Handle
- •Dual charging mode of USB and cradle charging
- ·Single Port Charger

468E1100

Lithium Desk Rechargeable Set





Lithium Desk Rechargeable Set

- •3.5V Fiber Optic LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Two 489 Lithium-Ion handles
- •Dual charging mode of USB and cradle charging
- •Twin Port Charger

465E1804

Lithium Desk Rechargeable Set



MED

The Professional, Durable, High Quality, Wall Mounted power units with unique features

- •Auto on/off
- •Out of cradle auto off after 5 minutes
- •12ft leads
- •Lockable heads as standard
- Choice of tip dispensers and other accessories
- •Dual power Wall Unit powered by either 3 x C cells providing in excess of 100 hours continuous use or by mains transformer
- •Unique out of cradle auto off after approximately
- 5 minutes prevents undue heat build up and protects battery life
- Locking heads as standard
- •Choice of Dual handle or Single handle units
- •Class leading handle security

Lens range

- 25 20 15 1-10 💋 1-10 12 15 20 40 +

Apertures

·• • • • •

Twin handled wall unit

- •LED 3.5V fiber optic otoscope
- •LED 3.5V Coaxial ophthalmoscope
- •Powered by 3 x C cells and/or mains transformers

483E1310

Twin Handled Wall Unit

Choice of tip dispensers and other accessories



483-0006 Tip Dispenser Standard 485-0086 Thermometer The Ideal movable diagnostic set powered by 3 x C cells or mains transformer. Perfect forward and Emergency Room use.

Twin handled trolley mounted Diagnostic Set

- •LED 3.5V fiber optic otoscope
- •LED 3.5V Coaxial ophthalmoscope
- •3 x C cell power and mains transformers

483E1330

Twin Handled Trolley Mounted Diagnostic Set



Large dial aneroid Sphygmomanometer(Optional)

To fit rear of backing plate

485-0080

Large Dial Aneroid Sphygmomanometer



- •Solid one piece polished aluminium stand with hospital grade 80mm castors
- •Can be run over uneven surfaces without binding
- •One piece construction avoids castor legs becoming loose and falling off

Choice of tip dispensers and other accessories



483-0006 Tip Dispenser Standard



485-0086 Thermometer





The LED 3.5V Coaxial Ophthalmoscope

- •High quality LED
- Polarising filter
- •Cobalt Blue filter
- •28 lenses from -20d to +40d
- Dust proofed
- •5 apertures, Large, Medium and Small spot Graticule Slit

Apertures



With contrast filter



With polarisation filter

Lens range

- 25 20 15 12 1-10 / 1-10 12 15 20 25 40 +

The Unique, Innovative Varioscope Diagnostic Set with Variable Focal Length and 4.2x Magnification



•Choice of C cell, USB Lithium, and Lithium rechargeable handles

The LED VarioScope Otoscope

•4.2x swivel high quality lens

Protected fibre optic bundle

•Excellent tympanic reflex

•Clear view for instrumentation

·High quality LED

- •Rheostat adjustable illumination from 100% to 6%
- •High quality LED for accurate colour rendering and easier diagnosis
- •20,000 hour plus LED lifetime unlimited use with no blown bulb downtime
- •Long battery life; C cells circa. 30 hours, Lithium rechargeable circa. 20 hours
- •1 year product warranty



Diagnostics and Medical Equipment - LED VarioScope Desk Sets

C Cell Set

- •VarioScope 4.2x LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 490 C Cell handle
- •Zip case

468E6130 C Cell Set

USB Chargeable Lithium Set

- •VarioScope 4.2x LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 490 USB lithium handle
- •Zip case



468E4130 USB Chargeable Lithium Set



Lithium Desk Rechargeable Set

- •VarioScope 4.2x LED Otoscope
- •3.5V Coaxial LED Ophthalmoscope
- •Single 490 Lithium-Ion handle
- •Dual charging mode of USB and cradle charging
- ·Single port charger

468E5132 Lithium Desk Rechargeable Set



Lithium Twin Handle Desk Set

- Desk Rechargeable Set
- VarioScope 4.2x LED Otoscope
- 3.5V Coaxial LED Ophthalmoscope
- Two 490 lithium handles
- Dual charging mode of USB and cradle charging
- Twin port charger
- Zip case

465E5834

Lithium VarioScope Set

Lithium Desk Rechargeable Set

- Lithium Set
- VarioScope 4.2x LED Otoscope
- 3.5V Coaxial LED Ophthalmoscope
- Single 489 Lithium-Ion handle
- Dual charging mode of USB and cradle charging
- Single port charger
- Zip case







Lithium Twin Handle Desk Set

- Desk Rechargeable Set
- VarioScope 4.2x LED Otoscope
- 3.5V Coaxial LED Ophthalmoscope
- Dual charging mode of USB and cradle charging
- Two 489 Lithium-Ion handles
- Twin port charger

465E1834

Lithium VarioScope Set

The Professional, Durable, High Quality, Wall Mounted power units with unique features. Auto on/off, Out of cradle auto off after 5 minutes, 12ft leads and Lockable heads as standard.

Diagnostics and Medical Equipment - LED VarioScope Wall Sets

- Twin handled wall unit with LED VarioScope otoscope and LED 3.5V Pro Coaxial ophthalmoscope
- Choice of tip dispensers and other accessories
- Dual power Wall Unit powered by either 3 x C cells providing over 9 months use or by mains transformer
- Unique out of cradle auto off after approximately 5 minutes prevents undue heat build up and protects battery life
- Locking heads as standard
- Choice of dual handle or single handle units

Lens range -30 to +38 full range in single diopter steps



Apertures

- 30 / 38 +



With contrast filter



With polarisation filter

483E1340

Twin Handled Wall Unit with LED VarioScope Otoscope



Choice of tip dispensers and other accessories







485-0086 Thermometer



- Solid one piece polished aluminium stand with hospital grade 80mm castors
- Can be run over uneven surfaces without binding
- One piece construction avoids castor legs becoming loose and falling off



- LED VarioScope otoscope
- LED 3.5V Coaxial ophthalmoscope
- 3 x C cell power and mains transformer

483E1306 Twin Handled Trolley Mounted Diagnostic Set



Large Dial Aneroid Sphygmomanometer(Optional) To fit rear of backing plate

485-0080 Large Dial Aneroid Sphygmomanometer

Choice of tip dispensers and other accessories





483-0006 Tip Dispenser Standard 485-0086 Thermometer



Tongue-Blade Holder for Disposable Tongue-Blades

- Fiber optic provides LED light output
- Disposable plastic tongue blades
- Available all 3.5V Li-ion battery handle

471E0090

3.5V LED Tongue-Blade Holder for Plastic tongue-blades, without handle



Illuminator with integrated tongue-blade holder

- Sturdy, long-life pocket diagnostic light in a compact, modern design
- Multi-purpose: can be used as a general illuminator and as an Tongue Blade Holder
- Available all 3.5V Li-ion battery handle

3.5V LED illuminator, integrated tongue-blade holder, without handle



Disposable tongue-blades pcs/package,100pcs/package



Multi-purpose Illuminator

- LED bulb provides light output
- · Provides light ina handy built-in penlight
- Available all 3.5V Li-ion battery handle

471E0010

3.5V LED Illuminator, without handle



Fiber-Optic Illuminator

- LED provides light output
- Fiberoptics for optimal beaming and transmission of the light
- Fully sterilizable with steam, water, gas or solutions
- Available all 3.5V Li-ion battery handle

472E0010

3.5V LED Fiber-Optic Illuminator, without handle



Nasal Illuminator

- LED provides light output
- Fiberoptics for optimal beaming and transmission of the light
- Simply detach the head to use as a throat illuminator/penlight
- Available all 3.5V Li-ion battery handle

473E0010

3.5V LED Nasal Illuminators, without handle



Bivalve Nasal Speculum

- LED provides light output
- · Fiberoptics for optimal beaming and transmission of the light
- · Adjustable speculum facilitates removal of foreign bodies Autoclavable for complete
- Available all 3.5V Li-ion battery handle

474E0010

3.5V LED Bivalve Nasal Speculum, without handle



Larynx / Nasopharynx Illuminator

- LED provides light output
- Fiberoptics for optimal beaming and transmission of the light
- Wide-angle rotatable mirror with pilot aperture
- Illuminators withstand sterlization with steam, water, gas or solutions
- Available all 3.5V Li-ion battery handle

3.5V LED Larynx / Nasopharynx Illuminators, without handle









The LED Pocket FO Otoscope

- High quality LED
- 3x swivelling viewing window
- · Fibre optic light transmission
- Clear unobstructed vision
- Precise screw thread handle fitting

The LED Pocket ENT Otoscope

- High quality LED
- 3x swivelling viewing window
- Fibre optic light transmission
- Clear unobstructed vision
- · Precise screw thread handle fitting

The Professional, Durable, High Quality **LED Pocket Otoscope Range**

- Choice of AA or Lithium-Ion rechargeable handles with precise on/off switch
- High quality LED for accurate colour rendering and easier diagnosis
- 20,000 hour plus LED lifetime unlimited use with no blown bulb downtime
- Long battery life; AA cells circa. 60 hours, Lithium rechargeable circa. 5 hours
- 1 year product warranty







LED Pocket Otoscope in zip case

· AA battery handle with on/off switch

460E7810LED Pocket Otoscope in Zip Case

LED Pocket Otoscope in zip case

- AA Lithium battery handle with on/off switch
- Single port desk charger



460E8810

LED Pocket Otoscope in Zip Case







483-0006 Tip Dispenser Standard

485-0086 Thermometer





The Professional, Durable, High Quality, E.N.T. Otoscope. Ideal for use with instrumentation. Swivelling 3x magnifying lens. Open design superb for instrumentation and ear lavage.

LED Pocket E.N.T. Otoscope in zip case

• AA battery handle with on/off switch

478E7810

LED Pocket E.N.T Otoscope in Zip Case

LED Pocket E.N.T. Otoscope Wall Unit

- Single handle wall unit
- Mains transformer and C cell capability

483E1015 LED Pocket E.N.T Otoscope Wall

LED Pocket E.N.T. Otoscope Rechargeable

- Lithium-Ion battery handle with on/off switch
- · Single port charger



478E8810

LED Pocket E.N.T Otoscope Lithium Rechargeble



· Excellent for tympanic reflex testing

· Protected fibre optic bundle

461E0010 Head only

- Adjustable focal distance
- Excellent for tympanic reflex testing
- Smart phone compatible

468E0010 Head only

- 3x swivel high quality lens • Protected fibre optic bundle
- Excellent for tympanic reflex testing

479E0010 Head only





The LED Operating Otoscope

- · High quality LED
- 3x swivel high quality lens
- Protected fibre optic bundle

quality magnifying lenses 1 year product warranty

· Open design ideal for instrumentation

A range of Standard size Otoscopes to suit all disciplines from

General Practice to specialised E.N.T. appraisal • Wide choice of power options from C cell, USB handles, Desk charging handles and wall mounted options • High quality LED provides excellent colour characteristics • Superb visualisation with fibre optic light transmission and high

462E0010 Head only

LED ENT Otoscope

- High quality LED
- 3x swivel high quality lens
- Protected fibre optic bundle
- · Open design ideal for instrumentation

471E0080 Head only

Fibre Optic Otoscope

- 3x magnification, high quality lens swivels for easier instrumentation
- Insufflation port for tympanic motility testing
- Wide angle body for easier viewing

3.5V fiber optic LED Otoscope with C Cell Handle

461E6810

3.5V fiber optic LED Otoscope with C Cell Handle



3.5V fiber optic LED Otoscope with Lithium USB Handle



461E4810
3.5V fiber optic LED Otoscope with Lithium USB Handle



- Dual charging mode of USB and cradle charging
- Single port desk charger






3.5V fiber optic LED Otoscope with Lithium Handle

- Dual charging mode of USB and cradle charging
- Single port desk charger

461E1810

3.5V fiber optic LED Otoscope with 489 Lithium Handle





Diagnostics and Medical Equipment - LED Otoscopes Wall Unit





483-0006 Tip Dispenser Standard

485-0086 Thermometer

24

Fibre Optic Otoscope

- 3x magnification, high quality lens swivels for easier instrumentation
- Insufflation port for tympanic motility testing
- Wide angle body for easier viewing

3.5V fiber optic LED Otoscope with C Cell Handle

479E6810

3.5V fiber optic LED Otoscope with C Cell Handle





3.5V fiber optic LED Otoscope with Lithium USB Handle



479E4810

3.5V fiber optic LED Otoscope with Lithium USB Handle

3.5V fiber optic LED Otoscope with 490 Lithium Handle

- Dual charging mode of USB and cradle charging
- Single port desk charger

479E5110

LED Otoscope with 490 Lithium Handle







Metal head

Wall Mounted Otoscope

• 12ft spiral cord handles

of 100 hours operation)

trolley units

3.5V fiber optic Wall Mounted Otoscope







483-0006 Tip Dispenser Standard 485-0086 Thermometer

3.5V fiber optic Trolley Mounted Otoscope

- With mobile trolley mount
- Unique single handled wall mounted units and trolley units
- 12ft spiral cord handles
- Integral handle lock for instrument security
- Robust mobile trolley for maximum portability
- Mains power for unlimited usage time or convenient 3 x C cell power providing in excess of 100 hours operation per set of batteries



483E1301 3.5V fiber optic Trolley Mounted Otoscope

- Solid one piece polished aluminium stand with hospital grade 80mm castors
- Can be run over uneven surfaces without binding
- One piece construction avoids castor legs becoming loose and falling off



3.5V fiber optic Trolley Mounted Otoscope, Metal head

Choice of tip dispensers and other accessories



483-0006 Tip Dispenser Standard



485-0086 Thermometer

LED VarioScope Otoscope

468E6810

Varioscope with C Cell Battery Handle



LED VarioScope Otoscope with USB

Rechargeable Handle

Diagnostics and Medical Equipment - LED VarioScope Otoscope



468E4810

Vario scope with USB Rechargeable Handle



468E5810 Vario scope with 490 Handle



468E1810 Vario scope with 489 Lithium Handle



- 12ft spiral cord handle
- Auto On/Off
- Out of Cradle auto off after 5 minutes
- C Cell and mains power

483E1316

Varioscope Single Handle Wall Power Unit










485-0086 Thermometer



Diagnostics and Medical Equipment - LED VarioScope Trolley Mounted

• Can be run over uneven surfaces without binding

VarioScope Mobile Power Unit

- One piece construction avoids castor legs becoming loose and falling off
- 12ft spiral cord handle
- Auto On/Off
- Out of Cradle auto off after 5 minutes
- · C Cell and mains power

483E140

Varioscope Single Handle Mobile Power Unit



Choice of tip dispensers and other accessories



483-0006 Tip Dispenser Standard



485-0086 Thermometer **((3x)**

LED Operating Otoscope with C Cell Handle

Open design for easier instrument access. Swivelling

lens for easier instrumentation 3.0x magnification for

Zuamx Operating Otoscope with C Cell Handle

enhanced viewing 2.0,3.0,4.0, 5.0 and 9.0mm tips

reusable and disposable formats.

· C cell battery handle. Set of reusable tips

Zip case

462E6810



Open ENT Otoscope

The Professional, Durable, High Quality, E.N.T. Otoscope. Ideal for use with instrumentation. Swivelling 3x magnifying lens. Open design is superb for instrumentation and ear lavage. Robust construction.

Open ENT Otoscope with USB Rechargeable handle

- 490 Lithium-Ion USB rechargeable handle
- Can be charged by USB cable or desk charger
- disposable tips
- Zip case





478E4810

Zuamx Open E.N.T Otoscope with USB Handle



Open ENT Otoscope with C Cell Handle

- C cell battery handle
- disposable tips
- Zip case

478E6810 Zuamx Open E.N.T Otoscope with C Cell Handle



Open ENT Otoscope with 490 handle

- 490 Lithium-Ion rechargeable handle
- Dual charging mode of USB and cradle charging
- Single port desk charger
- disposable tips
- Zip case

478E5810

Zuamx Open E.N.T Otoscope with 490 Handle

Open ENT Otoscope with Plastic Lithium handle

- 489 Plastic Lithium-Ion rechargeable handle
- Dual charging mode of USB and cradle charging
- Desk charger
- disposable tips
- Zip case

Tip Dispenser Deluxe with lid and instrument storage space

LED Operating Otoscope with 490 Handle Lithium-Ion handle • Dual charging mode of USB and cradle charging · Single port desk charger

- Set of reusable tips
- Zip case

462E5810

Zuamx Operating Otoscope with 490 Handle









Open E.N.T. Wall Mounted Otoscope

- 12ft spiral cord handle
- Auto On/Off
- Out of Cradle auto off after 5 minutes
- C Cell and mains power

483E1115

34

Zuamx Open E.N.T Otoscope Single Handle Wall Power Unit

Choice of tip dispensers and other accessories





483-0006Tip Dispenser Standard

485-0086 Thermometer











485-0086 Thermometer







The Professional, Durable, High Quality LED Pocket Ophthalmoscope Range

- •Choice of AA or Lithium-lon rechargeable handles with precise on/off switch
- •High quality LED for accurate colour rendering and easier diagnosis
- •20,000 hour plus LED lifetime unlimited use with no blown bulb downtime
- •19 Lens range from -20d to +20d
- •5 apertures, large spot, small spot, graticule with fixation ring, slit, red free
- •Optional Cobalt Blue filter in lieu of Red Free filter
- Dust proofed optics
- Rubber brow rest
- •Long battery life; AA cells circa. 60 hours, Lithium rechargeable circa. 5 hours
- •1 year product warranty

Lens range

- 20 15 10 8 6 1-4 2 1-4 6 8 10 15 20 +





- AA battery handle
- Zip case

405E7850

Zuamx LED Pocket Ophthalmoscope with Zip Case



- · Lithium-Ion battery handle
- · Single port desk charger
- Zipper case

405E8850

Zuamx LED Pocket Ophthalmoscope with Lithium-Ion Handle



Zuamx LED 3.5V Coaxial Standard Ophthalmoscope





The Professional, Durable, High Quality Ophthalmoscope Range

- Choice of C Cell, Lithium-lon rechargeable handles with
- High quality LED for accurate colour rendering and easier
- 20,000 hour plus LED lifetime unlimited use with no blown bulb downtime
- 28 lens range from -25D to +40D. (-10 to +10 in single dioptre steps)
- 6 apertures; large spot, medium spot, small spot, graticule with fixation ring, slit, cobalt blue
- 3 filters; Red free, Clear, Polarised light sensitive
- Dust proofed optics
- Rubber brow rest
- Long battery life; Lithium-Ion rechargeable circa 20 hours
- 1 year product warranty

Lens range





Apertures



With contrast filter

With polarisation filter



Diagnostics and Medical Equipment - LED Ophthalmoscopes

Zuamx LED 3.5V Coaxial Ophthalmoscope with C Cell Handle



Zuamx LED 3.5V Coaxial Ophthalmoscope with **USB Lithium-Ion Handle**



- · C Cell battery handle
- Zip case

410E6810

Zuamx LED 3.5V Coaxial Ophthalmoscope with C Cell Handler

- USB Lithium-Ion battery handle
- Zip case

410E4810

Zuamx LED 3.5V Coaxial Ophthalmoscope with USB Lithium-Ion Handle

Zuamx LED 3.5V Coaxial Ophthalmoscope with 490 Lithium-Ion Handle



- Desk charger490 Lithium-Ion battery handle
- Dual charging mode of USB and cradle charging
- Single port desk charger
- Zip case



Zuamx LED 3.5V Coaxial Ophthalmoscope with 490 Lithium-Ion Handle

LED Standard Ophthalmoscope with 489 Lithium-Ion Handle



- Desk charger Plastic Lithium-Ion battery handle
- · Dual charging mode of USB and cradle charging
- Single port desk charger
- Zip case

410E1812

Zuamx LED 3.5V Coaxial Ophthalmoscope with 489 Lithium-Ion Handle

41

Diagnostics and Medical Equipment - Ophthalmoscope Trolley Mounted

Lens range - 25 20 15 12 1-10 2 1-10 12 15 20 25 40 +



483E1312

Apertures



With contrast filter



With polarisation filter



43

Pocket Handles with Screw Cap End







• Takes 2 xAA batteries (not included)

460-0520

Pocket Handle with Screw Cap End

406-0050

End Cap for Pocket Handle

Pocket Handles with Lithium-Ion Cell

• Lithium-Ion cell

405-0570

Pocket Handle with Lithium-Ion Cell

406-0910

Lithiun-Ion Cell



Pocket Handle Single Port Desk Charger



Diagnostics and Medical Equipment - Handles and Power Sources

407-1000 Single Port Desk Charger for Pocket Handles With Mains Transformer

Pocket Handle Twin Port Desk Charger

408-1000

Twin Port Desk Charger for pocket handles with Mains Transformer





483E0201 Single Handle Wall Unit for Pocket Head with Mains Transformer and C Cell Power (screw thread)



483E0200

Twin Handle Wall Unit for Pocket Head with Mains Transformer and C Cell Power (screw thread)

490 C Cell Handle and Spares

489 Lithium-Ion Handle —Black



490 C Cell Handle with Twist Lock Connector

Power Amplifier (sits inside top of handle)



• SEALED UNIT.

· Black body colour

489-0014

489 Lithium USB and Cradle Dual Mode Charging Handle with Twist Lock Connector



490 Lithium-Ion Handle and Spares

122 Power Adapter

Switch mode, input 100-240V, output 12V 1.25A

980-1220 122 Power adapter for CN,12V 1.25mA

980-1225 122 Power adapter for EU,12V 1.25A

980-1226 122 Power adapter for GB,12V 1.25A

980-1229 122 Power adapter for AU, 12V 1.25A

980-1228 122 Power adapter for INDIA, 12V 1.25A

980-1222 122 Power adapter for US, JP 12V 1.25A



490 USB and Cradle Dual Mode Charging Handle with Twist Lock Connector, with Lithium Cell

USB Base Cap with USB Inlet and Desk Inlet

490-0980

Lithium-Ion Cell for USB and Desk Handles







052 Power Adapter

Switch mode, input 100-240V, output 5V 2A

980-0520 052Power adapter for CN,5V 2A

980-0526 052 Power adapter for GB, 5V 2A

980-0528 _{052 Power adapter for INDIA. 5V 2A}

489/490 Handle Single Port Desk Charger



Diagnostics and Medical Equipment - Handles and Power Sources

487-1020

Single Port Desk Charger for 489/490 Lithium Handles with Mains Transformer

489/490 Handle Twin Port Desk Charger

488-1020

Twin Port Desk Charger for 489/490 Lithium Handles with Mains Transformer







980-0522 052 Power adapter for US, JP 5V 2A

980-0525 052 Power adapter for EU, 5V 2A

980-0529 052 Power adapter for AU, 5V 2A

483E0301

Single Handle Wall Unit for Twist Lock Heads with Mains Transformer and C Cell Power

483E0300

Twin Handle Wall Unit for Twist Lock Heads with Mains Transformer and C Cell Power

Reusable Ear-specula Specula

2.5V otoscope tips are available in 4 diameter sizes, 2.5mm, 3.0mm,4.0mm and a unique 5.0mm end diameter. 3.5V otoscope tips are available in either 2.7mm or 4.2mm end diameter. All size tips are manufactured to the highest quality and are excellent value for money. Various pack sizes are available please ask for details.



460-0070	Reusable Ear-Specula, 2.5mm and 4.0mm, 5 for each
460-0074	Reusable Ear-Specula. Pack of 200 pcs, 2.5mm dia. 200 pcs./pack
460-0075	Reusable Ear-Specula. Pack of 200 pcs, 3.0mm dia. 200 pcs./pack
460-0076	Reusable Ear-Specula. Pack of 200 pcs, 4.0mm dia. 200 pcs./pack
460-0077	Reusable Ear-Specula. Pack of 200 pcs, 5.0mm dia. 200 pcs./pack





Reusable Ear-specula for 3.5V Operating Otoscope

- •Reusable tips, autoclavable at up to 134°C, 10 mins.
- •Made of high-density Polypropylene with smooth internal finish.
- •Positive locking design. Firm fit to the otoscope head.
- •Compatible with 3.5V Operating Otoscope only.

462-0062	Resuable Ear-specula, 2mm,1 pcs
462-0063	Resuable Ear-specula, 3mm,1 pcs
462-0064	Resuable Ear-specula, 4mm,1 pcs
462-0065	Resuable Ear-specula, 5mm,1 pcs
462-0069	Resuable Ear-specula, 9mm,1 pcs
462-0078	Resuable Ear-specula Set (2,3,4,5,9mm, 1 of each)

Reusable Ear-specula

- •Reusable tips, autoclavable at up to 134°C, 10 mins.
- •Made of high-density Polypropylene with smooth internal finish.
- •Positive locking design. Firm fit to the otoscope head.
- •Compatible with 3.5V Fiber Otoscope only.

461-0075 Pack of 200 pcs, 2.7mm dia. 200 pcs./pack **461-0077** Pack of 200 pcs, 4.2mm dia. 200 pcs./pack



Why choose LED? Superior illumination

Diagnostics and Medical Equipment - Replacement Bulbs

- Longer battery life
- Cost-effective





Order-code	Related Products	Item Name
460-0950	OT8C Fiber Optic Otoscope	T4958 2.5V Halgoen bulb
405-0950	DM6C Direct Ophthalmoscope	P2010 2.5V Halogen bulb
460E0970	DM6C-LED Direct Ophthalmoscope	L4952 2.5V LED bulb
	OT8C-LED Fiber Optic Otoscope	
	2.5V-LED Tongue-Blade Holder for disposable tongue-blades	
	2.5V-LED Mini Illuminator with integrated tongue-blade holder	
	2.5V-LED Mini Multi-purpose Illuminator	
	2.5V-LED Slit Illumination Head	
461-0910	3.5V Fiber Optic Otoscope	T3100 3.5V Halogen bulb
	3.5V Operating Otoscope	
	3.5V Multi-purpose Illuminator	
	3.5V Fiber-Optic Illuminator	
	3.5V Nasal Illuminator	
	3.5V Bivalve Nasal Speculum	
	3.5V Larynx / Nasopharynx Illuminator	
	3.5V Illuminator with integrated tongue-blade holder	
461E0910	3.5V Fiber Optic Otoscope	T3100-LED 3.5V LED bulb
	3.5V Operating Otoscope	
	3.5V Multi-purpose Illuminator	
	3.5V Fiber-Optic Illuminator	
	3.5V Nasal Illuminator	
	3.5V Bivalve Nasal Speculum	
	3.5V Larynx / Nasopharynx Illuminator	
	3.5V Illuminator with integrated tongue-blade holder	
	3.5V Slit Illumination Head and accessories	
410-0910	3.5V Coaxial Ophthalmoscope	P4900 3.5V Halogen bulb
	3.5V PRO Coaxial Ophthalmoscope	
410E0910	3.5V Coaxial Ophthalmoscope	P4900-LED 3.5V LED bull
	3.5V PRO Coaxial Ophthalmoscope	
418-0910	3.5V Streak Retinoscope	R4180 3.5V Halogen bulb
418E0910	3.5V Streak Retinoscope	R4180-LED 3.5V LED bulb
471-0910	3.5V Tongue-Blade Holder for wooden tongue-blades	T3112 3.5V Halogen bulb

All Zuamx ophthalmic equipment is manufactured to exacting standards to ensure first class optical performance.

Ophthalmic Instrument Heads

3.5v Coaxial Professional Ophthalmoscope

- Specialist Ophthalmoscope head for optometry/ophthalmology
- Double sealed against dust ingress
- High quality LED illumination
- Superior miniaturised optics facilitates entry in to even very small diameter pupils
- Polarising filter practically eliminates corneal reflex and can be used on all apertures
- 68 lenses from -30 to +38 in single steps
- Independently selectable red free filter for use on all apertures provides increased contrast
- 18 filter/ aperture combinations for increased diagnostic capabilities
- · Cobalt blue filter to help detect corneal abrasions
- · Selectable apertures micro spot, small spot, large spot, fixation star, slit, cobalt blue, red free on all apertures
- Cross polarising filter for light sensitive patients
- Battery life: C cell 125 hours continuous use, rechargeable Lithium Ion - 2 hours continuous use from full charge



Lens range -30 to +38 full range in single diopter steps









With polarisation filter

411E0010

3.5v LED Pro Opthalmoscope Head

Zuamx Streak Retinoscope Head

- · High quality LED illumination
- Large viewing window provides the clearest view
- Multi-coated optics
- · Single thumb control
- Durable, metal optics housing and controls
- Extended brow rest (for spectacle wearers)
- Magnetic dynamic Retinoscopy cards (included)



Set of 4 Magnetic fixation cards are supplied as standard



418E0012

Streak Retinoscope Head

Ophthalmic Instruments - Specialist Ophthalmic Sets

Specialist Ophthalmic Set with Battery Handles

Includes:

- · LED Streak Retinoscope
- 3.5v LED Pro Ophthalmoscope
- 2 x C-Size Battery Handles
- Zip Case



469E6350

Ophthalmic Set - Battery Handle

Specialist Ophthalmic Set with USB Rechargeble Handles



3.5v LED Pro Ophthalmic Set with 490 Lithium Ion Rechargeable Handles and Twin Port Charger

Includes:

- 3.5v LED Pro Ophthalmoscopes
- · LED Streak Retinoscope
- 2 490 Lithium Rechargeable Handles
- Dual charging mode of USB and cradle charging
- Twin Port Charger
- Zip Case

Ophthalmic Set with 2 x 490 metal Lithium Ion Rechargeable Handles, Twin Port Charger

Includes:

- LED Streak Retinoscope
- 3.5v LED Pro Ophthalmoscope
- 2 x 490 USB Rechargeable Handles
- Zip Case

469E4350

Ophthalmic Set - 490 USB Lithium Ion rechargeable battery handle



51

469E1352

Ophthalmic Set with 2x489 Lithium Ion Rechargeable Handles, Twin Port Charger

3.5V LED Pro Ophthalmoscope and Retinoscope Wall Sets

Twin Bay Wall Station includes:

- Mains wall unit with 2 x corded handles with lockable collars
- 12ft/ 3.65metre cable
- LED PRO Ophthalmoscope and Streak retinoscope heads
- Can be powered by 3 x C-Cell batteries or mains transformer

483E1380

Wall mounted Ophthalmic Set with twin Handles

Mobile trolley mount for Wall Unit with mounting plate



Includes:

- 3.5V LED Pro Ophthalmoscopes
- LED Streak Retinoscope
- 2x489 Lithium Rechargeable Handles
- Dual charging mode of USB and cradle charging
- Twin Port Charger
- Zip Case



Available in C-Cell Battery or USB Rechargeable Portable Sets

411E5810

3.5V LED Pro LED Ophthalmoscope Set. 490 Lithium rechargeable Handle Dual charging mode of USB and cradle charging Single Port Charger



411E1810

3.5V LED Pro LED Ophthalmoscope Set. 489 Lithium rechargeable Handle Dual charging mode of USB and cradle charging Single Port Charger

3.5V LED Pro Ophthalmoscope Sets

Choice of:

- 2 x C Cell 490 battery handle or
- USB rechargeable Adapt battery handle
- Lithium rechargeable handles
- · Mains/Battery Wall Unit

411E6810

3.5V LED Pro LED Ophthalmoscope Set with 490 C cell Battery Handle

411E4810

3.5V LED Pro LED Ophthalmoscope Set with Rechargeable USB Handle



483E1510

3.5V LED Pro Wall Mounted Single LED Ophthalmoscope Set

483-0009

Mobile Trolley Mount with mounting plate

Dual charging mode of USB and cradle charging

Single Port Charger

Zuamx Streak Retinoscope Sets





418E1812

Streak Retinoscope with 489 Lithium Ion Handle. Dual charging mode of USB and cradle charging Single Port Charger





Single wall unit includes:

- · Mains powered wall unit with corded handle and lockable collar
- 12ft/ 3.65metre cable
- Streak Retinoscope head

483E1521

Wall mounted Streak Retinoscope with Corded Handle

483-0009

Mobile Trolley Mount with mounting plate



4.2mm, 35 pcs of each), • Sphygmomanometer,


• Specula dispenser, Ear-specular (2.7mm and

• Therometer,

485E1050

Wall Mount Diagnostic System





- 3.5V LED Coaxial Ophthalmoscope,
- 3.5V LED Fiber Otoscope,
- 485 Wall Mount Transformer with handles,
- Specula dispenser, Ear-specular (2.7mm and 4.2mm, 35 pcs of each),
- Sphygmomanometer.

485E1060

Wall Mount Diagnostic System

DW1100 Ophthalmic Diagnostic Wall Unit

3.5V LED Coaxial Ophthalmoscope

Diagnostics and Medical Equipment

3.5V LED Streak Retinoscope 485 Wall Mount Transformer with 485 wall extension unit

485E1102

Wall Mount Ophthalmic Diagnostic System





Dw1000 Diagnostic Wall Unit

- 3.5V Coaxial Ophthalmoscope
- 3.5V Fiber Otoscope
- Specula Dispenser
- 485 Wall Mount Transformer with 485 wall extension unit
- Ear-specular (2.7mm) with 200pcs
- Ear-specular (4.2mm) with 200pcs

485E1000

Wall Mount Diagnostic System

In discussion with leading Ophthalmic institutions, it was clear there was a need for a Binocular Indirect Ophthalmoscope that provided great ophthalmic imaging, whilst being quick, simple and easy to use. BM800 BIO has been designed to meet that need.

401E1000 Simple PD adjustment Indirect binocular ophthalmoscope with cordless Simple headband adjustment rechargeable battery with 20D lens Simple illumination controls And when you've done, slip in to the dock and it simply recharges!

With the ready availability of advanced imaging systems such as Fundus Cameras, Slit lamps and Retinal Screeners, the role of the BIO has changed. Advanced features are not always required and speed and simplicity is now a greater priority for practitioners.

It may be simple to use, but the BM800 has first-class optics, with a Hign Quality LED Illumination providing just the right amount of light, with excellent colour-rendering characteristics. The retina is seen clearly and in natural state - allowing lesions, structural details and indicative changes to be viewed quickly and accurately. The expert knowledge gained in the manufacture of our Microscopes has been fully utilised in the design and manufacture of the all-new BM800 BIO.

- Lightweight, comfortable headband with rotary crown and nape adjustment
- · Lithium-Ion rechargeable battery system, head mounted for convenience and balance and including class-leading performance
- Hign Quality LED illumination reliable light source providing the best image possible
- Cost-effective blown-bulbs are a thing of the past and running costs are reduced
- · Rotary dial aperture adjustment; large spot / medium spot / large polarized / medium polarized / green (red-free) / cobalt blue
- Sliding PD adjustment
- Illumination beam adjustment +/- 15°, left or right handed
- Headband mounted brightness control
- Dust-proof, multi-coated optics
- Includes wall mounted charger, training mirror and 20D lens optional

BM800 LED Binocular Indirect Ophthalmoscope

BM800 Binocular Indirect Ophthalmoscope is a comfortable, reliable and technically superior ophthalmoscope, combining first-class optics, a comfortable lightweight headset and ease of view.

Ophthalmic Instruments - Binocular Indirect Ophthalmoscope



- lens inserts supplied
- Filters Cobalt blue, Yellow, Green, Clear, EasyView
- · Apertures Large, Medium, Small, Diffuse
- Convergence Viewing and Illumination synchronised from dilated to non dilated pupil with no presets
- Independent Beam adjustment Left and right handed +/-15 degree
- Teaching mirror Supplied as standard
- TrueTone LED Approximately 20,000 hours working life
- Rheostat head band mounted
- Battery pack lithium ion with choice of rear or over band mounting
- Charging Dock Wall/Desk mounted, takes 2 battery packs
- · Individually adjustable rear and over band
- · Detachable comfort pads, washable
- Flip up optics
- 540gTotal weight including lithium ion cell

Bm800 Cordless Indirect Ophthalmoscope without 20D Lens

5 Filters; easy to select and work on all apertures

For normal viewing just select EasyView for brilliant stereoscopic images of the fundus.

- 1 Cobalt Blue for fluorescein examinations
- 2 Yellow for light sensitive patients
- 3 Green for red free differentiation of vessels
- 4 Clear for normal examinations
- 5 EasyView for the easiest view down to pupils of 1 mm. Excellent contrast with minimal glare and reflections

4 Easy to select apertures

- 1 Large spot, for the largest possible view of the fundus with fully dilated pupils
- 2 Medium spot, for children and light sensitive patients
- 3 Small spot, for non dilated pupils
- 4 Diffuser





 \bigcirc

MED

SL200 Hand-Held Slit Lamp

The SL200 is a lightweight, portable slit-lamp, designed to provide optimal flexibility in all examination conditions. Ergonomically designed to put all controls at the users fingertips and with a wide choice of settings included - SL200 achieves a perfect view of the patient whilst being comfortable and easy to use for the practitioner.

Illumination is provided by the High quality LED source, with adjustable brightness to suit all patients and ambient conditions. With excellent colour-rendering properties, High quality LED gives a true-to-life image, to make your diagnosis as easy and accurate as possible. Power is provided by a Lithium rechargeable battery, situated in the handle of the instrument and charged by placing the SL200 in the dedicated desk charger. The charger stand is compact, convenient to use and even has a slot to charge a second battery should you wish!



438-1000 SL200 Hand-Held Slit Lamp

Technical Specifications

Optics Binoculars converging at 13D

Magnification Choice of 10x or 16x via selection lever

10x working distance Approx 90mm 16x working distance Approx 72mm Field of view 10x Approx 14mm Field of view 16x Approx 11mm 50mm to 78mm PD Range +/- 7 dioptres Ocular adjustment

Size 163mm x 124mm x 205mm Slit Lamp

215mm x 135mm x 30mm Docking station Weight

880 grams Slit Lamp

290 grams Docking Station

Apertures Slits - 0.15/0.5/0.8/1.6mm. Circle 12mm dia. 1mm square Filters Green (red free)/Cobalt Blue/Neutral density 0.8/Clear


Illumination control Continuously variable from 1000 lux (min) to 40,000 lux (max)


Power Supply 12v/2A



Identification of components and controls - SL200

Ophthalmic Instruments - Slit Lamp





Compact D-Scope

Complete with XY contact plate, USB charging cable and zip case

- USB Lithium-lon rechargeable. 5 hours continuous illumination at full power setting. 3 hours charge time
- 4 high performance LED's
- •>50,000lux homogeneous light field
- 4 illumination levels
- Immersion, Polarisation and Non Contact Modes
- Smart phone controlled by Dscope for easier imaging
- Comprehensive choice of contact plates available disposable, XY, X, inaccessible lesion all with magnetic closure
- Magnetic pick up enables the contact plates to be easily located on to the Compact dermatoscope
- Easy iPhone and Smart phone connection such as Samsung and Phone
- Less than half the weight of conventional Dermatoscopes at 180g
- Microscope grade optics, fully coated to minimise chromatic aberration. 23mm diameter objective lens
- Smart and durable belt case
- 1 year physical product warranty








Compact D-Scope Outer Focus Ring -

Slide lever to switch between polarisation and immersion settings

LED power and charging indicators



On/off plus LED brightness control

Bluetooth camera operation

Magnetic contact plate connection



597-0820



597-0830



597-0010

Compact D-Scope

597-0810

Magnetic Contact Plate with X axis only

597-0820

Magnetic Contact Plate with XY axis

597-0830

Magnetic Contact Plate for Inaccessible lesion

597-0880

Desk Mounted

Smartphone Connectors

Connects to your D-Scope simply Quick, easy emailing and storing of images

iPhone Connectors

597-0850

8

0

Connector for cell phone adapter 13X1

597-0851

Connector for cell phone adapter 17X1

597-0858

Connector for general cell phone adapter



Introducing a new standard in LED **Dermoscopy - DS200 Dermatoscope**

The DS200 Dermatoscope takes dermatology to a new level. Packed with features and benefits that have been requested by top specialists in the Dermatology field. Fantastic performance combined with superbly competitive pricing makes the dermatoscope the all round best proposition when considering new equipment.

- Powered by 8 high performance High quality LEDs for superb
- Provides an excellent screening tool for early detection of malignant melanomas
- First class optics ensure excellent edge to edge magnification free from spherical and chromatic aberration
- Record and document findings with the excellent operating microscope derived optics ensuring first class images using either a simple compact camera adaptor, SLR adaptor or Smart phone camera adaptor



Initial examination is easily accomplished using the Polarisation setting. If more detailed examination is required simply rotate contact plate to select immersion setting and apply the chosen contact medium, no need to change contact plates

Small Lesion Contact Plate

• If the lesion is difficult to access simply remove contact plate and fit the extended small lesion plate, access can now be made between fingers and toes and other hard to reach areas

Unique to DS200 Dermatoscope - Worlds first single use contact plate system

- Simple and effective solution to minimise cross infection - if accessing personal areas such as the genitals and anal region fit the disposable contact plate holder and clip on the disposable contact plate. When finished simply flick the disposable contact plate into a suitable clinical waste receptacle
- Disposable contact plate system can be used with either polarised light or for contact dermatoscopy

X/Y Measuring Graticule

- In addition to standard clear and straight measuring graticule plates, DS200 Dermatoscope can be used with the unique X/Y Graticule Pate
- X/Y graticule provides unique referencing points for training and peer to peer discussion



598-0010 DS200 Dermatoscope Head only

DS200 Dermatoscope Sets

All DS200 Dermatoscope Sets include:

Diagnostics and Medical Equipment - Dermatology

- · DS200 Dermatoscope with immersion/ polarisation option
- · Contact plate with X/Y graticule
- single use contact plate system
- Zip storage case
- Choice of power supply



598-5810

DS200 Dermatoscope set with combi immersion and polarisation plate with X/Y measuring graticule, 490 Lithium Ion rechargeable handle and Single Port Desk Charger



598-4110

DS200 Dermatosco e set with combi immersion and polarisation plate with X/Y measuring graticule with USB Lithium Ion rechargeable handle

598-1810

DS200 Dermatoscope with combi immersion and polarisation plate with X/Y measuring graticule. 489 Dual charging mode of USB and cradle charging handle Single Port Charger

Diagnostics and Medical Equipment - **Dermatology**

598-0810

598-0850

DS200 Dermatoscope Camera Adaptors

Diagnostics and Medical Equipment - **Dermatology**

• Range of camera adaptors to fix to the dermatoscope for recording images and records







589-0114

Compact camera

589-0110

Canon SLR

589-0112

Nikon



DS200 Dermatoscope Mobile Phone Adaptors

- Range of smartphone adaptors to fix to the dermatoscopes for recording images and records
- Non damaging, simple method of connecting the phone to the dermatoscope
- Excellent stability and imaging

598-0118

598-0119

cell phone adapter 13X1
cell phone adapter 17X1



Canon SLR

598-0820

598-0830

598-0840

598-0071

Simple measuring graticule plate with Immersion and

Polarisation Modes

598-0072

X/Y graticule plate with Immersion and Polarisation Modes

598-0075

Inaccessible lesion plate. 8mm diameter. Immersion mode only

598-0078

Single patient plate holder with Immersion and Polarisation modes - not to be discarded

598-0079

Pack of 10 Single patient use contact plates



64

EL702

Innovative 3W and 10W LED exam light with High Quality LED

- Contactless on off switch conveniently mounted on front transformer panel
- 125cm flexible shaft with high quality armoured coil lets you adjust the light into the ideal position with no drifting during use
- The high quality armoured flexible shaft rotates 270 degrees avoiding unnecessary stress on the lower joints
- Convenient, head mounted rotary focussing control
- 3W/10W High Quality LEDs provide excellent colour rendering and stays cool even after extended examinations
- Mains operation provides unlimited use time
- Optional Lithium rechargeable power supply available, allows 100% mobility with no trailing wires
- Wide range of mounting options

Specification

LED: High Quality LED with integral cooling

Arm reach: 125ci

Mountings: Wall, Universal clamp and mobile trolley

Focussing: At 30cm - 3 to 15cm

At 50cm 4 to 22cm diameters

Illumination: 10% to 100%

Brightness: 3W max. approx 40,000lux at 30cm

10W max. approx 57,500lux at 30cm

On/Off: Contactless, front mounted LED Life: over 50,000 hours life

Guarantee: 1 years







MainsDescriptionMains/RechargeableEL701701E5000With universal wheeled stand701E5050701E2000With universal clamp701E2050701E3000With wall mounting bracket

EL702			
702E5000	With universal wheeled stand	702E5050	
702E2000	With universal clamp	702E2050	
702E3000	With wall mounting bracket		

Universal Trolley/Desk Mount Wall Mount Trolley Mount Bracket

Introducing a new standard in LED Veterinary Diagnostic Equipment

ARK-REACH have developed a unique range of diagnostic equipment designed to aid and simplify the examination of exotics, companion animals and larger species

The ARK-REACH LED DIAGNOSTIC RANGE takes Veterinary Diagnostic Instruments to a new level. We spoke to veterinary practices at length to understand exactly what they wanted - and the VISION-Vet range has been designed and manufactured with all the features and benefits that Vets have long been demanding, providing superb diagnostics and competitive pricing throughout.

- Powered by High Quality LED modules for supeb quality and long life illumination
- First class optics guarantee excellent visualisation
- High quality construction for long life and durability
- Wide choice of power supplies from AA to C cell; from Lithium USB to Lithium desk charger; from mains wall to C wall
- •Top quality materials such as High Quality LED, Lithium Ion cells
- •Innovative modern features include Auto On/Off function and compatibility with other traditional manufacturers
- *Lowest cost of ownership; virtually maintenance free with no replacement bulb costs, quick charge times and long working durations
- •Multi Voltage instruments switch from C cell power to rechargeable to wall units without the need to change bulbs
 •No replacement bulbs required!

•Compatibility with existing makes protects your investment in previous equipment and is ideal for mixed equipment practices



66

69



- Our most popular and widely used veterinary diagnostic set
- Supplied with 2 x 490 lithium ion rechargeable handles and twin port desk charger

Contents:

- LED Veterinary Slit Otoscope with 3x swivelling magnification
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x metal tips; 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 2 x 490 Lithium ion handles and desk charger with unique Auto On/Auto Off facility that automatically switches handle off when located in charger and switches
- · Dual charging mode of USB and cradle charging
- Zipper case

468E5704

Standard Veterinary Diagnostic Set with

2 x 490 lithium handles and twin port charger

Standard Veterinary Diagnostic Set with 1 x 490 lithium handle and single port charger

- · LED Veterinary Slit Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 1x 490 Lithium Ion rechargeable dual charging mode of USB and cradle charging handle
- Zipper case

Standard Veterinary Diagnostic Set with 1 x 490 lithium USB handle

- LED Veterinary Slit Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm. 65,0 x 6,0mm, 90,0 x 7,0mm
- USB rechargeable Lithium Ion handle and cable
- Zipper case

468E4720

Standard Veterinary Diagnostic Set with

1 x 490 lithium USB handle

Standard Veterinary Diagnostic Set with 490 C cell handle



- · LED Veterinary Slit Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures.
- 3 x metal tips: each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- · C Cell battery handle.
- Zipper case

468E6720

Standard Veterinary Diagnostic Set with 490 C cell handle

Veterinary Diagnostic Sets - LED Diagnostic Sets

Standard Veterinary Diagnostic Set with 2 x 489 lithium handles and twin port charger

- · LED Veterinary Slit Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 2 x 489 lithium modular dual charging mode of USB and cradle charging
- · Twin port desk charger
- Zipper case



Standard Veterinary Diagnostic Set with 2x 489 lithium handles and twin port charger



Standard Veterinary Diagnostic Set with 1 x 489 lithium handle and single port charger

- · LED Veterinary Slit Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 1 x 489 lithium modular dual charging mode of USB and cradle charging
- · Single port desk charger
- Zipper case

468E1720

Standard Veterinary Diagnostic Set with 1 x 489 lithium handle and single port charger

Standard Veterinary Diagnostic Set - Wall Mounted - Mains and C Cell



- · LED Veterinary Slit Otoscope • LED 3.5V Coaxial veterinary ophthalmoscope with
- cobalt blue filter, light sensitive filter and 5 apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- · Mains and C cell powered wall unit with twin spiral cord handles

Standard Veterinary Diagnostic Set

Wall Mounted - Mains and C cell

• LED Varioscope Veterinary Otoscope

- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures.
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- 1 x 490 Lithium rechargeable dual charging mode of USB and cradle charging handle
- Single port charger

70

• LED VarioScope Veterinary Otoscope with 4.2x swivelling magnification and adjustable focal length • LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter,

Varioscope Veterinary Diagnostic Set with

2 x 490 lithium handles and twin port charger The ideal veterinary diagnostic set for those practitioners who

require higher magnification and variable focal length available with various power handle combination. Irrespective of handle

- light sensitive filter and 5 apertures
- 3 x plastic tips; 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm

each set contains the following items;

- 2x 490 Lithium Ion handles and desk charger with unique Auto On/Auto Off facility that automatically switches handle off when located in charger and switches on when removed
- Dual charging mode of USB and cradle charging



VarioScope Veterinary VarioScope Veterinary Diagnostic Diagnostic Set with 1 x 490 Set with 1 x 490 lithium lithium handle and single port USB handle charger

- LED Varioscope Veterinary Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- Lithium USB rechargeable handle

VarioScope Veterinary Diagnostic Set with 1 x 490 C Cell handle

- LED Varioscope Veterinary Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures.

VET

- 3 x plastic tips: 1 each of 61.0 x 4.0mm. 61.0 x 6.0mm, 61.0 x 9.0mm
- 1 x C Cell battery handle





VarioScope Veterinary Diagnostic Set with 1 x 490 lithium handle and single port charger

465E4700

VarioScope Veterinary Diagnostic Set with 1 x 490 lithium USB handle

465E6700

VarioScope Veterinary Diagnostic Set with 1 x 490 C Cell handle

Varioscope Veterinary Diagnostic Set with 2 x 489-Lithium handle and twin port charger

- LED Varioscope Veterinary Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm,61.0 x 9.0mm
- 2 x 489-Lithium rechargeable dual charging mode of USB and cradle charging handles
- Twin port charger



VarioScope Veterinary Diagnostic Set with 2 x 489-Lithium handles and twin port charger



VarioScope Veterinary Diagnostic Set with 1 x 489-Lithium handle and single port charger

- LED Varioscope Veterinary Otoscope
- LED 3.5V Coaxial veterinary ophthalmoscope with cobalt blue filter, light sensitive filter and 5 apertures
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- 1 x 489-Lithium rechargeable dual charging mode of USB and cradle charging handle
- Single port charger

465E1810

VarioScope Veterinary Diagnostic Set with 1 x489-Lithium handle and single port charger





483E1810

VarioScope Veterinary Diagnostic Set -Wall Mounted - Mains and C cell

• LED Varioscope Veterinary Otoscope

blue filter, light sensitive filter and 5 apertures

• LED 3.5V Coaxial veterinary ophthalmoscope with cobalt

• Wall mounted power unit for C cell and/or mains power • 2x3 metre spiral cord handles with auto on and auto off

• 3 x plastic tips: 1 each of 61.0 x 4.0mm,61.0 x 6.0mm, 61.0 x 9.0mm

VET

MINI-Vet Diagnostic Set with 2 x Lithium handle and twin port charger

This MINI-Vet diagnostic set can be powered either by Lithium lon cells or by AA battery handles. Either combination provides excellent illumination. These MINI-Vet sets are excellent for examining felines and other small animals. Irrespective of handle. Each set contains the following items:

Standard Items

- LED MINI-Vet ophthalmoscope with cobalt blue filter and 4 further apertures
- LED MINI-Vet Slit Otoscope with 3x swivelling magnification
- 3 x metal tips: 1 each of 57,0 x 4,0mm, 65,0 x 6,0mm, 90,0 x 7,0mm
- Zipper case
- Choice of power handles; Lithium Ion desk charging, or AA battery handles
- Set shown includes 2 x Lithium Ion handles and desk charger



468E8720

MINI-Vet Diagnostic Set with 2 x Lithium Ion handle and twin port charger

MINI-Vet Diagnostic Set with 2 x AA battery handles

- LED MINI-Vet Otoscope with bayonet tip fitting
- LED MINI-Vet ophthalmoscope with cobalt blue filter and 4 further apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 2 x AA battery handles
- Zipper case

MINI-Vet Diagnostic Set - Wall mounted - Mains and C cell

- LED MINI Vet Otoscope with bayonet tip fitting
- LED MINI-Vet ophthalmoscope with cobalt blue filter and 4 further apertures
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 1 x Wall unit with coiled cord handles
- Mains and C cell power





468E7720

MINI-Vet Diagnostic Set with 2 x AA battery handles

483E1610

MINI-Vet Diagnostic Set - Wall mounted - Mains and C cell

Veterinary Slit Otoscope Set 1 x 490 lithium handle and single port charger

Our most popular and widely used veterinary otoscope set available with various power handle combination. Irrespective of handle each set contains the following items:

Standard Item

- LED Slit Veterinary Otoscope with 3.0x swivelling magnification
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- Zipper case

Optional Items

- Wide range of alternative tips available
- Choice of power handles; Lithium Ion desk charging, Lithium Ion USB, 490-Lithium, C Cell Battery and Wall Unit
- Set shown includes 1 x Lithium Ion handle and desk charger with unique Auto On/Auto Off facility that automatically switches handle off when located in charger and switches on when removed

471E5700

Veterinary Slit Otoscope Set

 $1\,x\,490$ lithium Dual charging mode of USB and cradle charging $\,$ handle single port charger



Veterinary Slit Otoscope Set 1 x 490 USB lithium handle

- LED Slit Veterinary Otoscope with 3.0x swivelling magnification
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- Lithium USB Handle
- USB Cable
- Zipper case

Veterinary Slit Otoscope Set 1 x 490 C Cell Battery handle

- LED Slit Veterinary Otoscope with 3.0x swivelling magnification
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- C Cell Battery Handle
- Zipper case





471E4720

Veterinary Slit Otoscope Set 1 x 490 USB lithium handle

471E6720

Veterinary Slit Otoscope Set 1 x 490 C Cell Battery handle

73

1 x 489 Lithium handle and single port charger

Veterinary Slit Otoscope Set

65.0 x 6.0mm, 90.0 x 7.0mm

- 1x 489 lithium dual charging mode of USB and cradle charging handle
- Single port charger
- Zipper case



465E1720

Veterinary Slit Otoscope Set 1 x 489 Lithium handle and single port charger

Veterinary Slit Otoscope Set - Wall Mounted -Mains and C Cell

- LED Slit Veterinary Otoscope with 3.0x swivelling magnification
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- Wall mounted power unit with single coiled handle

483E1711

Veterinary Slit Otoscope Set - Wall Mounted - Mains and C Cell

Veterinary Slit Otoscope Head

Available with either Screw thread fitment for Mini-Vet handles or Twist lock fitting for standard size handles



VET

- Veterinary slit otoscope head with screw thread fitment
- Fits Mini handles and Heine Mini handles
- Bayonet tip fitting

471E0080

Veterinary Slit Otoscope Head



Metal LED Veterinary Otoscope Set 1 x 490 lithium handle and single port charger

Our most popular and widely used veterinary otoscope set available with various power handle combination. Irrespective of handle each set contains the following items:

- •Metal LED Veterinary Otoscope with 3.0x swivelling magnification
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- Zipper case

Optional Items

- Wide range of alternative tips available
- · Choice of power handles; Lithium Ion desk charging, Lithium Ion USB, 490-Lithium, C Cell Battery and Wall Unit
- Set shown includes 1 x Lithium Ion handle and desk charger with unique Auto On/Auto Off facility that automatically switches handle off when located in charger and switches on when removed

477E5720

Metal LED Veterinary Otoscope Set

1 x 490 lithium dual charging mode of USB and cradle charging handle single port charger



Metal LED Veterinary Otoscope Set 1 x 490 USB lithium handle

- Metal LED Veterinary Otoscope with 3.0x swivelling magnification
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- · Lithium USB Handle
- USB Cable
- Zipper case

Metal LED Veterinary Otoscope Set 1 x 490 C Cell Battery handle

- Metal LED Veterinary Otoscope with 3.0x swivelling magnification
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- C Cell Battery Handle
- Zipper case





477E4720

Metal LED Veterinary Otoscope Set 1 x 490 USB lithium handle

477E6720

Metal LED Veterinary Otoscope Set 1 x 490 C Cell Battery handle

(4x

CE

Metal LED Veterinary Otoscope Set - Wall Mounted -Mains and C Cell

- Metal LED Veterinary Otoscope with 3.0x swivelling magnification
- 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- Wall mounted power unit with single coiled handle

483E1718

Metal LED Veterinary Otoscope Set - Wall Mounted - Mains and C Cell

VarioScope Veterinary Otoscope Set 1 x 490 Lithium handle and single port charger

Veterinary Diagnostic Sets - LED Vario-Scope Otoscope

The ideal veterinary otoscope set for those practitioners who require higher magnification and variable focal length available with various power handle combination. Irrespective of handle each set contains the following items:

Standard Items

- *LED VarioScope Veterinary Otoscope with 4.2x swivelling magnification and adjustable focal length

 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- Choice of power handles: Lithium Ion desk charging, Lithium Ion USB, C cell battery and Wall unit

Set includes:

• 1 x 490 Lithium Ion handle and desk charger with unique Auto On/Auto Off facility that automatically switches handle off when located in charger and switches on when removed

468E5812

VarioScope Veterinary Otoscope Set

1 x 490 lithium dual charging mode of USB and cradle charging handle single port charger

VarioScope Veterinary Otoscope Set 1 x 490 USB Lithium handle

- LED VarioScope Veterinary Otoscope
- 4.2x swivelling magnification
- Adjustable focal length 3 x plastic tips:
- 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- USB Lithium handle USB Cable

VarioScope Veterinary Otoscope Set 1 x 490 C Cell Battery Handle

- LED VarioScope Veterinary Otoscope
- 4.2x swivelling magnification
- Adjustable focal length 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0 x 6.0mm, 61.0 x 9.0mm
- C Cell Battery handle



468E4812

VarioScope Veterinary Otoscope Set 1 x 490 USB Lithium handle



VarioScope Veterinary Otoscope Set 1 x 490 C Cell Battery Handle

VarioScope Veterinary Otoscope Set 1 x 489 lithium handle and single port Charger

- LED VarioScope Veterinary Otoscope
- 4.2x swivelling magnification
- Adjustable focal length 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0×6.0 mm, 61.0×9.0 mm
- 489 lithium rechargeable handle
- Single port Charger



468E1812

VarioScope Veterinary Otoscope

Set 1 x 489 lithium dual charging mode of USB and cradle charging handle single port Charger

VarioScope Veterinary Otoscope Set Wall Mounted - Mains and C Cell

- LED VarioScope Veterinary Otoscope
- 4.2x swivelling magnification
- Adjustable focal length 3 x plastic tips: 1 each of 61.0 x 4.0mm, 61.0×6.0 mm, 61.0×9.0 mm
- C Cell and Mains Wall Mounted power unit

483E1316

VarioScope Veterinary Otoscope Set Wall Mounted - Mains and C cell



Veterinary VarioScope Otoscope Head with Twist Lock Fitting

468E0010

VarioScope Veterinary Otoscope Head with Twist Lock Fitting



MINI-Vet Otoscope Set 1 x Lithium Ion handle and single port charger

Veterinary Diagnostic Sets - LED Pocket Otoscope Sets

This MINI-Vet Slit otoscope set is ideal for those practitioners who would like a smaller, more compact, otoscope when examining felines and other smaller animals. Various power handle combinations including Lithium Ion rechargeable and AA battery handle. Irrespective of handle each set contains the following items unless otherwise specified

Standard Items

- LED MINI-Vet Slit Otoscope head with choice of metal or plastic tips in varying lengths and diameters
- Choice of power handles; Lithium Ion desk charging, AA battery handle

Set above includes

- 1 x Lithium Ion handle and desk charger
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- LED MINI-Vet otoscope head



470E8810

MINI-Vet Slit Otoscope Set 1 x Lithium Ion handle and single port charger

MINI-Vet Slit Otoscope Set 1 xAA plastic battery handle

- LED MINI-Vet Otoscope with bayonet tip fitting
- 3 x metal tips: 1 each of 57.0 x 4.0mm, 65.0 x 6.0mm, 90.0 x 7.0mm
- 1 x AA battery handle
- Zipper case



470E7810

MINI-Vet Slit Otoscope Set 1 x AA plastic battery handle

Notes

Spreadable speculum

- Ideal for various examinations including nasal, anal and vaginal
- This item fits any handle with twist lock connection

474E0010

 Shown mounted on an 489 lithium rechargeable handle (not supplied)



Finoff transilluminator

•Fits any handles with twist lock connection

•Ideal for transillumination and for use with an Indirect Opthalmoscopy lens •Shown mounted on an 489 lithium rechargeable handle (not supplied)



472E0010

Finoff transilluminator head only

Rabbit Intubation and Seed Removal Tips

These specula have been introduced to assist intubation of rabbits when using a veterinary otoscope. Available in either 60mm or 80mm lengths for rabbits of less than 2kg and above 2kg. The open gutter design is very useful for seed and other foreign body removal and Hartmann Crocodile forceps pass easily down the tip. Fully autoclavable.



470-0685

Rabbit/Seed removal speculum. 60.0 x 9.0mm

470-0686

Rabbit/Seed removal speculum. 80.0 x 9.0mm

Metal Specula

Standard Specula - Supplied as standard in the Veterinary slit otoscope set and available individually. The bayonet fitting is compatible with slit otoscope head.

Fully autoclaveable




10mm dia. 7mm dia. 6mm dia. 4mm dia.

470-0681 57mm long /4mm dia

470-0682 65mm long /6mm dia **470-0683** 90mm long /7mm dia

470-0684 150mm long /10mm dia





Notes	