

Safety Data Sheet

Material: 60007377

ELASTOSIL® M 4500

Version: 1.9 (REG_EUROPE)

Date of print: 19.03.2014

Date of last alteration: 11.12.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial product name: **ELASTOSIL® M 4500**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Industrial.

Use of substance / preparation:

Raw material for: elastomer products .

1.3 Details of the supplier of the safety data sheet

Manufacturer/distributor:	Wacker Chemie AG
Street/POB-No.:	Hanns-Seidel-Platz 4
State/postal code/city:	D 81737 München
Telephone:	+49 89 6279-0
Telefax:	+49 89 6279-1770
Information about the Safety Data Sheet:	Telephone Telefax eMail
	+49 8677 83-4888 +49 8677 886-9722 WLCP-MSDS@wacker.com

1.4 Emergency telephone number

Emergency Information:	Plant fire brigade	+49 8677 83-2222
Emergency Information (internat.):	National Response Center	+49 621 60-43333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (67/548/EEC, 1999/45/EC):

R-Phrase	Description
R-	-

This product is not a dangerous preparation within the meaning of Directive 1999/45/EC.

2.2 Label elements

Labelling (67/548/EEC, 1999/45/EC):

R-Phrase	Description
R-	-

S-Phrase	Description
S-	-

Special identification instructions:
Safety data sheet available for professional users on request.

2.3 Other hazards

No data are available.

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

3.2.1 Chemical characterization (preparation)

Polysiloxane with functional groups + auxiliary

Safety Data Sheet

Material: 60007377
ELASTOSIL® M 4500
Version: 1.9 (REG_EUROPE)
Date of print: 19.03.2014
Date of last alteration: 11.12.2012

3.2.2 Hazardous ingredients

EC-No.	CAS No.	Material	Content %	Warning Label (EC)	
				Symbol	R-Phrases*
238-878-4	14808-60-7	Quartz	<20	Xn	R48/20

*Classification codes are explained in section 16.

Quartz : This ingredient does not require classification. Due to this material's physical properties, inhalation is not dangerous.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

After inhalation:

Provide fresh air.

After contact with the skin:

Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

After swallowing:

Give several small portions of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Any relevant information can be found in other parts of this section.

4.3 Indication of any immediate medical attention and special treatment needed

No data are available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

water mist , extinguishing powder , alcohol-resistant foam , carbon dioxide , sand .

Extinguishing media which must not be used for safety reasons:

water spray , water jet .

5.2 Special hazards arising from the substance or mixture

not applicable

5.3 Advice for firefighters

Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

If material is released indicate risk of slipping. Do not walk through spilled material.

6.2 Environmental precautions

Prevent material from entering surface waters, drains or sewers and soil. Contain any fluid that runs out using suitable material (e.g. earth). Close leak if possible without risk.

Safety Data Sheet

Material: 60007377

ELASTOSIL® M 4500

Version: 1.9 (REG_EUROPE)

Date of print: 19.03.2014

Date of last alteration: 11.12.2012

6.3 Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations. For small amounts: Absorb with a liquid binding material such as diatomaceous earth and dispose of according to local/state/federal regulations. Contain larger amounts and pump up into suitable containers. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

6.4 Reference to other sections

Relevant information in other sections have to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling:

Spilled substance increases risk of slipping.

Precautions against fire and explosion:

Observe the general rules for fire prevention.

7.2 Conditions for safe storage, including any incompatibilities

Conditions for storage rooms and vessels:

none known

Advice for storage of incompatible materials:

not applicable

Further information for storage:

Keep container tightly closed. Store in a dry and cool place.

Minimum temperature allowed during storage and transportation: 0 °C

7.3 Specific end use(s)

No data are available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Maximum airborne concentrations at the workplace:

not applicable

8.2 Exposure controls

8.2.1 Exposure in the work place limited and controlled

General protection and hygiene measures:

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

Personal protection equipment:

Respiratory protection

not required .

Hand protection

Recommendation: Protective gloves made of butyl rubber , nitrile rubber protective gloves . The selection of appropriate gloves not only depends on the material, but also on other quality characteristics, and may vary depending on the manufacturer. Please observe information from your glove supplier in terms of permeability and breakthrough time.

Eye protection

Recommendation: protective goggles .

8.2.2 Exposure to the environment limited and controlled

Prevent material from entering sewers or surface waters.

Safety Data Sheet

Material: 60007377
ELASTOSIL® M 4500

Version: 1.9 (REG_EUROPE)

Date of print: 19.03.2014

Date of last alteration: 11.12.2012

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General information:

Physical state / form liquid
 Colour white
 Odour odourless

Important information about the protection of health, safety and the environment:

Property:	Value:	Method:
Melting point / melting range	not applicable	
Boiling point / boiling range	not applicable	
Flash point.....	> 250 °C	(DIN 51376)
Ignition temperature	> 450 °C	(DIN 51794)
Lower explosion limit (LEL)	not applicable	
Upper explosion limit (UEL).....	not applicable	
Vapour pressure.....	not applicable	
Density	approx. 1,2 g/cm ³ at 20 °C, at 1013 hPa	(DIN 53217)
Water solubility / miscibility.....	virtually insoluble at 23 °C	
pH-Value	not applicable	
Viscosity (dynamic)	30000 mPa.s at 23 °C	(BROOKFIELD)

9.2 Other information

Thermal decomposition.....: > 200 °C

SECTION 10: Stability and reactivity

10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

10.4 Conditions to avoid

none known

10.5 Incompatible materials

none known

10.6 Hazardous decomposition products

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

11.1.1 Acute toxicity

Assessment:

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure.

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
oral	LD ₅₀ : > 2000 mg/kg	rat	Conclusion by analogy
dermal	LD ₅₀ : > 2000 mg/kg	rat	Conclusion by analogy

Safety Data Sheet

Material: 60007377
ELASTOSIL® M 4500

Version: 1.9 (REG_EUROPE)

Date of print: 19.03.2014

Date of last alteration: 11.12.2012

11.1.2 Skin corrosion/irritation

Assessment:

Based on the available data a clinically relevant skin irritation hazard is not expected.

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by analogy

11.1.3 Serious eye damage / eye irritation

Assessment:

Based on the available data a clinically relevant eye irritation hazard is not expected.

Product details:

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by analogy

11.1.4 Respiratory or skin sensitization

Assessment:

Based on the available data a sensitization reaction is not expected from this product.

Product details:

Route of exposure	Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Bühler	Conclusion by analogy

11.1.5 Germ cell mutagenicity

Assessment:

Based on known data a significant mutagenic potential may be excluded.

Product details:

Result/Effect	Species/Test system	Source
negative	mutation assay (in vitro) bacterial cells	Conclusion by analogy OECD 471

11.1.6 Carcinogenicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.7 Reproductive toxicity

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.8 Specific target organ toxicity (single exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

11.1.9 Specific target organ toxicity (repeated exposure)

Assessment:

For this endpoint no toxicological test data is available for the whole product.

Safety Data Sheet

Material: 60007377

ELASTOSIL® M 4500

Version: 1.9 (REG_EUROPE)

Date of print: 19.03.2014

Date of last alteration: 11.12.2012

11.1.10 Aspiration hazard

Assessment:

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

SECTION 12: Ecological information

12.1 Toxicity

Assessment:

Evaluation in analogy to similar product. No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected.

12.2 Persistence and degradability

Assessment:

Biologically not degradable. Separation by sedimentation.

12.3 Bioaccumulative potential

Assessment:

Polymer component: No adverse effects expected.

12.4 Mobility in soil

Assessment:

Insoluble in water. No adverse effects expected.

12.5 Other adverse effects

none known

12.6 Additional information

Easily separable from water by filtration.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Material

Recommendation:

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

13.1.2 Uncleaned packaging

Recommendation:

Completely discharge containers (no tear drops, no powder rest, scraped carefully). Containers may be recycled or re-used. Observe local/state/federal regulations.

SECTION 14: Transport information

14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group

Road ADR:

Valuation: Not regulated for transport

Railway RID:

Valuation: Not regulated for transport

Transport by sea IMDG-Code:

Valuation: Not regulated for transport

Air transport ICAO-TI/IATA-DGR:

Valuation: Not regulated for transport

Safety Data Sheet

Material: 60007377

ELASTOSIL® M 4500

Version: 1.9 (REG_EUROPE)

Date of print: 19.03.2014

Date of last alteration: 11.12.2012

14.5 Environmental hazards

Hazardous to the environment: no

14.6 Special precautions for user

Relevant information in other sections have to be considered.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk transport in tankers is not intended.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

15.2 Other international regulations

Details of international registration status:

Listed on or in accordance with the following inventories:

EINECS - Europe

ECL - Korea

ENCS - Japan

AICS - Australia

IECSC - China

DSL - Canada

PICCS - Philippines

TSCA - USA

SECTION 16: Other information

16.1 Material

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at www.wacker.com.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

R-Phrase	Description
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.

- End of Safety Data Sheet -